www.atlanticconverters.com
915 North Church Street
Livingston, TN 38570

ATLANTIC
TORQUE CONVERTERS

Disclaimer

All information in this catalog has been checked for accuracy. However, no liability can be assumed for any incomplete or incorrect data.

Copyright

No part of this publication may be reproduced, stored in a retrieval system, transmitted in any form, by any means; electronic, mechanical, photocopying, recording or otherwise, without prior written permission of Whatever It Takes Transmission Parts, Inc.

WHATEVER IT TAKES
TRANSMISSION PARTS, INC

© Whatever It Takes Transmission Parts. Inc.

1-800-940-0197

TABLE OF CONTENTS

ACURA
CL....246
Integra....247
Legend....248
MDX....249
RDX....252
RL....253
RSX....254
TL....255
TSX....258
Vigor....258

AMERICAN MOTORS
A727 (36RH/37RH)(TF-8)....260
A904/A998/A999 (30RH/31RH/32RH....262

AUDI
AWTF60SN (09G/09M)....264
VW003....266
VW010 / 087/ 089/ 090....267
VW097 (01N)....269
ZF4HP18....270
ZF4HP24A....270
ZF5HP19FL (01V)....271
ZF5HP19FLA....272
ZF5HP24A....273
ZF6HP19 / ZF6HP19A....274
ZF6HP26A (09E)....275
ZF6HP28AF....276
ZF8HP45 / ZF8HP55AF....277

BMW
BW55....278
ZF3HP12 / ZF3HP20....278
ZF3HP22....279
ZF4HP14 / ZF4HP18....283
ZF4HP22 / ZF4HP24....283
ZF5HP18....288
ZF5HP19....289
ZF5HP24 / ZF5HP24A....290
ZF5HP30....291
ZF6HP19 / ZF6HP19X....291
ZF6HP21....293
ZF6HP26 / ZF6HP28....293
ZF8HP45 / ZF8HP45X....296
ZF8HP70 / ZF8HP70X....297
4L30....298
5L40....299
6L45....301

CHRYSLER
A404 A413 /A470 (31TH)....104
A470 / A670 (31TH)....106
A43 / A43D/ A44D / AW372....107
A500 (40RH /42RE / 42RH / 44RE)....108
A518 / A618 (46RH / 46RE / 47RH / 47RE / 48RE)....113
A604 (40TE / 41TE)....123
A606 (42LE / 42RLE)....127
TF8 / A727 (36RH / 37RH) (NO RING GEAR)....128
TF8 / A727 (36RH / 37RH) (NARROW RING GEAR)....130
TF8 / A727 (36RH / 37RH) (WIDE RING GEAR)....132
TF6 / A904 / A998 / A999 (30RH / 31RH / 32RH)....140
AS66RC....152
AS68RC....153
AS69RC....154
F3A21 (KM171-5)....154
F4A21 (KM176-5)....155
F4A33-1 / W4A33-1....156
F4A51....157
KM170 / KM171....157
KM176....158
RE0F10A (JF011E)....159
ZF8HP45 (845RFE)....160
ZF8HP70....161
ZF8HP90....163
ZF9HP48 (948TE)....163
45RFE / 5-45RFE....165
6F24 (A6MF-1)....166
62TE....167
65RFE / 66RFE....168
68RFE....168
722.6....170
722.9....173

FORD
A4LD / 4R44E / 4R55E / 5R55E....176
AOD / FIOD....179
AODE / 4R70E / 4R70W / 4R75E / 4R75W....180
ATX....182
AWTF81SC (AF21-B)(AW6A-EL)....184
AXOD / AXODE / AX4N / AX4S / 4F50N....186
BORG WARNER 12....191
C3....191
C4 / C5....193
C6....200
CD4E....203
CFT30....204
ECAT / 4EAT / F4AEL / F4E / G4AEL / LJ4A-EL....205
E4OD / 4R100....210
F3A....213
FNR5....215
3N71B....216
RE4F04A / RE4F04V....216
ZF4HP22....217
2 SPEED (ALUMINUM CASE)....218
3 SPEED (CRUISO & FMX)....221
4F27E....226
5R110W (TORQSHIFT)....227
6F15 / 6F35....228
6F45 / 6F50 / 6F55....231
6R140....233
6R60 (ZF6HP26)....234
6R75 (ZF6HP26)....235
6R80 / 6R100....235
8F24 / 8F35 / 8F40 / 8F45 / 8F57....241
10R60 / 10R80....243
10R140....245

GENERAL MOTORS
A44DE (03-72LE)....14
A131L / A240E....15
A245E / A246E....16
AF50-8 (MRC)....17
ALLISON 245 / AT545....17
ALLISON 540 / 545....18
ALLISON 1000 / 2000 / 2400....19
AW55-50SN (AF33-5)....24
AW80-40LE / AW81-40LE / U440E....25
AW450-43LE....25
AWTF-81SC (AF40-6)....25
F3A....26
JF015E (RE0F11A)....26
JF403E....27

© Whatever It Takes Transmission Parts. Inc.

1-800-940-0197

WHATEVER IT TAKES TRANSMISSION PARTS, INC

TABLE OF CONTENTS

GENERAL MOTORS (Continued)

MX17 (A210) 28
POWERGLIDE 28
125 NON-LOCKUP....31
125 / 125C / 3T40 / 3T40E 32
180 NON-LOCKUP....37
180C / 3L30 / 4L30 38
200 NON-LOCKUP....41
200C 43
200R4 44
2ML70....45
SUPERTURBINE 300 46
325 NON-LOCKUP....47
250 / 350 NON-LOCKUP....48
350 LOCK-UP....50
400 NON-LOCKUP....51
440-T4 / 4T40E / 4T45E / 4T60 / 4T60E / 4T65E....54
700-R4 / 4L60 / 4L60E / 4L65E / 4L70 (10” Converters)....59
700-R4 / 4L60 / 4L60E / 4L65E / 4L70 (12” Convertes)....63
4L60E / 4L65E / 4L75E (280mm / 300mm)....67
4L80E / 4L85E....69
4T65E....72
4T80E....76
5L40E / 5L50E....77
6L45 / 6L50....80
6L80 / 6L90....83
6T30 / 6T35 87
6T40 / 6T45 88
6T50 93
6T70 / 6T75 94
8L45....95
8L90....96
9T45 / 9T50 / 9T60 / 9T65....100
10L60 / 10L80 / 10L90....101
10L1000....102

HONDA

ACCORD....302
CIVIC....306
CR-V....308
CROSSTOUR....309
ELEMENT....310
FIT 310
HR-V....311
ODYSSEY 311
PASSPORT 313
PILOT 314
PRELUDE....316
RIDGELINE 319

HYUNDAI

A4AF1 / A4AF2....320
A4AF3....321
A4BF1 / A4BF2....321
A4CF2 322
A5CF1 / A5CF2 322
A5HF1 323
A6GF1 325
A6LF1 / A6LF2 / A6LF3 326
A6MF1 / A6MF2....328
A8LR1 / A8TR1....330
F4A21 / F4A22 331
F4A33....332
F4A42....333
F4A51 / W4A51 334
F5A51 / W5A51 335
KM171 / KM172 / KM175 336
KM176 336
TR-60SN....337
ZF6HP19 337
ZF6HP26 338

INFINITY

AW55-50SN / AW55-51SN 340
RE0F09A / REF09B....340
RE0F10E....341
RE4F02A / RE4F04A / RE4F04B / RE4F04V / RL4F04A / 4F20E....341
RE4F03A / RE4F03B / RE4F03C / RE4F03V / RL4F03A / RL4F03V 342
RE4R01A / RL4R01A / R4AEL / RC4-AEL (JR405E)....342
RE4R03A / RL4R03A 343
RE5R05A....344
RE7R01A / RE7R01B....345

ISUZU

A40 / A41 /A42D / A42DL 348
A340E / A340H / A341E / AW30-40LE 349
AS68RC....351
A450-43LE....352
JF403E 353
JR403E....353
MPJA 354
MX17 355
4L30E 355
4L60....357
4L80E 358
6L90....358

JAGUAR

BORG WARNER (3 BAND)....360
BORG WARNER 8 / 12 360
BORG WARNER 35 / 65 / 66 361
JF506E 362
ZF4HP22 / ZF4HP24 / ZF4HP24A....363
ZF5HP24 / ZF5HP24A....364
ZF6HP26 / ZF6HP26A....365
ZF6HP28 / ZF6HP28A....366
TH400 / 4L80E 367
5R55N 368
722.6....369

JEEP

A340 (AW4) 370
A500 (40RH / 42RE / 42RH / 44RE)(NON-LOCKUP)....370
A500 (40RH / 42RE / 42RH / 44RE)(LOCKUP) 371
A518 (46RE / 46RH / 47RE / 47RH / 48RE)(LOCKUP) 373
A6MF1....375
A727 (36RH / 37RH)(NON-LOCKUP)....376
A727 (36RH / 37RH)(LOCKUP) 377
A904 (30RH / 31RH / 32RH)(NON-LOCKUP)....378
A904 (30RH / 31RH / 32RH)(LOCKUP)....379
F3A21....381
F4A21 (KM176-5) / F4A22 (KM175-5) / F4A23 (KM177-8) ...382
F4A33 / W4A33 383
KM171 / KM172 / KM175 384
RE0F10A (JF011E)....384
ZF4HP18 385
ZF4HP22 / ZF4HP24....385
ZF8HP45 (845RE)....386
ZF8HP70 386
ZF9HP48 (948TE) 387
42RLE....387
45RFE / 5-45RFE....388

© Whatever It Takes Transmission Parts. Inc.

TABLE OF CONTENTS

JEEP
6F24 390
722.6....390

KIA
A44DE 392
A4AF3....392
A4CF2 393
A5GF1 394
A5HF1 395
A6GF1 395
A6LF1 / A6LF2....396
A6MF1....397
A6MF2....398
F4A42 / W4A42 398
F4A51....400
F4A-EL 401
RE5R05A....403
ZF6HP26X....404

LAND ROVER
AWTF80SC / AWTF81C 406
JF506E 407
ZF4HP22 / ZF4HP24 / ZF4HP24A....407
ZF5HP24 / ZF5HP24A....408
ZF6HP26 / ZF6HP26A....409
ZF6HP28 / ZF6HP28A....410

LEXUS
A340 / A341 / A343 / A350....412
A540E / A541E 414
A650E....415
A750F 417
A760E / A760H 418
A761E / A761F 418
A960E....420
AA80E / AA80F....420
AA81E 421
U140 / U150 / U151....422
U660 / U661 / U760E 423
U881E / U881F....423

MAZDA
A44DE 424
AWTF-81SC (AW6A-EL) 424
CD4E....426
F3A....426
F4A-EL 429
FN4A-EL (4F27E)....429
FNR5 432
FW6A-EL 433
JF403E 433
JF506E (JA5A-EL)....434
JR405E....434
RE4R01A / RL4R01A / R4AEL / RC4-AEL (JR405E)....435
3N71B / L3N71B / 4N71B / L4N71B....437

MERCEDES
722.0 / 722.1 (W3A040 / W4B025)....442
722.2 (K4A040 / K4B050 / K4C025)....444
722.3 (W4A028 / W4A040)....445
722.4 (W4A020) 448
722.5....449
722.6....450
722.9....454

MINI COOPER
AWTF60SN 460

MITSUBISHI
A340F....462
A43DE 462
A44DL....462
AS68RC....463
A904 464
AW450-43LE 464
F1C1A....465
F4A21 (KM176-5)....465
F4A22 (KM175-5)....466
F4A23 (KM177-8)....467
F4A33-1 / W4A32-1....468
F4A41 (F4A4B)....469
F4A42....470
F4A51 / W4A51 472
JF015E 473
JF613E / F6A5A 474
KM170 474
KM171 / KM172 / KM175 474
KM175 / KM177....475
RE0F10A....475
RG4R01A / JR403E / 403H....476
V4A51 / R4A51....477
V5A51 / R5A51....478
42RLE....479
5-45RFE 480
A727 (NON-LOCKUP)....481

NISSAN
A43 482
A450-43LE....482
AW55-50SN / AW55-51SN 482
BORG WARNER 35 483
RE0F08A / RE0F08B....483
RE0F09A / RE0F09B....484
RE0F10A / RE0F10B....484
RE0F10D (JF016E)....486
RE0F10E (JF017E) 487
RE0F11A (JF015E)....487
RE4F02A / RE4F04A / RE4F04B / RE4F03V / RL4F04A / 4F20E....488
RE4F03A / RE4F03B / RE4F03C / RE4F03V / RL4F03A / RL4F03V 490
RE4R01A / RL4R01A / R4AEL / RC4-AEL (JR405E)....491
RE4R03A / RL4R03A 493
RE5R05A....494
RE7R01A / RE7R01B....495
RL3F01A / RN3F01A....496
RL4F02A / RE4F02A....496
3N71B / L3N71B / 4N71B / L4N71B....497

SAAB
AW50-40LE 502
AW55-50SN / AW55-51SN 503
AWTF80SC (AF40-6) 504
BORG WARNER 35 (T35) 504
ZF4HP14 505
ZF4HP18 / ZF4HP18Q....506
4L60E / 4L70E....507

© Whatever It Takes Transmission Parts. Inc.

1-800-940-0197

WHATEVER IT TAKES TRANSMISSION PARTS, INC

TABLE OF CONTENTS

SCION
U241E....508
U340....509
U341....509
U660 / U760....508

SUBARU
M41A....510
TR580....512
TR690....514
4EAT (R4AX-EL)....515
5EAT....521

SUZUKI
A440F....524
A44DE....524
A750E / A750F....526
AW50-40LE / AW50-42LE....527
AW55-50SN (AF33)....527
AW60-40LE....528
AW81-40LS....528
MX17....529
RE0F10A (JF011E)....530
ZF4HP16....531
180C / 3L30E....532

TOYOTA
A10....534
A20....534
A30....535
A40 / A40D / A41 / A43D....537
A42D / A43DL....539
A42DE / A43DL / A44DE / A44DL....540
A46DE....541
A55 / A55F....542
A130 / A131L / A140 / A240 / A241 / A242 / A244 / A245 / A246 / A247....542
A340E....546
A340F....548
A340H....550
A342....551
A343F....552
A440 / A442....552
A465 / AS68RC....553
A540E....554
A540H....555
A541E....555
A650E....556
A750E....557
A750F....558
A761E / A761F....560
AB60E....561
AC60E....561
AS68RC....562
AW450-43LE....562
AWF8F35....563
K313....563
U140E....564
U140F....565
U151E....566
U151F....566
U240E....567
U241E....567
U250E....568
U340E / U341E....569
U341F....570
U660E....572
U760E....572

VOLKSWAGEN
AWTF60SN (09G)(09M)....574
JF506E (09A)(09M)....577
TR60SN (09D)....578
VW01M / 01P (095 / 096 / 098)....579
VW003....582
VW010 / 087 / 098 / 090....583
VW097 (01N)....585
ZF5HP19FL (01V)....586
ZF5HP19FLA....587
ZF5HP24A....588
ZF6HP19 / ZF6HP19A....588

VOLVO
A341E....590
A40 / A42D / A42DL / A43D / A43DL / A44DL....591
AW50-40 / AW50-40LE / AW50-42LE....593
AW55-50SN / AW55-51SN....594
AWTF-80SC / AWTF-81SC....596
BORG WARNER 35 / 37 / 41 / 44....596
BW55 / AW55....598
ZF4HP14 / ZF4HP22....600

Terminology Glossary....8-12
Atlantic Torque Converter Ad....13
HP Tuner Ad....103
WIT RFE 4x4 Solutions Ad....175
WIT Performance Parts Ad....259
WIT WR45420BD Ad....339
A Plus Ad....347
At Your Service Ad....359
WITXtreme Kits Ad....405
Atlantic Converters Ad....411
Roadmaster Ad....501
WIT Warehousing/Distribution Ad....523
Atlantic Converters Ad....533
Mid Mountain Ad....573
Atlantic Performance Converters....589

© Whatever It Takes Transmission Parts. Inc.

CONVERTER INSTALLATION

Any quality transmission repair is dependent upon several factors such as proper initial diagnosis, quality replacement parts, and sound rebuilding practices and procedures.

An important function in the rebuilding process is proper installation of the torque converter. The best remanufactured torque converter can be greatly affected or even destroyed by improper installation procedures.

As with rebuilding the transmission, there are installation basics which should be adhered to and in proper order to avoid potential problems. The following are examples of installation basics:

Correct Identification

The technician must verify that the torque converter is the correct application, despite potential misboxing, order error, or lack of specific identifying characteristics. There are several variables beyond what is listed. Examples include:

a. Spline Counts
b. Hub Length
c. Timing Marks
d. Stall Speed
e. Lockup Piston Lining
f. Pilot Type
g. Balance
h. Damper Design
i. Bolt/Nut Threads

Sealing Component

There is a variety of sealing components used on transmission input shafts and stator supports for lockup applications. Whether its an o-ring or teflon sealing ring, the correct size must be used. The o-ring cross section is as important as the diameter. Material is another concern due to heat that a torque converter can generate. The wrong material will take a heat set and lose all sealing capability, which will cause lockup issues.

Crankshaft Pilot

Before inserting the torque converter into the transmission, verify that the fit between the torque converter pilot and crankshaft pilot is correct by placing the torque converter in position and checking for proper clearance. Certain vehicles, such as Ford's A4LD family, have removeable crank pilots which tend to wear and should be replaced.

Alignment

All applications use some means to properly align the engine and transmission. Normally this is accomplished by the use of dowel pins. At times, when a transmission is removed, one or both dowel pins stick to the transmission and do not remain with the engine. The replacement transmission will not contain the dowels and once re-installed, misalignment will occur. Bell housing bolts themselves align nothing.

Alignment Pin

© Whatever It Takes Transmission Parts. Inc.

Another issue is that, at times, the dowel pin holes in the transmission housing can be worn which will also result in misalignment. Always ensure that both dowel pins are there, that the corresponding holes are not worn, and that there are no other obstructions to proper engine and transmission alignment.

Lastly, applications like the 5R55W/5R55N which use a dual plate design (1 flexplate and 1 flywheel) do require an alignment tool for proper installation. Not using this tool can cause various problems as well.

Clearances

Once the transmission is bolted to the engine, the torque converter mounting pad to flexplate clearance must be checked. Proper clearance is important for a couple of reasons. Too little clearance will put undue load on pump gears or the crankshaft thrust bearing. Too much clearance will not allow enough engagement of the hub drivers into the pump gear or drive splines, resulting in gear breakage or stripped splines.

Incorrect clearance can be the result of improper torque converter stack height, incorrect flex plate or flywheel, improper pump gear position, etc. Clearances less the 1/8” or more than 3/16” should be scrutinized. Torque converter clearances can be checked even on applications having a full round bell housing.

Attachment

A torque converter is attached to the flex plate or flywheel by either bolts or nuts. Whether they are standard or metric thread, there is also a question of pitch, which could be fine or coarse.

An important factor is length. Using a bolt that is too long can damage the torque converter cover, especially on lockup types. The bolt can dimple the machined surface where the lockup piston lining makes contact, resulting in lockup issues. Be aware of the mounting pad thickness.



© Whatever It Takes Transmission Parts. Inc.

Terminology Glossary

Diameter - Overall
Does Not Include Ring Gear, Mounting Ring, or Inertia Ring

Overall Height With Pads
Top of Pad to Top of Hub

Overall Height With Studs
Top of Studs Base To Top of Hub

Overall Height With Ring
Top of Mounting Ring to Top of Hub

Shafts - Input Non Lock-Up
Solid, No Rings or O-Rings
Connects to the Turbine

Shaft - Input Lock-Up
Hollow With Rings or O-Rings
Connects to the Turbine

Hub - Bushing Style
Inserts Into the Pump of the Transmission

Hub - Drive Ears
Inserts Into the Pump of the Transmission

Hub - O-Ring (Not Included)
Inserts Into the Pump of the Transmission

Hub - Milled Flats
Inserts Into the Pump of the Transmission

Hub - Slotted
Inserts Into the Pump of the Transmission

Hub - Smooth Round
Inserts Into the Pump of the Transmission

Hub - Splined
Inserts Into the Pump of the Transmission



Hub - Non Flanged

Hub - Flanged

Hub - Diameter (OD)
Diameter of the Outside of Hub

© Whatever It Takes Transmission Parts. Inc.

1-800-940-0197

WHATEVER IT TAKES
TRANSMISSION PARTS, INC

Terminology Glossary

Hub Height
Measure Top of Hub to Base

Pilot Diameter
Measure Outside - This Inserts Into The Engine Crankshaft



Pilot - Stepped
Measure Outside Of Both Steps

Pilot Height
Measure Top Of Pilot To Top Of Hub

Ribbed Impeller
Half Of The Outer Shell, Driving Member Of The Converter

Smooth Impeller
Half Of The Outer Shell, Driving Member Of The Converter

Inertia Ring

Cooling Shroud

Low Stall
Refer To The Angle Of The Ribs On The Impeller

Medium Stall
Refer To The Angle Of The Ribs On The Impeller

High Stall
Refer To The Angle Of The Ribs On The Impeller

Bolt Radius (X2 = Bolt Circle)
Measure Center Of Mounting Pad To Center Of Pilot

Mounting Ring
W/Threaded Holes, Attaches Converter To Engine Flexplate

Mounting Ring W/Dowel Hole
W/Threaded Holes, Attaches Converter To Engine Flexplate



Stud Mount
Attaches Converter To Engine Flexplate / Flywheel



Extended Stud Mount
Attaches Converter To Engine Flexplate / Flywheel

WHATEVER IT TAKES
TRANSMISSION PARTS, INC

© Whatever It Takes Transmission Parts. Inc.

1-800-940-0197

Terminology Glossary

Mounting Ring Diameter
Measure Outside To Outside
Of Ring

Mounting Pad
Chrysler - Short

Mounting Pad
Chryler - Tall

Mounting Pad
GM 245mm RWD

Mounting Pad
GM 245mm FWD
Except 245mm Viscous Clutch

Mounting Pad
GM 258mm RWD
Also 245mm Viscous Clutch

Mounting Pad
GM 280mm & 300mm RWD



Mounting Pad
GM 298mm RWD
(Rectangular)

Mounting Pad
GM 298mm RWD
(Round)

Mounting Pad
GM 300mm & 280mm RWD

Pad Height
Measure Top Of Pad To
Converter Cover

Ring Gear (Narrow)
Measurement From Converter
To Outside Of Ring Gear

Ring Gear (Wide)
Measurement From Converter
To Outside Of Ring Gear

Ring Gear Thickness

Butterfly Weight
Balances the converter or
engine counter balance.

Weight - 91 Gram
Balances the converter or
engine counter balance.

© Whatever It Takes Transmission Parts. Inc.

1-800-940-0197

WHATEVER IT TAKES
TRANSMISSION PARTS, INC

Terminology Glossary

Lock Up Captive Clutch



Inaccessible friction components due to unique and proprietary OE designs. Typically found in ZF5HP19 and ZF5HP24 converters.

Lock Up Centrifugal Clutch



Lock-Up is achieved and controlled by centrifugal force within the converter. Lock-Up function is not controlled electronically or hydraulically.

Lock Up Clutch Pack



Lock-Up that uses a clutch pack similar to clutch drums found in the transmisison. Frictions and steels are serviceable and held in place with a snap ring.

Lock Up Damper Drive



A clutch pack in the transmission is driven by an independent shaft that is splined into a spring dampened drive plate fastened inside the converter cover.

Lock Up Multi Friction Clutch

Type of clutch piston lock up that uses more than one friction element.

Lock Up Piston - Single Friction Clutch



Most common type of lock-up. Uses a single spring dampened piston and a single friction element.

Non Lock Up



No clutch or dampner.

Legend

A: Impeller (Primary)

B: Stator

C: Turbine

D: Captive Clutch

E: Centrifugal Clutch

F: Clutch Pack

G: Damper Drive

H: Multi Friction Clutch

J: Piston (Single Friction)

K: Front Cover

© Whatever It Takes Transmission Parts. Inc.

WHATEVER IT TAKES TRANSMISSION PARTS, INC

1-800-940-0197

Terminology Glossary

TERM	DEFINITION
Bolt Pattern - 90 Degrees	Typically refers to 4 pad Chrysler converters with pads equally spaced in relation to one another. The distance (center to center) is the same when measuring adjacent pads.
Bolt Pattern - Offset	Typically refers to 4 pad Chrysler converters with pads NOT equally spaced in relation to one another. The distance (center to center) is DIFFERENT when measuring adjacent pads.
Bolt Circle Diameter	The measurement between two mounting points (bolt holes or studs) that are 180 degrees opposed. Always measure from center to center.
Bolt Circle Radius	The measurement between the center of one mounting point (bolt hole or stud) and the center of the pilot. Bolt Circle Radius x 2 equals bolt circle diameter.
Cover	The half of the converter outer shell that mounts to the engine drive plate. The cover typically has the pilot and mount pads (or studs) incorporated into it.
Impeller / Primary	Half of the converter outer shell that has curved fins/blades attached to the inside. The impeller is the driving member of the converter. Typically, the converter hub is incorporated into the impeller half of the unit.
Stator	Component of the torque converter that is separate and independent from the outer shell of the converter. When installed on the transmission, the stator is splined onto the support splines. Stator typically contains a roller clutch or sprag assembly that allows one way rotation.
Turbine	Component of the torque converter that is separate and independent from the outer shell of the converter. The turbine is the driven member of the converter that is splined to the input shaft of the transmission.
Lock-Up	Term used to describe converter function where a friction element inside the converter is hydraulically applied so that a direct and mechanical link is made between the engine and transmission.
Stall Speed	Hypothetical maximum engine RPM measurement with the input shaft of the transmission locked in place. This is how fast the engine can spin the outside shell of the converter with the inner turbine locked in place. Stall speed is dependent upon the power characteristic of the engine that is driving the torque converter. The same torque converter will have different stall speeds when placed behind different engines.
Lock-Up - On/Off	Term used to describe characteristics of lock-up control. On/Off indicates that the friction elements in the converter are either fully applied, or fully released. Application does not call for converter clutch to be partially slipped.
Lock-Up - PWM	Type of lock-up control that allows the converter clutch to partially slip during normal operation. “PWM” refers to Pulse Width Modulation. A PWM system typically incorporates valve body, solenoid and software compo nents that can pulse (as opposed to simply turn off) release oil to the converter clutch assembly. Converter clutches can be slipped very briefly or over extended periods of time, depending upon application. Different OEM’s use different techniques in different applications; therefore not all PWM systems are the same. Typically, the converter clutch assembly is calibrated to the type of PWM system that is used in a specific application. Mismatching non PWM torque converters into PWM equipped applications (and vice versa) can cause drivability problems and premature failure.
ECCC (EC3)	Electronic Converter Clutch Control (ECCC) is a proprietary type of PWM control of the converter clutch that was introduced by General Motors into some applications as early as 1996. ECCC strategy can continuously slip the converter clutch for very long period of driving. ECCC typically requires use of woven carbon friction material that can endure the heat generated by this style of PWM. The most reliable way to determine if a vehicle uses ECCC strategy is to connect a scan tool to the vehicle and monitor the method by which lock up is applied.
Brazing	The practice of reinforcing fins in either the primary (impeller) or the turbine. Brazing can be done manually with a TIG welder, or can be done via a method where components are placed in a special oven or furnace.
Coast Relief Valve	Also known as Poppet Valve. Pressure relief mechanism in converter to release TCC (torque converter clutch) while coasting.
Fin Angle	Typically refers to the angle of the dimples or ribs on the exterior of the impeller (primary). Fin angle is one variable that controls the stall speed of the converter.

© Whatever It Takes Transmission Parts. Inc.

ATLANTIC
TORQUE CONVERTERS

CHRYSLER 68RFE
TC7202BHD
Heavy Duty
Billet Converter

PREMIUM QUALITY CONVERTERS.

Atlantic remanufactures premium quality OE replacement and performance torque converters out of Livingston, TN. As a Division of Whatever It Takes, Atlantic practices WIT's values of providing superior customer service, highest quality products backed by experienced industry professionals.

FEATURED 6L80/6L90 TORQUE CONVERTERS

GM 6L80/6L90
TC4502HD
Heavy Duty
Includes Billet Lid

GM 6L80/6L90
XTC4503HS
Performance, 2500-2700 Stall
Includes Billet Lid

Give us a call today at 1-800-940-0197 or visit wittrans.com

Powered by WIT

General Motors

A44DE (03-72LE) (4 Speed)(RWD)

Atlantic #	TC5720
Model :	Tracker
Engine:	1.6L
Year(s) :	1989-04
Code :	Yellow Dot Inside Yellow Circle, 10A610
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625” Deep)
Hub Diameter :	1.500
Hub Height :	1.600
Pilot Diameter :	0.825 Stepped To 0.650
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.25
Mounting Style :	3 Pads (9/16” Thick)(M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic#	TC5722
Model :	Tracker
Engine:	2.0L
Year(s) :	1996-04
Code :	G9G08, WG06D, Green Dot, 2R, 6C, 4071, E9J02, 40A570, 40A571, V9K13, 09K04, H9K11, U8K14, A44DE
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	4.705
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	High
Stall Speed :	Medium
Mounting Bolt Radius :	4.125
Mounting Style :	6 Pads (1/2 x 3/4 x 1)(M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9708
Model :	Tracker
Engine:	2.5L
Year(s) :	2001-03
Code :	40A100, 40A610, 09611, WA13N, 40A230
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	4.707
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	4 Pads (.510”Tall)(M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

A131L, A240E (3 & 4 Speed)(FWD)

Atlantic #	TC6702
Model :	Geo Prizm, Nova
Engine:	
Year(s) :	
Code :	Black Or Pink Dot, L
OEM Part Number :	
Overall Diameter :	9.50
Overall Height :	4.375
Input Spline :	26
Hub Style :	Slotted (0.425” Deep)
Hub Diameter :	1.498
Hub Height :	1.562
Pilot Diameter :	1.100
Pilot Length :	0.980
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	3.975
Mounting Style :	6 Pads (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note: Ribs Angle 10 Degrees To The Right

Atlantic #	TC6708
Model :	Geo Prizm
Engine:	1.6L
Year(s) :	1988-02
Code :	7, R, 30A108, 30A070, R290
OEM Part Number :	
Overall Diameter :	10
Overall Height :	4.350
Input Spline :	26
Hub Style :	Slotted (0.4375” Deep)
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	1.100 (Solid Or Hollow)
Pilot Length :	0.420
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	3.875
Mounting Style :	6 Pads (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6708LS
Model :	Geo Prizm
Engine:	1.8L
Year(s) :	1988-02
Code :	05, 13, J08, 202, 30A070, 30A360, E7A09,
	Q4L16, 30A180, JOE11, 307, A131
OEM Part Number :	
Overall Diameter :	10
Overall Height :	4.350
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	1.100 (Solid Pilot With Hole And Small Step)
Pilot Length :	0.973
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	3.950
Mounting Style :	6 Pads (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note: Codes Blue Circle Around Pink Dot, Blue Dot With Yellow Dot, Yellow Paint Line, Blue Circle With White Dot, Fuchsia Circle Around Yellow Dot

© Whatever It Takes Transmission Parts. Inc.

General Motors

A245E, A246E (4 Speed)(FWD)

Atlantic #	TC6708
Model :	Geo Prizm, Pontiac Vibe
Engine:	1.6L, 1.8L
Year(s) :	1993-02, 2007-08
Code :	7, R, 30A108, 30A070, R290
OEM Part Number :	
Overall Diameter :	10
Overall Height :	4.350
Input Spline :	26
Hub Style :	Slotted (0.4375” Deep)
Hub Diameter :	1.498
Hub Height :	1.400
Pilot Diameter :	1.100 (Solid Or Hollow)
Pilot Length :	0.420
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	3.875
Mounting Style :	6 Pads (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes



Note:

Atlantic #	TC6712
Model :	
Engine:	
Year(s) :	
Code :	30A070, 005J08, 202
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.425” Deep)
Hub Diameter :	1.500
Hub Height :	1.560
Pilot Diameter :	1.100” (Solid)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads (5/16” Thick)(M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6720
Model :	
Engine:	1.8L
Year(s) :	
Code :	30A010, 203, R2K08, Blue Circle, P3A13, Green Circle, White Dot, Yellow Dot, C4D11
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.425” Deep)
Hub Diameter :	1.500
Hub Height :	1.560
Pilot Diameter :	1.100” (Solid W/Hole And Small Step)
Pilot Length :	0.973
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.500
Mounting Style :	6 Pads (5/16” Thick)(M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

AF50-8 (MRC) (8 Speed)(FWD/AWD)

Atlantic #	TC28501
Model :	Lacross, Malibu, XT5
Engine:	3.6L, 2.0L
Year(s) :	2016-19
Code :	4BA050, 4BA060
OEM Part Number :	
Overall Diameter :	11.615
Overall Height :	
Input Spline :	23
Hub Style :	Slotted & Flanged
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	1.060
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.665
Mounting Style :	6 Pads (Stepped)(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

Allison 275 Lock-Up / AT545 Lock-Up (5 Speed)(RWD)

Atlantic #	TC11103
Model :	Military (2.5 Ton)
Engine:	
Year(s) :	
Code :	275LU, 24214328, 29511073, 24219348, 29513437
OEM Part Number :	
Overall Diameter :	13.375
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.9985
Hub Height :	
Pilot Diameter :	1.7025
Pilot Length :	0.755
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.760
Mounting Style :	6 Lugs
Ring Gear :	
Clutch:	Yes

Note:

CAUTION: Check The Length Of Your Converter Bolts To Prevent Damage To The Converter Clutch And/Or Clutch Surface, Voiding All Warranty Plus Loss Of Core.

© Whatever It Takes Transmission Parts. Inc.

General Motors

Allison 540, 545 (5 Speed)(RWD)

Atlantic #	TC11101
Model :	
Engine:	
Year(s) :	
Code :	M, 270, 275, 27541834, 23019053
OEM Part Number :	29541834
Overall Diameter :	13
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	1.970
Pilot Diameter :	1.703
Pilot Length :	0.755
Lockup :	No
Stall Speed :	Medium / Low
Mounting Bolt Radius :	5.760
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	No

Note: Ribs Angled Slightly To The Left

Atlantic #	TC11102
Model :	Includes 1997 Isuzu Cabover Diesel
Engine:	
Year(s) :	
Code :	290
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	1.970
Pilot Diameter :	1.703
Pilot Length :	0.755
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	5.760
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	No

Note: Ribs Angled 45 Degrees To The Left

© Whatever It Takes Transmission Parts. Inc.

Allison 1000/2000/2400 (5 & 6 Speed)(RWD)

Atlantic#	TC11601
Model :	
Engine:	(Diesel) 6.6L, 7.3L, 7.6L
Year(s) :	2005-09
Code :	29543003, 29549522, 17804309
OEM Part Number :	
Overall Diameter :	13.50
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	2.35
Pilot Diameter :	1.703
Pilot Length :	0.637
Lockup :	Yes
Stall Speed :	1900-2100
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Green Stripe On Label

Atlantic #	TC11601HD
Model :	
Engine:	5.9L Diesel, 6.6L Diesel
Year(s) :	1999-05
Code :	29530318, 29538348, 29538529, 29541293
	Green Stripe On Label
OEM Part Number :	29549522
Overall Diameter :	13.375
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	2.235
Pilot Diameter :	1.703
Pilot Length :	0.637
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Heavy Duty One Piece Billet Cover

Atlantic #	TC11601CC
Model :	Silverado 2500HD/3500HD
Engine:	6.0L
Year(s) :	2010-16
Code :	29546573, Green Stripe On Label
OEM Part Number :	
Overall Diameter :	13.50
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	
Pilot Diameter :	1.703
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Dual Sided Captive Clutch)

Note: Clutch Retaining Rivets Are Visible Between The Mounting Pads

© Whatever It Takes Transmission Parts. Inc.

General Motors

Allison 1000/2000/2400 (5 & 6 Speed)(RWD)

Atlantic #	TC11605CC
Model :	Sierra 3500HD
Engine:	6.6L Duramax
Year(s) :	2017-22
Code :	0015400
OEM Part Number :	24266601
Overall Diameter :	13.50
Overall Height :	7.837
Input Spline :	26, 29 Vanes, 45 Outer, Seal On Turbine Hub Splines
Hub Style :	Flanged Flats
Hub Diameter :	2.295
Hub Height :	2.371
Pilot Diameter :	1.702
Pilot Length :	0.748
Lockup :	Captive Clutch, 45 Splines
Stall Speed :	Medium
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Dual Sided Captive Clutch)

Note: Label On Cover White and Blue Stripe
(P) 24266601 (T) 0015400
Clutch Retaining Rivet Indentations Are Visible Between The Mounting Pads

Atlantic #	TC11601TC
Model :	
Engine:	6.6L, 7.3L, 7.6L (Diesel)
Year(s) :	2005-09
Code :	
OEM Part Number :	
Overall Diameter :	13.50
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	2.35
Pilot Diameter :	1.703
Pilot Length :	0.637
Lockup :	Yes
Stall Speed :	1900-2100
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pad (Special)(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Triple Clutch)(Rated 1,000 HP)

Note: Clutch Assembly Replaced With After-market Triple Clutch Rated At 1,000 HP

Atlantic #	TC11602
Model :	
Engine:	6.0L, 8.1L (Gas)
Year(s) :	2006-09
Code :	29534832, 29538197, 29538531
OEM Part Number :	
Overall Diameter :	13.50
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	2.35
Pilot Diameter :	1.703
Pilot Length :	0.637
Lockup :	Yes
Stall Speed :	2100-2200
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pad (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Orange Stripe On Label

© Whatever It Takes Transmission Parts. Inc.

Allison 1000/2000/2400 (5 & 6 Speed)(RWD)

Atlantic #	TC11602HD
Model :	
Engine:	8.1L Gas
Year(s) :	2001-05
Code :	29534832, 29538197, 29538331, 29538531, Orange Stripe On Label
OEM Part Number :	
Overall Diameter :	13.375
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	2.230
Pilot Diameter :	1.703
Pilot Length :	0.637
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Orange Strip On Label
One Piece Heavy-Duty Billet Cover

Atlantic #	TC11602CC
Model :	Silverado 2500HD/3500HD, Sierra 3500HD
Engine:	6.0L, 6.6L
Year(s) :	2010-16
Code :	29546574, Orange Stripe On Label
OEM Part Number :	
Overall Diameter :	13.50
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	
Pilot Diameter :	1.703
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Dual Sided Captive Clutch)

Note: Clutch Retaining Rivets Are Visible Between The Mounting Pads

Atlantic #	TC11602TC
Model :	
Engine:	6.0L, 8.1L (Gas)
Year(s) :	2006-09
Code :	24534832, 29538197, 29538531
OEM Part Number :	
Overall Diameter :	13.50
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	2.35
Pilot Diameter :	1.703
Pilot Length :	0.637
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pad (Special)(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Triple Clutch)(Rated 1,000 HP)

Note: Clutch Assembly Replaced With After-Market Triple Clutch

© Whatever It Takes Transmission Parts. Inc.

General Motors

Allison 1000/2000/2400 (5 & 6 Speed)(RWD)

Atlantic #	TC11603
Model :	F750
Engine:	5.9L Diesel
Year(s) :	2007
Code :	29543017, 29549519
OEM Part Number :	
Overall Diameter :	13.375
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	2.350
Pilot Diameter :	1.703
Pilot Length :	0.637
Lockup :	Yes
Stall Speed :	1700-1900
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Black Stripe On Label

Atlantic #	TC11603HD
Model :	Freightliner
Engine:	5.9L Diesel, 7.2L Diesel
Year(s) :	2004-05
Code :	29530317, 29538347, 29538528,
	29540484, 29549519
OEM Part Number :	
Overall Diameter :	13.50
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	2.235
Pilot Diameter :	1.703
Pilot Length :	0.637
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Heavy Duty One Piece Billet Cover
Black Stripe On Label

Atlantic #	TC11603CC
Model :	
Engine:	6.7L (Diesel)
Year(s) :	2010-16
Code :	29546576, Black Stripe On Label
OEM Part Number :	
Overall Diameter :	13.50
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	2.350
Pilot Diameter :	1.703
Pilot Length :	0.637
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pad (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Dual Sided Captive Clutch)

Note: Clutch Retaining Rivets Are Visible Between The Mounting Pads

© Whatever It Takes Transmission Parts. Inc.

Allison 1000/2000/2400 (5 & 6 Speed)(RWD)

Atlantic #	TC11603TC
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	13.50
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	2.35
Pilot Diameter :	1.703
Pilot Length :	0.637
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pad (Special)(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Triple Clutch)(Rated 1,000 HP)

Note: Clutch Assembly Replaced With After-Market Triple Clutch

Atlantic #	TC11604
Model :	
Engine:	
Year(s) :	
Code :	29543016, 29549520, White Stripe On Label
OEM Part Number :	
Overall Diameter :	13.375
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	2.350
Pilot Diameter :	1.703
Pilot Length :	0.637
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: White Stripe On Label

Atlantic #	TC11604HD
Model :	
Engine:	
Year(s) :	
Code :	29537302, 29538349, 29538530, 29540520
OEM Part Number :	
Overall Diameter :	13.375
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	2.35
Pilot Diameter :	1.703
Pilot Length :	0.637
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Heavy Duty One Piece Billet Cover
White Stripe On Label

© Whatever It Takes Transmission Parts. Inc.

General Motors

Allison 1000/2000/2400 (5 & 6 Speed)(RWD)

Atlantic #	TC11604CC
Model :	Silverado 2500HD/3500HD
Engine:	6.0L, 6.6L
Year(s) :	2016-Up
Code :	29546575
OEM Part Number :	
Overall Diameter :	13.375
Overall Height :	
Input Spline :	25
Hub Style :	Milled Flats
Hub Diameter :	2.295
Hub Height :	2.35
Pilot Diameter :	1.703
Pilot Length :	0.637
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.750
Mounting Style :	6 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Dual Sided Captive Clutch)

Note: Clutch Retaining Rivets Are Visible Between The Mounting Pads

AW55-50SN (AF33-5) (5 Speed)(FWD/AWD)

Atlantic #	TC2101
Model :	Captiva Sport, Torrent, Vue
Engine:	2.0L (Diesel), 3.2L, 3.4L
Year(s) :	2006-11
Code :	43A120, 43A160, 2C10922, YO
	Metal Stamp 434 On Primary
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.500
Pilot Diameter :	0.825
Pilot Length :	1.290
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.760
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

Atlantic #	TC2101LS
Model :	Equinox
Engine:	3.4L
Year(s) :	2005-09
Code :	43A160, YOP On Front Cover, 2E00192,
	Metal Stamp 433 On Primary, AF33-5
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.500
Pilot Diameter :	0.825
Pilot Length :	1.290
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.760
Mounting Style :	3 Pads (10mm x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

AW80-40LE/AW81-40LE/U440E (ML40) (4 Speed)(FWD)

Atlantic #	TC13702
Model :	Aveo, G3, Wave
Engine:	1.6L
Year(s) :	2002-11
Code :	61A100, Metal Stamp 2, 603
OEM Part Number :	
Overall Diameter :	9.25
Overall Height :	
Input Spline :	16
Hub Style :	Slotted & Flanged
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	1.125
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.375
Mounting Style :	3 Extended Pads (M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

AW450-43LE (4 Speed)(RWD)

Atlantic #	TC14106
Model :	W-40 Box Truck
Engine:	5.2L Diesel
Year(s) :	
Code :	5E11U
OEM Part Number :	
Overall Diameter :	12.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.650
Hub Height :	1.750
Pilot Diameter :	1.572
Pilot Length :	1.938
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.439
Mounting Style :	6 Large Extended Rectangular Pads
Ring Gear :	
Clutch:	Yes

Note: There are Two Pilot Versions

AWTF-81SC (AF40-6) (6 Speed)(FWD/AWD)

Atlantic #	TC25522
Model :	Regal GS, SRX, Cruze
Engine:	2.0L, 2.8L
Year(s) :	2009-17
Code :	44A130, 44A160
OEM Part Number :	
Overall Diameter :	11.00
Overall Height :	
Input Spline :	27
Hub Style :	Flanged & SLotted
Hub Diameter :	1.850
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.66
Mounting Style :	6 Pads (M10 x 1.25 Thread)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

F3A (3 Speed)(FWD)

Atlantic #	TC1801A
Model :	Spectrum, Storm
Engine:	L4 1.5L, 1.6L
Year(s) :	1985-93
Code :	KF4
OEM Part Number :	
Overall Diameter :	9.50
Overall Height :	
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.768
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.125
Mounting Style :	4 Round Lugs With Groove
Ring Gear :	
Clutch:	No

Note:

JF015E (RE0F11A)(CVT-7) (CVT)(FWD)

Atlantic #	TC32301B
Model :	Spark
Engine:	1.4L
Year(s) :	2016-17
Code :	60B
OEM Part Number :	
Overall Diameter :	8.875
Overall Height :	
Input Spline :	18
Hub Style :	Slotted, Flanged
Hub Diameter :	
Hub Height :	1.375
Pilot Diameter :	0.590
Pilot Length :	0.847
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	
Mounting Style :	3 Pads (M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note: 30 Spline Stator

Atlantic #	TC13701
Model :	
Engine:	
Year(s) :	
Code :	Ink Code A0A060, S Stamp By Pilot
OEM Part Number :	
Overall Diameter :	8.25
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.590
Pilot Length :	0.725
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	3.9375
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 32 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

JF403E (4 Speed)(FWD)

Atlantic #	TC7302
Model :	Storm, Prism, Impulse
Engine:	L4 1.6L, 1.8L
Year(s) :	1990-93
Code :	A1, A3, KF1, KF4
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.650
Hub Height :	1.305
Pilot Diameter :	0.785
Pilot Length :	0.660
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.443
Mounting Style :	6 Round Pads (M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

MX17 (A210) (3 Speed)(FWD)

Atlantic #	TC6703
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.425 Deep)
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	1.100 (Hollow)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	3.875
Mounting Style :	6 Pads (8mm Threads)
Ring Gear :	
Clutch:	No



Note: Ribs Angle 45 Degrees To The Right

Atlantic #	TC6704
Model :	Metro, Sprint
Engine:	1.0L, 1.3L, 1.6L
Year(s) :	1989-01
Code :	Royal Blue Dot, Black Dot, Purple Dot
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.4375 Deep)
Hub Diameter :	1.498
Hub Height :	1.562
Pilot Diameter :	1.100 (Hollow)
Pilot Length :	0.980
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	3.975
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC6705
Model :	Metro, Sprint
Engine:	1.0L, 1.3L
Year(s) :	
Code :	Orange Dot
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.562
Pilot Diameter :	1.100 (Hollow)
Pilot Length :	0.980
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	3.975
Mounting Style :	6 Lugs (8mm)
Ring Gear :	
Clutch:	No

Note: Reduced Primary / Ribs Angle 45 Degrees To Right

© Whatever It Takes Transmission Parts. Inc.

Powerglide (2 Speed)(RWD)

Atlantic #	TC10300
Model :	Corvair, Corvan Truck
Engine:	
Year(s) :	1960-69
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	22
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.7458
Hub Height :	0.83
Pilot Diameter :	0.905
Pilot Length :	0.730
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.80
Mounting Style :	3 Brackets
Ring Gear :	147 Teeth
Clutch:	No

Note: With Cooling Shroud

Atlantic #	TC10301
Model :	Cast Iron
Engine:	All Except 327, 409
Year(s) :	1953-62, 1963-68
Code :	
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	
Input Spline :	17
Hub Style :	Slotted
Hub Diameter :	1.8745
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.375
Lockup :	No
Stall Speed :	1300-1500
Mounting Bolt Radius :	6.00
Mounting Style :	3 Brackets With Captive Nuts
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC10303
Model :	
Engine:	6 Cylinder
Year(s) :	1964-73
Code :	
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	17
Hub Style :	Slotted
Hub Diameter :	1.8745
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.375
Lockup :	No
Stall Speed :	2200-2400
Mounting Bolt Radius :	5.375
Mounting Style :	3 Brackets (No Threads)
Ring Gear :	
Clutch:	No

Note: Without Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

General Motors

Powerglide (2 Speed)(RWD) (Continued)

Atlantic #	TC10304
Model :	Aluminum Powerglide
Engine:	All V8 Except 396 & 427
Year(s) :	1962-73
Code :	
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	
Input Spline :	17
Hub Style :	Slotted
Hub Diameter :	1.8745
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.375
Lockup :	No
Stall Speed :	1800-2000
Mounting Bolt Radius :	5.375
Mounting Style :	3 Brackets (No Threads)
Ring Gear :	
Clutch:	No

Note: Smooth Or Ribbed Primary

Atlantic #	TC10305
Model :	
Engine:	396, 427
Year(s) :	1964-68
Code :	
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	
Input Spline :	17
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.703
Pilot Length :	0.200
Lockup :	No
Stall Speed :	1500-1700
Mounting Bolt Radius :	6.00
Mounting Style :	3 Mounting Brackets (No Threads)
Ring Gear :	
Clutch:	No

Note: Ribbed Primary

Atlantic #	TC10306
Model :	
Engine:	6 Cylinder With Shroud
Year(s) :	1962-73
Code :	
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	17
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.703
Pilot Length :	0.200
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	5.25
Mounting Style :	3 Mounting Brackets (No Threads)
Ring Gear :	
Clutch:	No

Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Powerglide (2 Speed)(RWD) (Continued)

Atlantic #	TC10308
Model :	Vega, Monza
Engine:	4 Cylinder
Year(s) :	1971-73
Code :	
OEM Part Number :	
Overall Diameter :	11.75
Overall Height :	
Input Spline :	17
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.703
Pilot Length :	
Lockup :	
Stall Speed :	1800-2200
Mounting Bolt Radius :	5.375
Mounting Style :	3 Pads (No Threads)
Ring Gear :	
Clutch:	No

Note: With Cooling Shroud

125 Non Lock-Up (3 Speed)(FWD)

Atlantic #	TC6401
Model :	
Engine:	All
Year(s) :	1980-82
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	No Drive With Inner Bushing
Hub Diameter :	1.748
Hub Height :	0.860
Pilot Diameter :	0.825
Pilot Length :	1.365
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.925
Mounting Style :	3 Lugs
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC6402
Model :	
Engine:	All
Year(s) :	1980-82
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	No Drive With Inner Bushing
Hub Diameter :	1.748
Hub Height :	0.860
Pilot Diameter :	0.825
Pilot Length :	1.365
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.925
Mounting Style :	6 Lugs
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

125 / 125C / 3T40 / 3T40E (3 Speed FWD)

Atlantic #	TC8401
Model :	Skylark, Citation, Cimarron
Engine:	2.0L, 2.3L, 2.5L, 2.8L, 3.0L, 3.1L
Year(s) :	1984-95
Code :	FD, FD2B, FD48, FD6B, FDAB, FDEB, FE, FE4B, FJ, FJ2B, FJ4B, FJ9B, FJAB, FJBB, FDOB, FJOB
OEM Part Number :	86899226, 8689931
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	No
Stall Speed :	1800-2200
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads (M10 x 1.5)
Ring Gear :	
Clutch:	

Note: Clutch Omitted By Factory

Atlantic #	TC8401HS
Model :	
Engine:	
Year(s) :	
Code :	FA0B, FB0B, FC0B
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	No
Stall Speed :	2385, 2560, 2795
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	

Note: Clutch Omitted By Factory

© Whatever It Takes Transmission Parts. Inc.

125 / 125C / 3T40 / 3T40E (3 Speed FWD)(Continued)

Atlantic #	TC8402C
Model :	Beretta, Cavalier, Century, Corsica, Cutlass, Grand Prix, Lumina, Monte Carlo, Regal, Silhouette,Sunbird, Transport, Venture
Engine:	2.8L, 3.1L, 3.4L
Year(s) :	1985-97
Code :	FDAB, FDEB, FD2B, FD4B, FD6B, FD9B, FJAB, FJBB, FJ2B, FJ4B, FJ9B, FZCB, FC2B,
OEM Part Number :	8678956, 8678960, 8681964, 8690939, 24200958, 8676648, 8681965, 8676646, 8683921, 8680289, 8689923, 8689925, 8689927, 8689935, 8690939
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	Yes
Stall Speed :	2060, 2095
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Kevlar Type Clutch Unit

Note: Kevlar Type Clutch Unit

Atlantic #	TC8403
Model :	Oldsmobile
Engine:	4.3L (Diesel)
Year(s) :	1985
Code :	FKBB, FM5B, FM7B
OEM Part Number :	8678965, 8676650
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	
Stall Speed :	1525, 2795
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Clutch Contains Poppet Valves

Note: Clutch Contains Poppet Valves

© Whatever It Takes Transmission Parts. Inc.

General Motors

125 / 125C / 3T40 / 3T40E (3 Speed FWD)(Continued)

Atlantic #	TC8404
Model :	Achieva, Beretta, Calais, Corsica, Cutlass,
	Grand Am, Grand Am, Sommerset
Engine:	2.2L, 2.3L, 3.3L
Year(s) :	1987-97
Code :	FZBB, FZRB
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	
Stall Speed :	2375
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Clutch Contains Static Valves

Note: Clutch Contains Static Valves

Atlantic #	TC8404HS
Model :	Achieva, Calais, Grand Am
Engine:	2.3L
Year(s) :	1990-93
Code :	FKBB, FK1B, FA1B, FAAB, FA2B, FACB,
	FKFB, FAFB, FKEB
OEM Part Number :	8678965, 8678966, 8690969, 8678967,
	8676647, 8678968, 8676645, 8678969,
	8676660, 8689934, 8683920, 8680288,
	24203821, 24202323, 24211286, 24210082,
	24211324, 24209607, 24211331, 24209810,
	24211332, 24209657, 24203820, 24202322
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	Yes
Stall Speed :	2760, 2795
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Clutch Contains Static Valves

Note: Clutch Contains Static Valves

© Whatever It Takes Transmission Parts. Inc.

125 / 125C / 3T40 / 3T40E (3 Speed FWD)(Continued))

Atlantic #	TC8405C
Model :	Achieva, Beretta, Calais, Century, Corsica, Cutlass, Grand Am, Malibu, Skylark, Sommerset, Venture
Engine:	3.1L, 3.3L
Year(s) :	1989-97
Code :	FG9B, FGAB, FG2B, FG4B, FG9B, FM4B, FM9B, FYAB, FY4B, FY5B, FY6B, FY7B, FY9B,
OEM Part Number :	8678957, 8676661, 8650933,
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	Yes
Stall Speed :	1420, 1515, 1525, 1630
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Kevlar Type Clutch Unit

Note: Kevlar Type Clutch Unit

Atlantic #	TC8406C
Model :	Bonneville, LaSabre, LSS, Montana, Park Avenue, Royale, Regal, Regency, Riviera, Silhouette, Tornado, Transport, 88, 98
Engine:	3.4L, 3.8L
Year(s) :	1989-97
Code :	FEAB, FE9B, FE2B, FE4B, FE6B, FLDB, FLMB, FL4B, FL6B, FL9B,
OEM Part Number :	8689924, 8689937, 8650934, 8683977, 24201308,
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	Yes
Stall Speed :	G=1630, F=1720, E=1860, L=1895
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Kevlar Type Clutch Unit

Note: Kevlar Type Clutch Unit

© Whatever It Takes Transmission Parts. Inc.

General Motors

125 / 125C / 3T40 / 3T40E (3 Speed FWD)(Continued)

Atlantic #	TC8407C
Model :	Achieva, Calais, Cavalier, Century, Cobalt, Cutlass, Grand Am, HHR, Lumina, Malibu, Pursuit, Skylark, Sunbird, Sunfire
Engine:	2.0L, 2.2L, 2.3L, 2.4L, 2.5L
Year(s) :	1985-2011
Code :	FZ2B, FBAB, FB2B, FB4B, FC1B, FB1B, FZEB, FZCB, FZEB, FZPB, FZFB, FZ1B, FZ2B
OEM Part Number :	8678959, 8676653, 8689920, 8689930, 8689940, 8689941, 8690940, 8685468, 24206149, 24202324, 24206150, 24202325, 24206915, 24203920, 24208651, 24205304, 24211323, 24209606
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	Yes
Stall Speed :	Z= 2375, C= 2385, B= 2560
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Kevlar Type Clutch Unit

Note: Kevlar Type Clutch Unit

Atlantic #	TC8408C
Model :	Beretta, Cavalier, Corsica, Cutlass
Engine:	2.2L,
Year(s) :	1990-94
Code :	FK1B, FA1B, FAAB, FA2B, FACB, FKFB, FAFB, FKEB, FK2B
OEM Part Number :	8678967, 8676647, 8678968, 8676645, 8678969, 8676660, 8689934, 8683921, 8680288, 24203821, 24202323, 24211286, 24210082, 24209657, 24203820, 24202322
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	Yes
Stall Speed :	K= 2760, A= 2795
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Kevlar Type Clutch Unit

Note: Kevlar Clutch Type Unit

© Whatever It Takes Transmission Parts. Inc.

180 Non-Lockup (3 Speed RWD)

Atlantic #	TC2401
Model :	Chevette, T100
Engine:	1.6L
Year(s) :	1977-80
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.625
Pilot Diameter :	1.09
Pilot Length :	1.22
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.865
Mounting Style :	3 Brackets With Captive Nuts
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC2403
Model :	Chevette, Chevelle
Engine:	4 Cylinder
Year(s) :	1980-82
Code :	SAO
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	3 Lugs
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

180C, 3L30, 4L30 (3 & 4 Speed RWD)

Atlantic #	TC2402
Model :	Isuzu Trooper, Rodeo
Engine:	2.2L, 2.8L, 3.1L
Year(s) :	1990-92
Code :	SF6X, SJ9K, SELP, SE9P, SE6X, SE9S, SFLP, SJAK, SJLP, SJLS, SJHS
OEM Part Number :	8677324, 8680189
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Stator Spline:	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.0
Pilot Diameter :	0.825
Pilot Length :	1.550
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.865
Mounting Style :	3 Pads (1.400” Long)(10mm x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC2405
Model :	US Postal Vehicle
Engine:	151ci Iron Duke
Year(s) :	1990-Up
Code :	SJAC, SJCJ
OEM Part Number :	24200140
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.0
Pilot Diameter :	0.825
Pilot Length :	0.975
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.865
Mounting Style :	3 Pads (0.560” Tall)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC2404
Model :	Chevettte
Engine:	1.6L
Year(s) :	1982-85
Code :	SA1, SJAJ, SJCJ, 24200140
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.0
Pilot Diameter :	0.825
Pilot Length :	1.60
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.88
Mounting Style :	3 Pads (0.560” Tall)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

180C, 3L30, 4L30 (3 & 4 Speed RWD)(Continued)

Atlantic #	TC2406
Model :	Passport, Rodeo, Trooper
Engine:	2.2L, 2.6L, 3.1L, 3.2L, 3.5L
Year(s) :	1991-1999
Code :	
OEM Part Number :	24210868, 24210869, 24211228, 24211229, 24210266, 96041998, 24211068
Overall Diameter :	10.20
Overall Height :	5.875
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.0
Pilot Diameter :	0.825
Pilot Length :	1.033
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.868
Mounting Style :	6 Lugs (10mm x 1.5)
Ring Gear :	
Clutch:	Yes (Low Carbon Friction)

Note: Ribs Angle 20 Degrees Left (With PWM)

Atlantic #	TC2406W
Model :	Amigo, Axiom, Rodeo, Trooper
Engine:	2.2L, 3.2L, 3.5L
Year(s) :	2000-02
Code :	SMQW
OEM Part Number :	24213406, 96041993, 24211229, 24213496
Overall Diameter :	10.20
Overall Height :	5.875
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.0
Pilot Diameter :	0.825
Pilot Length :	1.033
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.868
Mounting Style :	6 Lugs
Ring Gear :	
Clutch:	Yes (Woven Type Clutch)

Note: Ribs Angle 20 Degrees Left (With ECCC or EC3)

Atlantic #	TC2407
Model :	Brougham, Catera
Engine:	3.0L
Year(s) :	1997-98
Code :	SGHB, SGHR, SJHR
OEM Part Number :	24200319, 24210705, 24020031, SGHB, SGHH, SGHR, H57
Overall Diameter :	10.25
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.0
Pilot Diameter :	0.825
Pilot Length :	1.500
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.868
Mounting Style :	6 Lugs (10mm x 1.25)
Ring Gear :	
Clutch:	Yes

Note: With PMW

© Whatever It Takes Transmission Parts. Inc.

General Motors

180C, 3L30, 4L30 (3 & 4 Speed RWD)(Continued)

Atlantic #	TC2407HS
Model :	Brougham, Catera
Engine:	3.0L
Year(s) :	1997-01
Code :	SJHR
OEM Part Number :	24210708, 24210713, 24210715
Overall Diameter :	10.25
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.0
Pilot Diameter :	0.825
Pilot Length :	1.500
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.868
Mounting Style :	6 Lugs (10mm x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC2408
Model :	Sidekick, Tracker
Engine:	1.6L
Year(s) :	1989-98
Code :	SP1U, SJZF
OEM Part Number :	8682088, 96012117, 96012140, 24210141, 9212140, 96012187, SP1V
Overall Diameter :	10.25
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.0
Pilot Diameter :	0.825
Pilot Length :	0.987
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.025
Mounting Style :	3 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Ribs Angle 30 Degrees To The Right

Atlantic #	TC2409
Model :	Passport, Rodeo, Sidekick, Tracker, Trooper, Trooper II
Engine:	1.6L, 3.0L, 3.2L
Year(s) :	1990-04
Code :	SFLT, SFHT, SFHE
OEM Part Number :	24200145, 8681486
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.0
Pilot Diameter :	0.825
Pilot Length :	1.025
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.875
Mounting Style :	3 Pads (0.925"Tall)(M10 x 1.5)
Ring Gear :	
Clutch:	Carbon Clutch



Note:

© Whatever It Takes Transmission Parts. Inc.

200 Non-Lockup (3 Speed RWD)

Atlantic #	TC5401
Model :	
Engine:	6 Cylinder, V8
Year(s) :	1976-Up
Code :	
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.0
Pilot Diameter :	1.703
Pilot Length :	0.75
Lockup :	No
Stall Speed :	Medium
Mounting Bolt Radius :	5.375
Mounting Style :	3 Brackets (Requires Nuts & Bolts)
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC5402
Model :	Buick, Oldsmobile, Pontiac
Engine:	6 Cylinder, V8
Year(s) :	1976-Up
Code :	
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.0
Pilot Diameter :	1.703
Pilot Length :	0.75
Lockup :	No
Stall Speed :	Medium
Mounting Bolt Radius :	5.375
Mounting Style :	3 Metric Pads (10mm x 1.25)
Ring Gear :	
Clutch:	None

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

200 Non-Lockup (3 Speed RWD)(Continued)

Atlantic #	TC5402D
Model :	Buick, Oldsmobile, Pontiac
Engine:	Diesel
Year(s) :	1976-Up
Code :	
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.0
Pilot Diameter :	1.703
Pilot Length :	0.75
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	3 Metric Pads
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC5403
Model :	Chevette
Engine:	4 Cylinder
Year(s) :	1976-82
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.0
Pilot Diameter :	1.085
Pilot Length :	0.32
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.0
Mounting Style :	3 Extended Mounting Brackets
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC5404
Model :	All Except Chevette
Engine:	4 Cylinder
Year(s) :	1976-82
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.0
Pilot Diameter :	1.085
Pilot Length :	1.32
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.0
Mounting Style :	3 Extended Mounting Brackets
Ring Gear :	
Clutch:	None

Note:

© Whatever It Takes Transmission Parts. Inc.

200C (3 Speed RWD)

Atlantic #	TC7401NCHS
Model :	
Engine:	
Year(s) :	1980-95
Code :	CE#F, CF#D, CF#F
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.0
Pilot Diameter :	1.703
Pilot Length :	0.75
Lockup :	Yes
Stall Speed :	1654
Mounting Bolt Radius :	5.375
Mounting Style :	3 Round Mounting Lugs (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 3 Mounting Lugs On Square Pads

Atlantic #	TC7403C
Model :	
Engine:	1.8L, 1.9L, 2.0L, 2.2L, 2.5L
Year(s) :	1980-97
Code :	HA1, HB1, HB2, HBCD, HBHD, HK1, HZHD
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.125
Pilot Diameter :	0.825
Pilot Length :	1.50
Lockup :	Yes
Stall Speed :	2795
Mounting Bolt Radius :	4.875
Mounting Style :	3 Stepped Square Pads
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

200C (3 Speed RWD)(Continued)

Atlantic #	TC7404
Model :	Century, LeSabre, Regal, Camaro, Caprice, El Camino, Impala, Malibu, Monte Carlo, S10, Caballerro, S15, Cutlass, Delta 88, Bonneville, Firebird, Grand Prix, Parisienne
Engine:	2.0L, 2.2L, 2.5L, 2.8L, 3.1L, 3.4L, 3.8L
Year(s) :	1980-87
Code :	HD2, HJ2D, HJAD, HZ2, HZAD, HE9D, HJ2, HL9D, HY9D
OEM Part Number :	24200959, 8677745, 8681963, 8684648, 8688920
Overall Diameter :	10.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.125
Pilot Diameter :	0.825
Pilot Length :	1.55
Lockup :	Yes
Stall Speed :	1800-2100
Mounting Bolt Radius :	4.875
Mounting Style :	3 Square Stepped Pads
Ring Gear :	
Clutch:	Yes

Note:

200R4 (4 Speed RWD)

Atlantic #	TC7401NCHS
Model :	
Engine:	
Year(s) :	1980-95
Code :	CE#F, CF#D, CF#F
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.0
Pilot Diameter :	1.703
Pilot Length :	0.75
Lockup :	Yes
Stall Speed :	1654
Mounting Bolt Radius :	5.375
Mounting Style :	3 Round Mounting Lugs (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 3 Mounting Lugs Or Square Pads

© Whatever It Takes Transmission Parts. Inc.

Atlantic #	TC7401PV
Model :	Electra, LeSabre, Regal, Malibu, Monte Carlo, Cutlass
Engine:	4.3L (260 CID), 5.7L (350 CID)
Year(s) :	1980-95
Code :	CE9D
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	
Pilot Diameter :	1.703
Pilot Length :	
Lockup :	
Stall Speed :	1654
Mounting Bolt Radius :	5.375
Mounting Style :	3 Round Mounting Lugs (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Contains Poppet Valves)

Note: 3 Round Mounting Lugs Or Square Pads

Atlantic #	TC7405
Model :	
Engine:	
Year(s) :	1980-95
Code :	CE#E, CF#E
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.0
Pilot Diameter :	1.703
Pilot Length :	0.75
Lockup :	
Stall Speed :	1654
Mounting Bolt Radius :	5.375
Mounting Style :	6 Round Mounting Lugs (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

2ML70 (4 Speed RWD/4x4)

Atlantic #	TC27401
Model :	Escalade, Sierra, Silverado, Tahoe, Yukon
Engine:	6.0L (Hybrid)
Year(s) :	2008-13
Code :	Metal Stamp & Label With Orange Stripe
OEM Part Number :	24255786, 29543916
Overall Diameter :	11.625
Overall Height :	
Input Spline :	
Hub Style :	Slotted
Hub Diameter :	1.840
Hub Height :	
Pilot Diameter :	1.703
Pilot Length :	0.622
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	6.125
Mounting Style :	13.5625 Mounting Plate Welded To Cover With 6 Attached Nuts And 48 Tabs
Ring Gear :	
Clutch:	Direct Damper Assembly Only



Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

Super Turbine 300 (2 Speed RWD)

Atlantic #	TC4401
Model :	
Engine:	6 Cylinder With Variable Pitch
Year(s) :	1964-67
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.675
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	3 Lugs
Ring Gear :	
Clutch:	None

Note: Variable Pitch Solenoid On Front Pump

Atlantic #	TC10501
Model :	
Engine:	All (With Cooling Shroud)
Year(s) :	1964-80
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.703
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	3 Lugs
Ring Gear :	
Clutch:	No

Note: Fixed Pitch Stator

Atlantic #	TC4402
Model :	
Engine:	V8 Without Cooling Shroud
Year(s) :	1965-80
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.675
Lockup :	No
Stall Speed :	1400
Mounting Bolt Radius :	5.375
Mounting Style :	3 Lugs (3/8” x 16 Threads)
Ring Gear :	
Clutch:	None

Note: Fixed Pitch Stator

© Whatever It Takes Transmission Parts. Inc.

325 Non Lock-Up (3 Speed FWD)

Atlantic #	TC3402HS
Model :	
Engine:	All Except 454
Year(s) :	1979-82
Code :	
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.755
Lockup :	No
Stall Speed :	1700-1800
Mounting Bolt Radius :	5.75
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	None

Note: Primary Has 2 Rows Of Ribs

Atlantic #	TC3403M
Model :	
Engine:	V8 454
Year(s) :	1979-82
Code :	
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.755
Lockup :	No
Stall Speed :	1700-1800
Mounting Bolt Radius :	5.75
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	None

Note: Primary Has 3 Rows Of Ribs

© Whatever It Takes Transmission Parts. Inc.

General Motors

250 / 350 Non Lock-Up (3 Speed RWD)

Atlantic #	TC4402
Model :	Buick, Oldsmobile, Pontiac
Engine:	V8
Year(s) :	1969-79
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.675
Lockup :	No
Stall Speed :	1400
Mounting Bolt Radius :	5.375
Mounting Style :	3 Lugs (3/8” x 16 Threads)
Ring Gear :	
Clutch:	None

Note: Fixed Pitch Stator

Atlantic #	TC3402
Model :	
Engine:	V6 & V8
Year(s) :	1969-79
Code :	
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.755
Lockup :	No
Stall Speed :	1200
Mounting Bolt Radius :	5.375
Mounting Style :	3 Pads (3/8” x 16 Threads)
Ring Gear :	
Clutch:	None

Note: Primary Has 3 Rows Of Ribs

Atlantic #	TC4406
Model :	Chevrolet
Engine:	6 Cylinder
Year(s) :	1969-79
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.703
Pilot Length :	
Lockup :	
Stall Speed :	1700
Mounting Bolt Radius :	5.25
Mounting Style :	3 Brackets
Ring Gear :	
Clutch:	None

Note:

© Whatever It Takes Transmission Parts. Inc.

250 / 350 Non Lock-Up (3 Speed RWD)(Continued)

Atlantic #	TC4408
Model :	Chevrolet Truck
Engine:	V8
Year(s) :	1973-75
Code :	B
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.703
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	6 Mounting Brackets
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC4405
Model :	Sunbird, Vega
Engine:	4 Cylinder, 6 Cylinder
Year(s) :	1972-77
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.703
Pilot Length :	
Lockup :	
Stall Speed :	2300
Mounting Bolt Radius :	5.25
Mounting Style :	3 Mounting Brackets
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

Atlantic #	TC4404
Model :	Chevrolet
Engine:	V8
Year(s) :	1969-79
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	1.187
Lockup :	No
Stall Speed :	1400
Mounting Bolt Radius :	5.375
Mounting Style :	3 Mounting Brackets
Ring Gear :	
Clutch:	None

Note: Heavy Duty Application - TC4404F
Higher Stall Application - TC4404HS

© Whatever It Takes Transmission Parts. Inc.

General Motors

250 / 350 Non Lock-Up (3 Speed RWD)(Continued)

Atlantic #	TC4403
Model :	Vega, Monza
Engine:	4 Cylinder, 6 Cylinder
Year(s) :	1972-77
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.375
Lockup :	No
Stall Speed :	2000
Mounting Bolt Radius :	5.375
Mounting Style :	3 Brackets
Ring Gear :	
Clutch:	None



Note:

350C Lock-Up (3 Speed RWD)

Atlantic #	TC4407
Model :	
Engine:	Gas Without Turbo Charger
Year(s) :	1980-86
Code :	L7, M7, P6
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.25
Pilot Diameter :	1.703
Pilot Length :	0.75
Lockup :	Yes
Stall Speed :	1425
Mounting Bolt Radius :	5.375
Mounting Style :	3 Round Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC4407HS
Model :	
Engine:	Gas Engine With Turbo Charger
Year(s) :	1980-86
Code :	L7, M7, P6

Note: High Stall

Atlantic #	TC4407LS
Model :	
Engine:	Gas Engine Low Stall
Year(s) :	1980-86
Code :	L7, M7, P6

Note: Low Stall

© Whatever It Takes Transmission Parts. Inc.

350C Lock-Up (3 Speed RWD)(Continued)

Atlantic #	TC4409
Model :	
Engine:	Diesel
Year(s) :	1980-83
Code :	1R6, 1R7
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.703
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	Yes

Note: Contains Coast Release Valves

400 Non Lock-Up (3 Speed RWD/4x4)

Atlantic #	TC3401
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.755
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	None

Note: Variable Pitch Stator
Variable Pitch Solenoid On Front Pump

Atlantic #	TC3402
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.755
Lockup :	No
Stall Speed :	1350
Mounting Bolt Radius :	5.76
Mounting Style :	3 Square Pads (3/8” x 16 Threads)
Ring Gear :	
Clutch:	None

Note: Primary Has 3 Rows Of Ribs

Use TC3402FB For Diesel Applications

© Whatever It Takes Transmission Parts. Inc.

General Motors

400 Non Lock-Up (3 Speed RWD/4x4)(Continued)

Atlantic #	TC3402HS
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.755
Lockup :	No
Stall Speed :	1750
Mounting Bolt Radius :	5.75
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	None

Note: Primary Has Three Rows Of Ribs

Atlantic #	TC3404
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.755
Lockup :	No
Stall Speed :	1350
Mounting Bolt Radius :	5.75
Mounting Style :	6 Square Pads (3/8” x 16 Threads)
Ring Gear :	
Clutch:	None

Note: Primary Has Three Rows Of Ribs

Use TC3404FB For Diesel Applications

Atlantic #	TC3402HSFM
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.855
Lockup :	No
Stall Speed :	1750
Mounting Bolt Radius :	5.75
Mounting Style :	3 Square Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	None

Note: Primary Has Two Rows Of Ribs

© Whatever It Takes Transmission Parts. Inc.

400 Non Lock-Up (3 Speed RWD/4x4)(Continued)

Atlantic #	TC3404HSFM
Model :	
Engine:	
Year(s) :	
Code :	FB
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.875
Lockup :	No
Stall Speed :	1750
Mounting Bolt Radius :	5.75
Mounting Style :	6 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	None

Note: Primary Has Two Rows Of Ribs

© Whatever It Takes Transmission Parts. Inc.

General Motors

440-T4 / 4T40E / 4T45E / 4T60 / 4T60E / 4T65E (4 Speed FWD)

Atlantic #	TC8402W
Model :	Century, Cutlass, Grand Prix, G6, HHR, Impala, Intrigue, Lumina, Montana, Monte Carlo, Regal, Uplander, Venture, Vue
Engine:	3.1L, 3.4L, 3.8L
Year(s) :	1998-2002, 2000-2010
Transmission:	4T40E, 4T45E, 4T60E, 4T65E
Code :	FDHB, FDKB, FDQB, FJHB
OEM Part Number :	24203102, 24206914, 24209048, 24210114, 24215827, 24217469, 24217470, 24219828, 24219830, 24224256, 24241866, 24224258, 24209890, 24208650, 24204739, 24217468, 24204739, 24211322, 24208859, 24204740, 24211322, 24206914, 24208477, 24206249, 17804028, 24235591, 17803754
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	Yes
Stall Speed :	FJHB-2060, FDHB, FDKB, FDQB-2095
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Woven Type Clutch Unit

Note: Woven Type Clutch Unit

Atlantic #	TC8405W
Model :	Achieva, Cutlass, Grand Am, G6, Malibu/Maxx, Skylark, Uplander, Venture
Engine:	3.1L, 3.5L, 3.8L , 4.3L (Diesel)
Year(s) :	1998-11
Transmission:	440-T4, 4T60, 4T60E
Code :	FY9B, FY7B, FYHB, FGHB, FGKB
OEM Part Number :	8650933, 8674217, 8683951, 8681254, 8689944, 24204547, 24202823, 24204739, 24204742, 24208387, 24213610, 24217468, 24222789
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	Yes
Stall Speed :	1420, 1630
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Woven Type Clutch Unit

Note: Woven Type Clutch Unit

© Whatever It Takes Transmission Parts. Inc.

440-T4 / 4T40E / 4T45E / 4T60 / 4T60E / 4T65E (4 Speed FWD)(Continued)

Atlantic #	TC8406W
Model :	Alero, Century, Grand Am, G6, Impala, Lumina, LSS, Malibu, Montana, Regency, Silhouette, Transport
Engine:	4.3L Diesel, 3.4L, 3.5L, 3.8L
Year(s) :	1998-11
Transmission:	440-T4, 4T60, 4T60E
Code :	FY9B, FY7B, FYHB, FLHB, FLQB
OEM Part Number :	8650933, 8674217, 8683951, 8681254, 8689944, 8690936, 24204547, 24202823, 24204741, 24208344, 24212743, 24217466, 24219827, 24222019, 24224255
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	Yes
Stall Speed :	1420, 1895
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Woven Type Clutch Unit

Note: Woven Type Clutch Unit

Atlantic #	TC8407W
Model :	Achieve, Alero, Cavalier, Cobalt, Cutlass, G5, G6, Grand Am, HHR, Ion, Malibu, Pursuit, Skylark, Sunbird, Sunfire
Engine:	2.2L, 2.3L, 2.4L
Year(s) :	1994-2011
Transmission:	4T45E
Code :	FZFB, FZHB, FZQB
OEM Part Number :	24211329, 24207269, 24207606, 24209606, 24211330
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	Yes
Stall Speed :	Z=2375
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Woven Type Clutch Unit

Note: Woven Type Clutch Unit

© Whatever It Takes Transmission Parts. Inc.

General Motors

440-T4 / 4T40E / 4T45E / 4T60 / 4T60E / 4T65E (4 Speed FWD)(Continued)

Atlantic #	TC8414
Model :	Bonneville, LeSabre, Park Avenue
Engine:	3.8L (L67)(L36)
Year(s) :	1997-2005
Transmission:	4T65E
Code :	JSFM, Green Dot On Sticker
OEM Part Number :	24207239, 24207329, 24208860, 24216224, 24216226, 24230001, 12491978, 24208866, 17804571, 24207734
Overall Diameter :	10.75
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.75
Pilot Diameter :	0.825
Pilot Length :	0.92
Lockup :	Yes
Stall Speed :	1420
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC8416
Model :	Aztek, Bonneville, Century, Grand Prix, Impala, Monte Carlo, Intrigue, LeSabre, Rondezvous, Regal
Engine:	3.6L (LY7), 3.8L (L67, L36, L32), 4.8L (LS4), 5.3L (LS4, KB7)
Year(s) :	2000-07
Transmission:	4T65E
Code :	JZFM, Orange Or Gray Dot On Sticker
OEM Part Number :	24021341, 24206647, 24213729, 24215416, 24216222, 24216232, 24230004, 24230005, 24230006, 12491317, 12491980, 19125716, 122409, 17804574
Overall Diameter :	10.75
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.75
Pilot Diameter :	0.825
Pilot Length :	0.92
Lockup :	Yes
Stall Speed :	1620
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

440-T4 / 4T40E / 4T45E / 4T60 / 4T60E / 4T65E (4 Speed FWD)(Continued)

Atlantic #	TC8409
Model :	Aurora, Intrigue, Lucerne
Engine:	3.5L (LX5)
Year(s) :	2000-02, 2006
Transmission:	4T65E
Code :	JXFM, Purple Dot On Sticker
OEM Part Number :	24207626, 24213730, 24216236,
	24230003, 12491981
Overall Diameter :	10.75
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.75
Pilot Diameter :	0.825
Pilot Length :	0.92
Lockup :	Yes
Stall Speed :	1640
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC8413
Model :	Century, Grand Prix, Intrigue, Regal
Engine:	3.8 (L67)
Year(s) :	2000-04
Transmission:	4T65E
Code :	JTFM, Yellow Dot On Sticker
OEM Part Number :	24207330, 24208861, 24216230.
	24230002, 12491979, 17804572
Overall Diameter :	10.75
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.75
Pilot Diameter :	0.825
Pilot Length :	0.92
Lockup :	Yes
Stall Speed :	1630
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

440-T4 / 4T40E / 4T45E / 4T60 / 4T60E / 4T65E (4 Speed FWD)(Continued)

Atlantic #	TC8408W
Model :	Daewoo
Engine:	2.0L
Year(s) :	2001
Transmission:	
Code :	FAFB, FAHB
OEM Part Number :	24209610
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	Yes
Stall Speed :	2795
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	WovenType Clutch Unit

Note: Woven Clutch Type Unit

Atlantic #	TC8410
Model :	Cadillac, Deville, Eldorado, Fleetwood, Seville
Engine:	4.1L, 4.3L, 4.5L, 4.9L
Year(s) :	1985-96
Transmission:	440-T4, 4T60, 4T60E
Code :	FM8C
OEM Part Number :	8689943, 8653440
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Inner Bushing
Hub Diameter :	1.79 (No Drive)
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	Yes
Stall Speed :	1525
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Viscous Type Clutch Unit

Note: Viscous Clutch Type Unit

© Whatever It Takes Transmission Parts. Inc.

700-R4 / 4L60 / 4L60E / 4L65E / 4L70 (4 Speed RWD/4x4)(ALL 10” CONVERTERS)

Atlantic #	TC7403C
Model :	
Engine:	1.8L, 1.9L, 2.0L, 2.2L, 2.5L
Year(s) :	1980-97
Code :	HA1, HB1, HB2, HBCD, HBHD, HK1
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.125
Pilot Diameter :	0.825
Pilot Length :	1.50
Lockup :	Yes
Stall Speed :	2795
Mounting Bolt Radius :	4.875
Mounting Style :	3 Stepped Square Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC7403W
Model :	
Engine:	2.2L, 2.5L
Year(s) :	1998-03
Code :	HBFD
OEM Part Number :	24207200, 24210918
Overall Diameter :	10.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.125
Pilot Diameter :	0.825
Pilot Length :	1.50
Lockup :	Yes
Stall Speed :	2795
Mounting Bolt Radius :	4.875
Mounting Style :	3 Stepped Square Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC7404
Model :	
Engine:	2.6L, 2.8L, 3.1L, 3.4L
Year(s) :	1980-97
Code :	HD2, HJ2D, HJAD, HZ2, HZAD
OEM Part Number :	24200959, 8677745, 8681963, 8684648, 8688920
Overall Diameter :	10.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.125
Pilot Diameter :	0.825
Pilot Length :	1.55
Lockup :	Yes
Stall Speed :	2095
Mounting Bolt Radius :	4.875
Mounting Style :	3 Square Stepped Pads
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

700-R4 / 4L60 / 4L60E / 4L65E / 4L70 (4 Speed RWD/4x4)(ALL 10” CONVERTERS)(Continued)

Atlantic #	TC7411C
Model :	
Engine:	2.6L, 2.8L, 3.1L, 3.4L
Year(s) :	1980-97
Code :	HE9D, HL9D, HEHD, HLHD
OEM Part Number :	24202262, 24202947, 24202810, 24203426
Overall Diameter :	10.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.125
Pilot Diameter :	0.825
Pilot Length :	1.55
Lockup :	Yes
Stall Speed :	1965
Mounting Bolt Radius :	4.875
Mounting Style :	3 Square Stepped Pads
Ring Gear :	
Clutch:	Yes (Kevlar Type Clutch)

Note: Ribs May Angle High Or Low

Atlantic #	TC7411W
Model :	
Engine:	2.6L, 2.8L, 3.1L, 3.4L
Year(s) :	1998-04
Code :	HLQD
OEM Part Number :	24208930, 24213395
Overall Diameter :	10.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.125
Pilot Diameter :	0.825
Pilot Length :	1.55
Lockup :	Yes
Stall Speed :	1965
Mounting Bolt Radius :	4.875
Mounting Style :	3 Square Stepped Pads
Ring Gear :	
Clutch:	Yes (Woven Type Clutch)

Note: Ribs May Angle High Or Low

Atlantic #	TC7416C
Model :	
Engine:	3.8L
Year(s) :	1980-97
Code :	HY9D, HYHD
OEM Part Number :	24210916, 8684105, 8689946, 24202312, 24202522, 8669901, 8678970
Overall Diameter :	10.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.125
Pilot Diameter :	0.825
Pilot Length :	1.55
Lockup :	Yes
Stall Speed :	1420
Mounting Bolt Radius :	4.875
Mounting Style :	3 Square Stepped Mounting Pads
Ring Gear :	
Clutch:	Yes (Kevlar Type Clutch)



Note:

© Whatever It Takes Transmission Parts. Inc.

700-R4 / 4L60 / 4L60E / 4L65E / 4L70 (4 Speed RWD/4x4)(ALL 10” CONVERTERS)(Continued)

Atlantic #	TC7416W
Model :	
Engine:	3.8L
Year(s) :	1998-02
Code :	HYQD
OEM Part Number :	24207611, 24208931, 24207612, 24213396
Overall Diameter :	10.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.125
Pilot Diameter :	0.825
Pilot Length :	1.55
Lockup :	Yes
Stall Speed :	1420
Mounting Bolt Radius :	4.875
Mounting Style :	3 Square Stepped Mounting Pads
Ring Gear :	
Clutch:	Yes (Woven Type Clutch)

Note:

Atlantic #	TC7410
Model :	S10, Canyon, Colorado
Engine:	2.8L, 2.9L
Year(s) :	2003-13
Code :	
OEM Part Number :	24219407, 24227093
Overall Diameter :	10.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	1.50
Lockup :	EC3
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	3 Stepped Mounting Pads
Ring Gear :	
Clutch:	Yes (Woven Type Clutch)



Note:

Atlantic #	TC7417
Model :	Astro, Safari, Trailblazer
Engine:	4.3L
Year(s) :	1995-2009
Code :	
OEM Part Number :	24227628, 17804100
Overall Diameter :	10.875
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.14
Pilot Diameter :	1.703
Pilot Length :	
Lockup :	EC3
Stall Speed :	Low
Mounting Bolt Radius :	5.375
Mounting Style :	3 Extended Brackets (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven Clutch Type Unit)

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

700-R4 / 4L60 / 4L60E / 4L65E / 4L70 (4 Speed RWD/4x4)(ALL 10” CONVERTERS)(Continued)

Atlantic #	TC7418
Model :	Canyon, Colorado, Hummer H3, H3T
Engine:	3.5L, 3.7L
Year(s) :	2003-13
Code :	
OEM Part Number :	24216769, 24216770, 24238404, 24238504, 17804099
Overall Diameter :	10.875
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.14
Pilot Diameter :	0.825
Pilot Length :	1.59
Lockup :	Yes, EC3
Stall Speed :	Low
Mounting Bolt Radius :	4.885
Mounting Style :	3 Stepped Mounting Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven Type Clutch)

Note:

Atlantic #	TC7419
Model :	Sierra, Silverado Hybrid
Engine:	5.3L
Year(s) :	2006-07
Code :	
OEM Part Number :	24216771, 17804098
Overall Diameter :	10.75
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.14
Pilot Diameter :	0.825
Pilot Length :	1.875
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.885
Mounting Style :	3 Extended Mounting Pads 0.850”Thick (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Captive Clutch Rivets Are Visible On Front Cover

Atlantic #	TC7420
Model :	Envoy, Isuzu Ascender, L & M-Van, S-10, T-Truck, Trailblazer
Engine:	4.2L, 4.3L, 5.3L
Year(s) :	1999-09
Code :	
OEM Part Number :	17804499, 24241978
Overall Diameter :	10.75
Overall Height :	5.3125
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.75
Pilot Diameter :	0.825
Pilot Length :	1.625
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.885
Mounting Style :	3 Extended Mounting Brackets (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

700-R4 / 4L60 / 4L60E / 4L65E / 4L70 (4 Speed RWD/4x4)(ALL 10” CONVERTERS)(Continued)

Atlantic #	TC7422
Model :	Hummer H3, H3T, S & T-Truck
Engine:	2.9L, 3.7L
Year(s) :	2006-11
Code :	
OEM Part Number :	17804101, 24242693, 24248304, 24235994
Overall Diameter :	10.75
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.14
Pilot Diameter :	0.825
Pilot Length :	1.59
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.885
Mounting Style :	3 Stepped Mounting Pads .860”Tall (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven Type Clutch)

Note:

700-R4 / 4L60 / 4L60E / 4L65E / 4L70 (4 Speed RWD/4x4) (ALL 12” CONVERTERS)

Atlantic #	TC7401
Model :	
Engine:	
Year(s) :	1980-95
Code :	CE#F, CF#D, CF#F
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.0
Pilot Diameter :	1.703
Pilot Length :	0.75
Lockup :	Yes
Stall Speed :	1654
Mounting Bolt Radius :	5.375
Mounting Style :	3 Round Mounting Lugs (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 3 Mounting Lugs Or Square Pads, 7 Metal Stamp On Hub Body Between Impeller

Atlantic #	TC7401LS
Year(s) :	1980-95
Code :	CG#D, CG#F
OEM Part Number :	8653385, 8642531
Stall Speed :	1397

Note: 3 Mounting Lugs Or Square Pads, 6 Metal Stamp On Hub Body Between Impeller

Atlantic #	TC7401HS
Year(s) :	1980-95
Code :	CB#D, CB#F
OEM Part Number :	8635928, 8656954, 8656956, 8653675, 8656957, 8653676
Stall Speed :	2025

Note: 3 Mounting Lugs Or Square Pads, 5 Metal Stamp On Hub Body Between Impeller

© Whatever It Takes Transmission Parts. Inc.

General Motors

700-R4 / 4L60 / 4L60E / 4L65E / 4L70 (4 Speed RWD/4x4) (ALL 12” CONVERTERS)(Continued)

Atlantic #	TC7401PV
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.705
Hub Height :	
Pilot Diameter :	1.703
Pilot Length :	
Lockup :	
Stall Speed :	1654
Mounting Bolt Radius :	5.375
Mounting Style :	3 Round Mounting Lugs (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	

Note: 3 Round Mounting Lugs Or 3 Square Pads

Atlantic #	TC7405LS
Model :	
Engine:	5.0L, 6.2L Diesel
Year(s) :	
Code :	CG#E
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.0
Pilot Diameter :	1.703
Pilot Length :	0.75
Lockup :	Diesel Poppet Valve
Stall Speed :	1425
Mounting Bolt Radius :	5.375
Mounting Style :	6 Round Mounting Lugs (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

700-R4 / 4L60 / 4L60E / 4L65E / 4L70 (4 Speed RWD/4x4) (ALL 12” CONVERTERS)(Continued)

Atlantic #	TC7407
Model :	
Engine:	
Year(s) :	1996-04
Code :	DGAG, DGCF, DGGG, DGHF, DGHG,
	DHHF, DHHG, DKAF, DKGF, DKHF, DKLF
OEM Part Number :	24205575, 24200410, 24202427, 24205224
Overall Diameter :	12
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.0
Pilot Diameter :	1.703
Pilot Length :	0.75
Lockup :	Yes
Stall Speed :	1397
Mounting Bolt Radius :	5.375
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 6 Metal Stamp On Hub Body Between Impeller

Atlantic #	TC7407W
Engine:	5.0L, 5.7L
Year(s) :	1996-04
Code :	DHPF, DHPG
OEM Part Number :	24206163, 24213394, 24211692,
	24205575, 24208649
Stall Speed :	1397
Clutch:	Yes (Woven Clutch)

Note: 6 Metal Stamp On Hub Body Between Impeller

© Whatever It Takes Transmission Parts. Inc.

General Motors

700-R4 / 4L60 / 4L60E / 4L65E / 4L70 (4 Speed RWD/4x4) (ALL 12” CONVERTERS)(Continued)

Atlantic #	TC7408
Model :	
Engine:	
Year(s) :	1996-04
Code :	DELF, DFLF, DLLF
OEM Part Number :	24201121, 24202425
Overall Diameter :	12
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.0
Pilot Diameter :	1.703
Pilot Length :	0.75
Lockup :	Yes
Stall Speed :	1611-1654
Mounting Bolt Radius :	5.375
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC7408W
Model :	C-Truck, G-Van
Engine:	5.0L, 5.7L, 4.3L
Year(s) :	1998-02
Code :	DFPF, DLNF, DLPF
OEM Part Number :	24206162, 24210920
Stall Speed :	1611-1654
Clutch:	Yes (Woven Clucth)

Atlantic #	TC7409
Model :	
Engine:	
Year(s) :	
Code :	LF, DCLF
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.0
Pilot Diameter :	1.703
Pilot Length :	0.75
Lockup :	Yes
Stall Speed :	2025-2075
Mounting Bolt Radius :	5.375
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 7 Metal Stamp Between Impeller

Atlantic #	TC7409W
Year(s) :	1996-04
Code :	NF, DCNF
OEM Part Number :	24206164, 24210922
Stall Speed :	2075
Clutch:	Yes (Woven Clutch)

Note: 7 Metal Stamp Between Impeller

© Whatever It Takes Transmission Parts. Inc.

4L60E / 4L65E / 4L70E / 4L75E (280mm)(300mm)

Atlantic #	TC7413
Model :	F-Car
Engine:	5.7L
Year(s) :	1999-02
Code :	TMAX, TMBX, TLBX, TLCX
OEM Part Number :	24208325, 24210919, 24210910
Model :	C&K-Truck
Engine:	4.8L, 5.3L, 6.0L
Year(s) :	2000-02, 2005-07
Code :	TLBX
OEM Part Number :	24207246, 24213392, 12491320, 17803807, 17803853, 24227942, 24227949, 24238892, 24227090, 24222972, 24222975
Model :	Silverado, Denali, Hummer, Avalanche, C, Tahoe, G&H-Van, Envoy
Engine:	4.8L, 5.3L, 5.7L, 6.0L
Year(s) :	1999-2013
Code :	TMBX
OEM Part Number :	24227948, 24206642, 24213393, 24227088, 24222971, 24222974, 24227976, 24222979, 17803805, 24238896, 24238895, 24214393, 17803851, 24227944, 24207944, 12491318
Overall Diameter :	12.5
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.20
Pilot Diameter :	1.703
Pilot Length :	1.10
Lockup :	Yes, EC8
Stall Speed :	1400-1800
Mounting Bolt Radius :	5.50
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven)(Contains 6 Double Springs)

Note: Available With Billet Cover # TC7413HD

© Whatever It Takes Transmission Parts. Inc.

General Motors

4L60E / 4L65E / 4L70E / 4L75E (280mm)(300mm)(Continued)

Atlantic #	TC7414
Model :	Corvette
Engine:	6.0L
Year(s) :	1999-05
Code :	TMBV
OEM Part Number :	24229277, 17803809, 12491315
Overall Diameter :	12.5
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.20
Pilot Diameter :	1.703
Pilot Length :	1.10
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven)

Note:

Atlantic #	TC7415
Model :	Assender, Bravada, Envoy, S&T-Truck, Rainier, Saab 9-7X, Trailblazer
Engine:	4.2L, 4.6L
Year(s) :	LTQK, VJCX
Code :	24215557, 24228708, 24224075, 24228392, 24228709, 24238578
OEM Part Number :	
Overall Diameter :	12.125
Overall Height :	6.50
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.75
Hub Height :	2.345
Pilot Diameter :	1.703
Pilot Length :	1.13
Lockup :	Yes
Stall Speed :	1800-2000
Mounting Bolt Radius :	5.50
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 27 Spline Stator
Available With Billet Cover # TC7415HD

© Whatever It Takes Transmission Parts. Inc.

4L80E / 4L85E (4 Speed RWD/4x4)

Atlantic #	TC3405
Model :	C,G,K&P-Truck, G-Van, Isuzu
Engine:	5.7L, 6.2L, 7.4L V8
Year(s) :	1992-97
OEM Part Number :	8689961, 8685078, 24200454, 8683676, 24204836, 24204990, 8680599, 8682849, 8683152, 8683154, 8683484, 8683675, 8683675, 8684709, 8684709, 8685078, 24202990, 24202991
Model :	C,G,P&R-Truck, G-Van, K-Truck
Engine:	6.2L, 6.5L Diesel / 6.5L, 7.4L Gas
Year(s) :	1991-97
OEM Part Number :	8689960, 8685077, 24204835, 24202989, 8674194, 8676528, 8682605, 8682606, 8683492, 8683670, 8683671, 8685076, 8685077
Model :	C&P-Truck, Isuzu
Engine:	5.7L, 6.5L
Year(s) :	1998-00
OEM Part Number :	24210828, 24217611, 24210828, 24220298
Model :	C,G,K,P-Truck
Engine:	6.5L, 7.4L
Year(s) :	1998-2007
OEM Part Number :	24219329, 24217238, 24210829, 24217609, 24217363, 24221718, 24227934, 12491333, 24240862, 17803872
Model :	P-Truck
Engine:	5.7L
Year(s) :	2001-04
OEM Part Number :	24219328, 24217237, 24227930, 12491332, 24212428
Model :	K-Truck, C-Truck
Engine:	6.5L, 6.6L, 8.1L
Year(s) :	1999-2001
OEM Part Number :	24219327, 24217236, 24211407, 24217239, 24227939, 12491335, 242408660, 17803870, 24210862
Overall Diameter :	13.50
Overall Height :	
Input Spline :	35
Hub Style :	Milled Flats
Hub Diameter :	2.0
Hub Height :	2.625
Pilot Diameter :	1.703
Pilot Length :	0.615
Lockup :	Yes
Stall Speed :	1800
Mounting Bolt Radius :	5.75
Mounting Style :	6 Lugs
Ring Gear :	
Clutch:	Yes

Note: Available With Billet Piston # TC3405BP
Available With Billet Cover #TC3405HD
Some Early & Late Model, Impeller Fins To The Left

Atlantic #	TC3405HD
Model :	C,G,K,P,R-Truck, G-Van, Isuzu
Engine:	5.7L, 6.2L, 6.5L, 6.6L, 7.4L, 8.1L Gas 6.5L Diesel
Year(s) :	1991-07

Note: Available With Billet Cover

© Whatever It Takes Transmission Parts. Inc.

Note:

General Motors

4L80E / 4L85E (4 Speed RWD/4x4)(Continued)

Atlantic #	TC3406
Model :	G-Van
Engine:	4.3L, 5.7L
Year(s) :	1999-02
Code :	
OEM Part Number :	24219326, 24217234, 24210830
Model :	GMT610, 800, 900, G-Van, C-Truck
Engine:	4.3L, 4.8L, 6.0L Isuzu
Year(s) :	1998-2008
OEM Part Number :	24219330, 24217235, 24217599, 24217364,
	24221719, 24227936, 12491334, 17803871,
	24210831
Model :	C,G&K-Truck, G-Van
Engine:	5.7L, 7.4L
Year(s) :	
OEM Part Number :	24210825, 24217612, 24210825, 24220296
Model :	C&P-Truck, G-Van
Engine:	4.3L V6
Year(s) :	1999-02
OEM Part Number :	24210824, 24217613, 24220295
Model :	C&K-Truck, G-Van
Engine:	5.7L V8
Year(s) :	1996-97
OEM Part Number :	24204837, 24204992, 24214044, 24210693,
	24202992, 24202993
Model :	
Engine:	
Year(s) :	
OEM Part Number :	8690904, 8685407, 8690905, 8683674,
	8683495, 8683496, 8683669, 8685075
Overall Diameter :	13.50
Overall Height :	
Input Spline :	35
Hub Style :	Milled Flats
Hub Diameter :	1.998
Hub Height :	2.67
Pilot Diameter :	1.703
Pilot Length :	0.615
Lockup :	Yes
Stall Speed :	2200
Mounting Bolt Radius :	5.76
Mounting Style :	6 Lugs
Ring Gear :	
Clutch:	Yes

Note: Available With Billet Piston #TC3406BP
Available With Billet Cover #TC3406HD
Some Early & Late Models, Impeller Fins To The Right

Atlantic #	TC3406HD
Model :	GMT610, 800, 900, G-Van, C,G,K,P-Truck
Engine:	4.3L, 4.8L, 5.7L, 6.0L, 7.4L
Year(s) :	1999-08

Note: Available With Billet Cover

© Whatever It Takes Transmission Parts. Inc.

4L80E / 4L85E (4 Speed RWD/4x4)(Continued)

Atlantic #	TC3407
Model :	Duramax, Express Van
Engine:	6.6L Diesel
Year(s) :	2006-13
Code :	GG
OEM Part Number :	17803873, 12491977, 24240863, 24228538, 24230863
Overall Diameter :	13.50
Overall Height :	
Input Spline :	35
Hub Style :	Milled Flats
Hub Diameter :	1.998
Hub Height :	2.67
Pilot Diameter :	1.703
Pilot Length :	0.615
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.76
Mounting Style :	6 Lugs
Ring Gear :	
Clutch:	Yes

Note: Available With Billet Cover #TC3407HD

Atlantic #	TC3407HD
Model :	Duramax, Express Van
Engine:	6.6L Diesel
Year(s) :	2006-13

Note: Available With Billet Cover

© Whatever It Takes Transmission Parts. Inc.

General Motors

4T65E (4 Speed FWD/AWD)

Atlantic #	TC8402W
Model :	Impala, Monte Carlo, Uplander, Venture, Montana, Grand Prix, Regal
Engine:	3.1L, 3.4L (LA1), 3.5L, 3.8L
Year(s):	1997-11
Code :	FDQB
OEM Part Number :	24224256, 24219828AA, 24215827, 24210114
Model :	Century, Regal, Grand Prix, Intrigue
Engine:	3.1L (LG8)
Year(s) :	2002-2003
Code :	FDHB
OEM Part Number :	24219830, 24224258
Model :	Regal, Century, Intrigue, Grand Prix
Engine:	3.1L (LG8), 3.8L (L36)
Year(s) :	2000
Code :	FDKB
OEM Part Number :	24209890
Model :	Century, Regal, Grand Prix, Intrique
Engine:	3.1L (LG8)
Code :	FJHB, FDHB
OEM Part Number :	24211322, 24209048, 24217470
Engine:	3.1L
Code :	FJHB
OEM Part Number :	24217469, 24208859, 24204740, 24211322, 24206914, 24203102, 24208477, 24206249
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	No Drive With Inner Bushing
Hub Diameter :	1.79
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	9245 mm
Stall Speed :	
Mounting Bolt Radius :	4.665
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	Yes (Woven Type Clutch)

Note:

Please Verify Proper Converter Replacement By OEM Sticker/Code

© Whatever It Takes Transmission Parts. Inc.

4T65E (4 Speed FWD/AWD)(Continued)

Atlantic #	TC8405W
Model :	Aztek, Rendezvous, Venture, Montana, Silhouette, Grand Am, Malibu Maxx SS, Malibu, Monte Carlo, Grand Prix, Impala
Engine:	3.4L (LA1), 3.5L (LX9), 3.8L (L36), 3.9L (LZ9)
Year(s) :	2003-09
Code :	FLHB
OEM Part Number :	24224255, 24219827, 24227094, 24222019, 24208475, 24208471, 24217466, 24204741
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	No Drive With Inner Bushing
Hub Diameter :	1.79
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Yes (Woven Type Clutch)

Note:

Atlantic #	TC8406W
Model :	Monte Carlo, Impala, Venture, Silhouette, Montana, Aztek, Rondezvous, Regal, Century, Grand Prix, Intrigue, Terraza, Uplander, Lacrosse, Bonneville, Lasabre, Malibu
Engine:	3.4L (LA1), 3.6L, 3.8L (L36)(L26), 3.9L
Year(s) :	1997-2009
Code :	FLQB, FYHB
OEM Part Number :	24212743, 24208344, 24219826AA, 24224254, 24217467, 24208576, 24217467, 24204742, 24224255, 24219827
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	No Drive With Inner Bushing
Hub Diameter :	1.79
Hub Height :	0.80
Pilot Diameter :	0.825
Pilot Length :	0.97
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.665
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Yes (Woven Type Clutch)

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

4T65E (4 Speed FWD/AWD)(Continued)

Atlantic #	TC8440
Model :	Volvo S80
Engine:	2.9L
Year(s) :	1999-2006
Code :	FLTV, FMVV
OEM Part Number :	24211943, 24216629, 24211944, 24216630
Overall Diameter :	10.625
Overall Height :	
Input Spline :	27
Hub Style :	No Drive
Hub Diameter :	1.790
Hub Height :	0.83
Pilot Diameter :	0.825
Pilot Length :	1.210
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.785
Mounting Style :	6 Square Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC8409
Model :	Aurora, Intrigue, Lucerne
Engine:	3.5L (LX5)
Year(s) :	1998-2002, 2006
Code :	JXFM, Purple Dot On Sticker
OEM Part Number :	24207626, 24213730, 12491981, 24230003, 12191981, 24216236
Overall Diameter :	10.625
Overall Height :	
Input Spline :	27
Hub Style :	No Drive With Inner Bushing
Hub Diameter :	1.79
Hub Height :	0.75
Pilot Diameter :	0.825
Pilot Length :	0.92
Lockup :	Yes, EC8
Stall Speed :	1620
Mounting Bolt Radius :	4.885
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC8413
Model :	Century, Regal, Grand Prix, Intrigue, Impala, Monte Carlo
Engine:	3.8L (L67)
Year(s) :	1997-2006
Code :	JTFM, Yellow Dot On Sticker
OEM Part Number :	24207330, 24208861, 24230002, 12491979, 17804572, 24216230
Overall Diameter :	10.625
Overall Height :	
Input Spline :	27
Hub Style :	No Drive With Inner Bushing
Hub Diameter :	1.79
Hub Height :	0.75
Pilot Diameter :	0.825
Pilot Length :	0.92
Lockup :	Yes, EC3
Stall Speed :	1630
Mounting Bolt Radius :	4.885
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

4T65E (4 Speed FWD/AWD)(Continued)

Atlantic #	TC8414
Model :	Aurora, Park Avenue, LeSabre, Bonneville, Grand Prix, Intrigue, Lucerne, Monte Carlo, Park Avenue, Riviera
Engine:	3.5L, 3.8L (L67)(L36)
Year(s) :	1997-2008
Code :	JSFM, Green Dot On Sticker
OEM Part Number :	24207329, 24208860, 24230001, 12491978, 24208866, 24207239, 24216224, 24216226
Overall Diameter :	10.625
Overall Height :	
Input Spline :	27
Hub Style :	No Drive With Inner Bushing
Hub Diameter :	1.79
Hub Height :	0.75
Pilot Diameter :	0.825
Pilot Length :	0.92
Lockup :	Yes, EC8
Stall Speed :	1420
Mounting Bolt Radius :	4.885
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC8416
Model :	Century, Regal, Bonneville, Grand Prix, Intrigue, Impala, LeSabre, Aztek, Rondezvous, Monte Carlo
Engine:	3.6L (LY7), 3.8L (L67, L36, L32, KB7), 4.8L (LS4), 5.3L (LS4, KB7)
Year(s) :	2000-07
Code :	JZFM, Orange or Gray Dot On Sticker
OEM Part Number :	24206647, 24213729, 24230004, 12491980, 19125716, 122409, 17804574, 24201341, 24215416, 24216222, 24216232, 24230005, 24230006
Overall Diameter :	10.625
Overall Height :	
Input Spline :	27
Hub Style :	No Drive With Inner Bushing
Hub Diameter :	1.79
Hub Height :	0.75
Pilot Diameter :	0.825
Pilot Length :	0.92
Lockup :	Yes, EC3
Stall Speed :	1620
Mounting Bolt Radius :	4.885
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Yes

Note: Available With Billet Piston #TC8416HD

Atlantic #	TC8416HD
Model :	Century, Regal, Bonneville, Grand Prix, Intrigue, Impala, LeSabre, Aztek, Rondezvous, Monte Carlo
Engine:	3.6L (LY7), 3.8L (L67, L36, L32, KB7), 4.8L (LS4), 5.3L (LS4, KB7)
Year(s) :	2000-07
Code :	JZFM, Orange or Gray Dot On Sticker
OEM Part Number :	24206647, 24213729, 24230004, 12491980, 19125716, 122409, 17804574, 24201341, 24215416, 24216222, 24216232, 24230005, 24230006

Note: With Billet Piston

© Whatever It Takes Transmission Parts. Inc.

General Motors

4T80E (4 Speed FWD)

Atlantic #	TC9401
Model :	Aurora (Some)
Engine:	4.0L
Year(s) :	1995-03
Code :	
OEM Part Number :	8683441, 8689991, 24209247, 24205485, 8682848, 24209249
Overall Diameter :	11.25
Overall Height :	
Input Spline :	30
Hub Style :	No Drive With Inner Bushing
Hub Diameter :	1.875
Hub Height :	1.705
Pilot Diameter :	0.825
Pilot Length :	0.975
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.9375
Mounting Style :	4 Pads With Removeable Inserts
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9402
Model :	Aurora (Some), Bonneville, Cadillac Concours, Deville, Eldorado, Seville
Engine:	4.0L, 4.6L
Year(s) :	1993-05
Code :	VCC
OEM Part Number :	24205484, 24209248, 8683440, 8689990, 24201885, 24203425, 24205486, 24209248, 24209250, 24233679
Overall Diameter :	11.25
Overall Height :	
Input Spline :	30
Hub Style :	No Drive With Inner Bushing
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	0.825
Pilot Length :	1.703
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9402W
Model :	Buick Lucerne, Cadillac DTS
Engine:	4.6L
Year(s) :	2005-11
Code :	
OEM Part Number :	24202000, 24204000, 24204001, 12491371
Lockup :	EC3
Clutch:	Yes (Woven Type Clutch)

Note:

© Whatever It Takes Transmission Parts. Inc.

5L40E / 5L50E (5 Speed RWD/AWD)

Atlantic #	TC14405
Model :	Cadillac CTS, SRX
Engine:	2.8L
Year(s) :	2003-09
Code :	
OEM Part Number :	24222905, 96042554, 24238771
Overall Diameter :	10.125
Overall Height :	5.50
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	1.810
Pilot Diameter :	0.825
Pilot Length :	0.960
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.873
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC14401
Model :	Cadillac CTS
Engine:	3.2L
Year(s) :	2003-07
Code :	
OEM Part Number :	24216146
Overall Diameter :	10.250
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.188
Pilot Diameter :	0.825
Pilot Length :	1.500
Lockup :	Yes, EC8
Stall Speed :	High
Mounting Bolt Radius :	4.67
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven Type Clutch)

Note:

Atlantic #	TC14402
Model :	Cadillac CTS, SRX, STS
Engine:	3.6L, 4.4L, 4.6L
Year(s) :	2003-09
Code :	
OEM Part Number :	24220895
Overall Diameter :	10.50
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

5L40E / 5L50E (5 Speed RWD/AWD)(Continued)

Atlantic #	TC14406
Model :	G8
Engine:	3.6L
Year(s) :	2009-10
Code :	
OEM Part Number :	24220895, 24244351
Overall Diameter :	10.75
Overall Height :	5.5625
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven Type Clutch)

Note:

Atlantic #	TC14404
Model :	Soltice
Engine:	2.4L
Year(s) :	2006-10
Code :	
OEM Part Number :	24238174, 24239879 (Some)
Overall Diameter :	10.25
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (.578"Tall) (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven Type Clutch)

Note: 27 Spline Stator

Atlantic #	TC14404A
Model :	Soltice
Engine:	2.0L
Year(s) :	2006-10
Code :	
OEM Part Number :	24239879 (Some)
Overall Diameter :	10.25
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (.578"Tall) (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven Type Clutch)

Note: 27 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

5L40E / 5L50E (5 Speed RWD/AWD)(Continued)

Atlantic #	TC14403
Model :	Cadillac SRX, STS
Engine:	4.6L
Year(s) :	2004-07
Code :	
OEM Part Number :	24223281, 96042553
Overall Diameter :	10.75
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.0
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch Rivets Visible On Front Cover)

Note: 27 Spline Stator

Atlantic #	TC14407
Model :	Cadillac XLR
Engine:	4.6L
Year(s) :	2003-06
Code :	
OEM Part Number :	24216519
Overall Diameter :	10.75
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Captive Clutch Rivets Visible On Front Cover

© Whatever It Takes Transmission Parts. Inc.

General Motors

6L45 / 6L50 (6 Speed RWD/4x4)

Atlantic #	TC4504
Model :	CTS, STS, Camaro
Engine:	3.6L
Year(s) :	2006-15
Code :	
OEM Part Number :	24240017
Overall Diameter :	10.75
Overall Height :	6.0625
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.834
Hub Height :	2.275
Pilot Diameter :	0.825
Pilot Length :	1.275
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	6 Lugs (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven)

Note:

Atlantic #	TC4505
Model :	SRX, STS
Engine:	4.6L
Year(s) :	2006-13
Code :	
OEM Part Number :	24240018, 24236663, 24239066
Overall Diameter :	10.75
Overall Height :	Pilot-6.848, Lugs-6.041
Input Spline :	27 Splines, 29 Vanes
Hub Style :	Slotted
Hub Diameter :	1.834
Hub Height :	2.28
Pilot Diameter :	0.825
Pilot Length :	1.148
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	3 Lug (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Captive Clutch Rivets Visible On Front Cover

Atlantic #	TC4518
Model :	Canyon, Colorado
Engine:	2.8L Diesel
Year(s) :	2015-20
Code :	White Sticker W/Purple Dot
OEM Part Number :	24275605
Overall Diameter :	12
Overall Height :	Pilot-6.738, Lugs-6.183
Input Spline :	27, 29 Vanes
Hub Style :	Slotted
Hub Diameter :	1.830 Stepped 1.834
Hub Height :	2.319
Pilot Diameter :	0.825
Pilot Length :	1.076
Lockup :	4 Ear Clutch Plate Rivetted To Cover
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	6 Lugs (.745"Tall)(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 27 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

6L45 / 6L50 (6 Speed RWD/4x4)(Continued)

Atlantic #	TC4511
Model :	CTS, STS
Engine:	3.0L
Year(s) :	2010-13
Code :	G6904, 01810
OEM Part Number :	24249520, 0101836733
Overall Diameter :	10.375
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.834
Hub Height :	2.234
Pilot Diameter :	0.825
Pilot Length :	1.34
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	6 Point Mounting Plate (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Captive Clutch Rivets Visible On Front Cover

Atlantic #	TC4513
Model :	ATS, Canyon, Colorado
Engine:	2.0L, 2.5L
Year(s) :	2012-16- ATS, 2011-19-Colorado/Canyon
Code :	
OEM Part Number :	24265770, 24265771, 24279757, 24279758, 24288046, 24297457
Overall Diameter :	10.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.834
Hub Height :	2.068
Pilot Diameter :	0.825
Pilot Length :	1.315 (Hollow)
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Point Mounting Plate W/3 Threaded Holes & 3 Non-Threaded Holes (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Captive Clutch Rivets Visible On Front Cover

Atlantic #	TC4516
Model :	Canyon, Colorado
Engine:	3.6L
Year(s) :	2015-19
Code :	24252928
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	6 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven Clutch)

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

6L45 / 6L50 (6 Speed RWD/4x4)(Continued)

Atlantic #	TC4515
Model :	ATS, Camaro, CTS
Engine:	2.0L, 3.0L, 3.6L
Year(s) :	ATS-2008-14, Camaro-2009-15,
	CTS-2010-15
Code :	
OEM Part Number :	24257188, 24264764, 24265772,
	24265773, 24279759
Overall Diameter :	10.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	2.238
Pilot Diameter :	0.825
Pilot Length :	1.350
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	Mounting Plate W6 Threaded Holes
	(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Captive Clutch Visible On Front Cover

© Whatever It Takes Transmission Parts. Inc.

6L80 / 6L90 (6 Speed RWD/4x4)

Atlantic #	TC4501
Model :	Corvette
Engine:	6.0L
Year(s) :	2008-14
Code :	JMBV
OEM Part Number :	24230192, 24234545, 24236468, 24243224, 24245967, 24237108, 24233223, 24245966, 24229277
Overall Diameter :	12.5
Overall Height :	
Input Spline :	36 Splines, 18 Vanes
Hub Style :	Slotted
Hub Diameter :	1.834
Hub Height :	2.498
Pilot Diameter :	1.703
Pilot Length :	
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	4.625
Mounting Style :	3 Inward Lugs (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC4502
Model :	Camaro, Caprice Police, Escalade, ESV, Express, Sierra Denali, Silverado 1500/2500/3500
Engine:	4.8L, 5.3L, 6.0L, 6.2L (LC8)
Year(s) :	2006-17
Code :	JMBX, Gray, Green, Purple, Pink, (Yellow (Some) Sticker
OEM Part Number :	24243222, 24234544, 24237109, 24239789, 24245965, 24236469, 24239788, 17804387, 24243221, 24245964, 24230191, 24245963
Overall Diameter :	12.5
Overall Height :	
Input Spline :	36
Hub Style :	Slotted (Non-Flanged)
Hub Diameter :	1.834
Hub Height :	2.20
Pilot Diameter :	1.703
Pilot Length :	1.10
Lockup :	Yes (EC3)
Stall Speed :	
Mounting Bolt Radius :	5.5625
Mounting Style :	3 Stepped Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC4502HD
Code :	JMBX, Gray, Green, Purple, Pink, (Yellow (Some) Sticker
OEM Part Number :	24243222, 24234544, 24237109, 24239789, 24245965, 24236469, 24239788, 17804387, 24243221, 24245964, 24230191, 24245963



Note: Heavy-Duty Billet Cover

Atlantic #	XTC4502-3
Code :	JMBX, Gray, Green, Purple, Pink, (Yellow (Some) Sticker

Note: Heavy-Duty Billet Cover, Triple Disk

© Whatever It Takes Transmission Parts. Inc.

General Motors

6L80 / 6L90 (6 Speed RWD/4x4)(Continued)

Atlantic #	TC4503
Model :	Escalade, Surburban 1500/2500/HD, Silverado 1500/2500/3500/HD, Sierra 1500/2500/3500/HD, Tahoe, Yukon
Engine:	6.0L, 6.2L
Year(s) :	2007-17
Code :	JMBX Blue, Yellow (Some) Sticker
OEM Part Number :	24242397, 24225675, 24242396, 24238591, 24243219, 24245962, 24238202, 24243220, 24245963, 17804388
Overall Diameter :	12.5
Overall Height :	6.1875
Input Spline :	36
Hub Style :	Slotted / Flanged
Hub Diameter :	1.834
Hub Height :	1.4375
Pilot Diameter :	1.703
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.5625
Mounting Style :	3 Stepped Pads (M10 x 1.5 Theads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC4503HD
Code :	JMBX Blue, Yellow (Some) Sticker
OEM Part Number :	24242397, 24225675, 24242396, 24238591, 24243219, 24245962, 24238202, 24243220, 24245963, 17804388

Note: Heavy-Duty Billet Cover

Atlantic #	XTC4503HD
Code :	JMBX Blue, Yellow (Some) Sticker

Note: Heavy-Duty Billet Cover, Triple Disk

Atlantic #	TC4506
Model :	Express 2500/3500/4500, Savana, Sierra 1500/2500/3500, Silverado 1500/2500/3500/4500HD
Engine:	6.6L Diesel
Year(s) :	2009-17
Code :	JMDZ (Some)
OEM Part Number :	24246386
Overall Diameter :	12.5
Overall Height :	
Input Spline :	36
Hub Style :	Slotted / Flanged
Hub Diameter :	1.834
Hub Height :	
Pilot Diameter :	1.703
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	6 Mounting Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch Rivets Visible On Front Cover)

Note: 36 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

6L80 / 6L90 (6 Speed RWD/4x4)(Continued)

Atlantic #	TC4507
Model :	Silverado
Engine:	6.2L
Year(s) :	2013-16
Code :	JMDZ (Some)
OEM Part Number :	24247370, 24272305
Overall Diameter :	12.4375
Overall Height :	
Input Spline :	36
Hub Style :	Slotted / Flanged
Hub Diameter :	1.832
Hub Height :	2.36
Pilot Diameter :	1.703
Pilot Length :	0.965
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	5.5625
Mounting Style :	3 Square Pads On Square Bases (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: 36 Spline Stator
Captive Clutch Rivets Visible On Front Cover

Atlantic #	TC4507HS
Model :	Silverado
Engine:	6.2L
Year(s) :	2013-16
Code :	JMDZ (Some)
OEM Part Number :	24247371
Overall Diameter :	12.4375
Overall Height :	
Input Spline :	36
Hub Style :	Slotted / Flanged
Hub Diameter :	1.832
Hub Height :	2.36
Pilot Diameter :	1.703
Pilot Length :	0.965
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	5.5625
Mounting Style :	3 Square Pads On Square Bases (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: 36 Spline Stator
Captive Clutch Rivets Visible On Front Cover

Atlantic #	TC4508
Model :	CTS-V
Engine:	6.2L
Year(s) :	2010-15
Code :	JMDY
OEM Part Number :	2424552
Overall Diameter :	12.58
Overall Height :	
Input Spline :	36
Hub Style :	Slotted / Flanged
Hub Diameter :	1.834
Hub Height :	2.419
Pilot Diameter :	1.703
Pilot Length :	0.956
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	5.5625
Mounting Style :	6 Stepped Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch Rivets Visible On Front Cover)

Note: 36 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

General Motors

6L80 / 6L90 (6 Speed RWD/4x4)(Continued)

Atlantic #	TC4509
Model :	STS
Engine:	4.4L SC
Year(s) :	2006-10
Code :	
OEM Part Number :	24226853
Overall Diameter :	10.75
Overall Height :	
Input Spline :	36
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	3 Stepped Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Captive Clutch Rivets Visible On Front Cover

Atlantic #	TC4512
Model :	Sierra 1500/2500/3500, Silverado
Engine:	4.3L
Year(s) :	2008-17
Code :	
OEM Part Number :	24268442, 24279756
Overall Diameter :	11
Overall Height :	
Input Spline :	36
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	2.396
Pilot Diameter :	1.703
Pilot Length :	0.871
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.6875
Mounting Style :	Mounting Plate W/3 Threaded Holes (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Captive Clutch Rivets Visible On Front Cover
33 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

6T30 / 6T35 (6 Speed FWD)

Atlantic #	TC4602
Model :	Cruze
Engine:	1.4L
Year(s) :	2016-19
Code :	
OEM Part Number :	19259215, 24237509, 24239678, 24243455, 24256225, 24256226, 24265121, 24265123, 24270964
Overall Diameter :	10.875
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats / Flanged
Hub Diameter :	1.562
Hub Height :	2.032
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	0.86
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven

Note: Reduced Primary / 38 Spline Stator

Atlantic #	TC4605
Model :	Malibu, Sonic
Engine:	1.4L,1.8L, 2.5L
Year(s) :	2008-19
Code :	
OEM Part Number :	24231040, 24256832, 24271596, 24265129, 8182011, 24281744
Overall Diameter :	9.625
Overall Height :	Pilot-5.285, Lugs-4.664
Input Spline :	21, 29 Vanes
Hub Style :	Milled Flats / Flanged / Stepped
Hub Diameter :	Bottom-1.562, Top-1.552
Hub Height :	2.087
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	0.854
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Extended Lugs (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven)

Note: 38 Spline Stator, 20 Vanes

© Whatever It Takes Transmission Parts. Inc.

General Motors

6T40 / 6T45 (6 Speed FWD/AWD)

Atlantic #	TC4602
Model :	Aura, Captiva, Cruze, Encore, Envision, Equinox, G6, Impala, Lacrosse, Malibu, Regal, Sonic, Terrain, Trax, Verano
Engine:	1.4L, 1.6L, 1.8L, 2.0L, 2.4L, 2.5L
Year(s) :	2006-19
Code :	
OEM Part Number :	19259215, 24237509, 24239678, 24262398 24243455, 24256225, 24256226, 24258537 24265121, 24265123, 24270964, 24230944
Overall Diameter :	10.875
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats / Flanged
Hub Diameter :	1.562
Hub Height :	2.032
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	0.86
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven

Note: Reduced Primary / 38 Spline Stator

Atlantic #	TC4603
Model :	Cruze, Encore, Malibu, Trax, Verano
Engine:	1.4L, 2.4L, 2.5L
Year(s) :	2015-19
Code :	290510517, 09610 on Pump, C1019963
OEM Part Number :	24263350
Overall Diameter :	9.965
Overall Height :	4.390
Input Spline :	24
Hub Style :	Milled Flats / Flanged (Inner Bushing)
Hub Diameter :	1.910
Hub Height :	1.790
Pilot Diameter :	0.825
Pilot Length :	0.840
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven)

Note: Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

6T40 / 6T45 (6 Speed FWD/AWD)(Continued)

Atlantic #	TC4612
Model :	Encore, Envision, Lacrosse, Regal, Verano, Captiva, Cruze, Equinox, Impala, Sonic, Trax, Terrain, Aura
Engine:	1.4L, 1.6L, 1.8L, 2.0L, 2.4L, 2.5L
Year(s) :	2008-17
Code :	600700, 19259215
OEM Part Number :	24230944, 24258537, 24262004, 24243455, 24256225, 24237509, 24239678, 24262398
Overall Diameter :	10.875
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats / Flanged
Hub Diameter :	1.562
Hub Height :	2.0
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.50 Threads)
Ring Gear :	
Clutch:	Yes (Woven)

Note: Reduced Primary / 38 Spline Stator

Atlantic #	TC4610
Model :	Captiva AWD, Captiva Sport
Engine:	3.0L
Year(s) :	2007-17
Code :	C23PU1
OEM Part Number :	24234949, 24256831, 24265124, 24247416 24265125, 24270962, 24281736, 24234764
Overall Diameter :	10.875
Overall Height :	4.490
Input Spline :	24
Hub Style :	Milled Flats, Flanged, Stepped
Hub Diameter :	1.553
Hub Height :	2.024
Pilot Diameter :	0.825
Pilot Length :	0.840
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	6 Pads On Bases (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven)

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

6T40 / 6T45 (6 Speed FWD/AWD)(Continued)

Atlantic #	TC4605
Model :	Malibu, Sonic
Engine:	1.4L,1.8L, 2.5L
Year(s) :	2008-19
Code :	
OEM Part Number :	24231040, 24256832, 24271596, 24265129, 8182011, 24281744
Overall Diameter :	9.625
Overall Height :	Pilot-5.285, Lugs-4.664
Input Spline :	21, 29 Vanes
Hub Style :	Milled Flats / Flanged / Stepped
Hub Diameter :	Bottom-1.562, Top-1.552
Hub Height :	2.087
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	0.854
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Extended Lugs (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven)

Note: 38 Spline Stator, 20 Vanes

Atlantic #	TC4606
Model :	Encore, Verano, Equinox, Impala, Malibu, Trax
Engine:	1.4L, 1.5L, 2.4L, 2.5L
Year(s) :	2008-22
Code :	5PNM60652004661512, C1022623
OEM Part Number :	24268987, 24270961, 24281745, 24281748
Overall Diameter :	10.875
Overall Height :	Pilot-5.020, Lugs-4.244
Input Spline :	38 Spline, 24 Internal Spline
Hub Style :	Milled Flats, Flanged (Inner Bushing)
Hub Diameter :	Top-1.902, Bottom-1.914
Hub Height :	1.80
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	0.855
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Lugs (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Chain Driven Pump, 42 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

6T40 / 6T45 (6 Speed FWD/AWD)(Continued)

Atlantic #	TC4607
Model :	Encore, Equinox, Malibu, Trax
Engine:	1.4L, 1.5L
Year(s) :	2008-22
Code :	
OEM Part Number :	24263354
Overall Diameter :	10.875
Overall Height :	4.020
Input Spline :	24
Hub Style :	Milled Flats, Flanged (Inner Bushing)
Hub Diameter :	1.902
Hub Height :	1.800
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	1.090
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC4608
Model :	Impala eAssist
Engine:	2.5L
Year(s) :	2015
Code :	
OEM Part Number :	24263352
Overall Diameter :	10.875
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats, Flanged (Inner Bushing)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	1.090
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Gear Driven Pump, 38 Spline Stator

Atlantic #	TC2503
Model :	Malibu, Regal
Engine:	2.0L Turbo
Year(s) :	2008-19
Code :	3A
OEM Part Number :	24262817
Overall Diameter :	11.25
Overall Height :	
Input Spline :	27
Hub Style :	Milled Flats, Flanged (Inner Bushing)
Hub Diameter :	2.060
Hub Height :	1.527
Pilot Diameter :	0.825
Pilot Length :	0.838
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 36 Spline Stator, 15 Vanes

© Whatever It Takes Transmission Parts. Inc.

General Motors

6T40 / 6T45 (6 Speed FWD/AWD)(Continued)

Atlantic #	TC4604
Model :	Captiva Sport
Engine:	3.0L
Year(s) :	2007-17
Code :	C23PU1,
OEM Part Number :	24247416, 24265126, 24265887, 24278369, 24289403, 24234764, 24234949
Overall Diameter :	10.875
Overall Height :	4.490
Input Spline :	24
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.562
Hub Height :	2.028
Pilot Diameter :	0.825 (Stepped)
Pilot Length :	0.840
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	6 Pads (0.525”Tall)(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven)

Note: Reduced Primary, 38 Splined Stator

Atlantic #	TC4609
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	24265131, 24265886, 24271109, 24278368, 24289402
Overall Diameter :	10.875
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats, Flanged, Stepped
Hub Diameter :	1.562 to 1.552
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.6875
Mounting Style :	6 Pads (0.520”Tall)(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven)

Note: Reduced Primary, 38 Spline Stator

Atlantic #	TC4607
Model :	Malibu LT
Engine:	2.5L (Start/Stop)
Year(s) :	2013-14
Code :	24263354
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats (Flanged W/Inner Bushing)
Hub Diameter :	1.902
Hub Height :	1.800
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	1.090
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

6T50 (6 Speed FWD/4WD)

Atlantic #	TC2503
Model :	Malibu, Regal
Engine:	2.0L Turbo
Year(s) :	2012-16
Code :	3A
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	27
Hub Style :	Milled Flats, Flanged (Inner Bushing)
Hub Diameter :	2.060
Hub Height :	1.527
Pilot Diameter :	0.825
Pilot Length :	0.838
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 36 Spline Stator, 15 Vanes

Atlantic #	TC4613
Model :	Regal
Engine:	2.0L Turbo
Year(s) :	2012
Code :	
OEM Part Number :	24262398
Overall Diameter :	10.875
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.562
Hub Height :	2.032
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven)

Note: Reduced Primary, 38 Spline Stator

Atlantic #	TC4610
Model :	Captiva AWD, Captiva Sport
Engine:	3.0L
Year(s) :	2007-17
Code :	C23PU1
OEM Part Number :	24234949, 24256831, 24265124, 24247416
	24265125, 24270962, 24281736, 24234764
Overall Diameter :	10.875
Overall Height :	4.490
Input Spline :	24
Hub Style :	Milled Flats, Flanged, Stepped
Hub Diameter :	1.553
Hub Height :	2.024
Pilot Diameter :	0.825
Pilot Length :	0.840
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	6 Pads On Bases (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven)

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

6T70 / 6T75 (6 Speed FWD/4x4)

Atlantic #	TC2503
Model :	Malibu, Regal
Engine:	2.0L
Year(s) :	2013-17
Code :	3A
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	27
Hub Style :	Milled Flats, Flanged (Inner Bushing)
Hub Diameter :	2.060
Hub Height :	1.527
Pilot Diameter :	0.825
Pilot Length :	0.838
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 36 Spline Stator, 15 Vanes

Atlantic #	TC2501
Model :	Acadia, Aura XR, Enclave, Equinox Sport, G6, Impala, Malibu, Outlook, Terrain, Torrent, Traverse, Vue, XTS
Engine:	3.0L, 3.6L
Year(s) :	2006-19
Code :	2A, 2B, 7E (Some), 7G, 9A, 0E
OEM Part Number :	17804457
Overall Diameter :	11.25
Overall Height :	
Input Spline :	27
Hub Style :	Milled Flats, Flanged (Inner Bushing)
Hub Diameter :	2.060
Hub Height :	1.52
Pilot Diameter :	0.825
Pilot Length :	0.860
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	4 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

8L45 (8 Speed RWD/4WD)

Atlantic #	TC33405
Model :	ATS, Camaro, Canyon, Colorado, CTS, CT6
Engine:	3.6L
Year(s) :	2016-21
Code :	
OEM Part Number :	24274130, 24293013, 24280382, 24279503, 24802382, 24298484, 24289784
Overall Diameter :	10.5
Overall Height :	Pilot-6.348, Pads-5.550
Input Spline :	27
Hub Style :	Milled Flats, Flanged, Stepped (Inner Bushing)
Hub Diameter :	Top-2.252, Bottom-1.307
Hub Height :	1.655
Pilot Diameter :	0.825
Pilot Length :	1.350
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.859
Mounting Style :	Mounting Plate (9.5625 Across) 6 Threaded Nuts (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Captive Clutch Rivets Visible On Front Cover

Atlantic #	TC33407
Model :	ATS, Camaro, CTS, CT6
Engine:	2.0L, 2.5L
Year(s) :	2016-Up
Code :	24279501, 24252155, 24289786, 24279501, 24280384, 24298483, 24252155, 24279502, 24261839, 24280383
OEM Part Number :	
Overall Diameter :	10
Overall Height :	5.540
Input Spline :	27
Hub Style :	Milled Flats, Stepped, Flanged
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	1.237
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Plate W/3 Pads W/Nuts (10mm x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

8L90 (8 Speed RWD/4x4)

Atlantic #	TC33401
Model :	Camaro SS, Escalade, Express 2500/3500, ESV, Silverado, Savana, Sierra, Tahoe, Yukon
Engine:	4.3L, 5.3L, 6.2L
Year(s) :	2014-20
Code :	
OEM Part Number :	24279497, 24285996, 24285997, 24280633, 24280634, 24290214, 24264543, 24274485, 24286975, 24281895, 24284689, 24297076, 24284690, 24296736, 24264435, 24264543
Overall Diameter :	11
Overall Height :	
Input Spline :	36
Hub Style :	Milled Flats, Flanged, Stepped (Inner Bushing)
Hub Diameter :	Top-2.250, Bottom-2.305
Hub Height :	1.437
Pilot Diameter :	1.703
Pilot Length :	1.11
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	5.75
Mounting Style :	Mounting Plate (12.5” Diameter) 6 Threaded Holes (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Modulating Captive Clutch)

Note: Captive Clutch Rivets Visible On Front Cover

Atlantic #	TC33404
Model :	Camaro, Escalade, Express, Sierra, Savana, Silverado, Yukon,
Engine:	4.3L, 5.3L, 6.2L
Year(s) :	2014-Up
Code :	24264543, 24274485, 24279497, 24280633, 24285996, 24290214, 5UZL, 5UKL, 5UJL
OEM Part Number :	17804387, 14804388, 24245962, 24247371, 24265441, 2426601, 24272305, 24279756, 24281894, 24284689, 24285996, 24285997, 24286575, 29546573
Overall Diameter :	11.1875
Overall Height :	Pilot-6.165, Lug Plate-5.584
Input Spline :	36 (31 Vanes)
Hub Style :	Milled Flats, Stepped (Inner Bushing)
Hub Diameter :	Top-2.251, Bottom-2.306
Hub Height :	1.691
Pilot Diameter :	1.702
Pilot Length :	0.886
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.750
Mounting Style :	Mounting Plate (12.625” Diameter) (6 Threaded Holes)(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Captive Clutch Rivets Visible On Front Cover
54 Spline Stator, 25 Vanes

© Whatever It Takes Transmission Parts. Inc.

8L90 (8 Speed RWD/4x4)(Continued)

Atlantic #	TC33407
Model :	ATS, Camaro, CTS, CT6
Engine:	2.0L, 2.5L
Year(s) :	2016-Up
Code :	24279501, 24252155, 24289786, 24279501,
	24280384, 24298483, 24252155, 24279502,
	24261839, 24280383
OEM Part Number :	
Overall Diameter :	10
Overall Height :	5.540
Input Spline :	27
Hub Style :	Milled Flats, Stepped, Flanged
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	1.237
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Plate W/3 Pads W/Nuts
	(10mm x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC33408
Model :	Silverado, Sierra
Engine:	5.3L
Year(s) :	2016-22
Code :	21418.204537
OEM Part Number :	24290153, 24295458, 24290697,
	24293358, 24297075, 24050271
Overall Diameter :	12.75
Overall Height :	5.453
Input Spline :	41
Hub Style :	Milled Flats, Stepped (Inner Bushing)
Hub Diameter :	2.252-2.306
Hub Height :	1.680
Pilot Diameter :	1.702
Pilot Length :	1.088
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.750
Mounting Style :	Mounting Plate (6 Threaded Nuts)
	(12.5” Diameter)(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Captive Clutch Rivets Visible On Front Cover

© Whatever It Takes Transmission Parts. Inc.

General Motors

8L90 (8 Speed RWD/4x4)(Continued)

Atlantic #	TC33409
Model :	ATS, CT6
Engine:	3.0L, 3.6L
Year(s) :	2016-19
Code :	
OEM Part Number :	24279499
Overall Diameter :	11.10
Overall Height :	5.564
Input Spline :	36
Hub Style :	Milled Flats, Stepped, Flanged
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	1.158
Lockup :	
Stall Speed :Low	
Mounting Bolt Radius :	4.85
Mounting Style :	Mounting Plate W/6 Threaded Nuts (M10 x 1.50)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC33410
Model :	Silverado, Sierra
Engine:	2.7L, 2.7L Turbo
Year(s) :	2015-2022
Code :	24294232, 24293357, 24043823, 24050270
OEM Part Number :	
Overall Diameter :	11.95
Overall Height :	5.583
Input Spline :	41
Hub Style :	Milled Flats, Stepped
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.826
Pilot Length :	
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.675
Mounting Style :	Mounting Plate W/6 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note: Will Not Interchange With TC33411

© Whatever It Takes Transmission Parts. Inc.

8L90 (8 Speed RWD/4x4)(Continued)

Atlantic #	TC33411
Model :	Corvette
Engine:	6.2L
Year(s) :	2014-19
Code :	24273061, 24280632, 24264434, 24279496,
	24279495, 24290213, 16012
OEM Part Number :	
Overall Diameter :	11.088
Overall Height :	6.311
Input Spline :	36
Hub Style :	Flanged, Stepped, Milled Flats W/Bushing
Hub Diameter :	2.252 / 2.307
Hub Height :	1.427
Pilot Diameter :	0.825
Pilot Length :	1.248
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.615
Mounting Style :	Mounting Plate W/6 Threaded Nuts
	(M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC33412
Model :	Express 2500/3500, Savana 2500/3500
Engine:	2.8L Diesel
Year(s) :	2017-22
Code :	24290215, 24267943, 24280636,
	24285998, 24285298
OEM Part Number :	
Overall Diameter :	11
Overall Height :	5.745
Input Spline :	56
Hub Style :	Milled Flats (Inner Bushing)
Hub Diameter :	2.305
Hub Height :	1.435
Pilot Diameter :	0.825
Pilot Length :	1.255
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	Plate Riveted To Front Cover W/6 Lugs
	(M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

9T45 / 9T50 / 9T60 / 9T65 (9 Speed FWD/AWD)

Atlantic #	TC17401
Model :	Blazer, Encore GX, Regal
Engine:	1.3L, 2.0L, 2.5L
Year(s) :	2018-22
Code :	WQMF, 925200321759, C1083049
OEM Part Number :	24278257, 24268261, 24287928, 24287931, 24287932, 24291759, 24291763, 24293110, 24296656
Overall Diameter :	11.125
Overall Height :	4.197
Input Spline :	26
Hub Style :	Milled Flats, Stepped (Inner Bushing)
Hub Diameter :	1.915
Hub Height :	1.477
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Square Pads On Oval Bases (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Single Clutch)



Note: Reduced Primary To 9.25”, 45 Degree Ribs, 41 Spline Stator

Atlantic #	TC17402
Model :	Enclave, Traverse
Engine:	3.6L
Year(s) :	2017-19
Code :	
OEM Part Number :	24268265, 24283844, 24296136, 24293114 24293117
Overall Diameter :	10.875
Overall Height :	3.930
Input Spline :	25
Hub Style :	Milled Flats, Stepped (Inner Bushing)
Hub Diameter :	1.905-1.915
Hub Height :	1.500
Pilot Diameter :	0.825
Pilot Length :	0.845
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.875
Mounting Style :	6 Square Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes



Note: Reduced Primary, 5 Degree Ribs, 41 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

10L60 / 10L80 / 10L90 (10 Speed RWD)

Atlantic #	TC16403
Model :	Camaro, Escalade, Suburban, Tahoe, Yukon
Engine:	6.2L, Some 5.3L
Year(s) :	2018-23
Code :	1031 Ink Stamp On Cover
OEM Part Number :	24288828, 24288829, 24286575, 24282428
Overall Diameter :	12.855
Overall Height :	Plate- 5.187, Pilot- 5.867
Input Spline :	41 (29 Vanes)
Hub Style :	Milled Flats (Inner Bushing)
Hub Diameter :	2.760
Hub Height :	1.500
Pilot Diameter :	1.700
Pilot Length :	1.100
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.7425
Mounting Style :	Mounting Plate (6 Nuts)(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 39 Stator Splines, 25 Vanes

Atlantic #	TC16405
Model :	Escalade, Silverado, Suburban, Tahoe, Sierra, Yukon
Engine:	6.2L, Some 5.3L
Year(s) :	2018-22
Code :	
OEM Part Number :	24049879, 24045092, 24045093, 24293374, 24292625, 24292289
Overall Diameter :	12
Overall Height :	5.220
Input Spline :	41
Hub Style :	4 Milled Flats (Inner Bushing)
Hub Diameter :	2.762
Hub Height :	1.280
Pilot Diameter :	1.700
Pilot Length :	1.120
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	
Mounting Style :	Rivited Plate W/6 Lugs (M10 x 1.50)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Identical To TC33408, Difference Is The Bigger Hub

Atlantic #	TC16409
Model :	Silverado
Engine:	3.0L Diesel
Year(s) :	2020-Up
Code :	24292797, 24044900
OEM Part Number :	24294125
Overall Diameter :	11.967
Overall Height :	5.364 / 6.005
Input Spline :	41
Hub Style :	4 Milled Flats (Inner Bushing)
Hub Diameter :	2.766
Hub Height :	1.437
Pilot Diameter :	0.825
Pilot Length :	0.872
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	Plate Rivited To Cover W/6 Lugs (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Captive Clutch)



Note:

© Whatever It Takes Transmission Parts. Inc.

General Motors

10L60 / 10L80 / 10L90 (10 Speed RWD)(Continued)

Atlantic #	TC16413
Model :	Escalade, Suburban, Tahoe, Yukon
Engine:	6.2L
Year(s) :	2018-23
Code :	
OEM Part Number :	24044619, 24049843
Overall Diameter :	11.5
Overall Height :	5.140
Input Spline :	41
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.704
Pilot Length :	
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	Mounting Plate (6 Nuts)(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	

Note:

10L1000 (Allison) (10 Speed RWD)

Atlantic #	TC21601
Model :	Silverado, Sierra
Engine:	6.6L Duramax
Year(s) :	2019-Up
Code :	24297293
OEM Part Number :	
Overall Diameter :	13.340
Overall Height :	8.200
Input Spline :	31
Hub Style :	53 Splined, Stepped
Hub Diameter :	2.932
Hub Height :	2.953
Pilot Diameter :	1.702
Pilot Length :	.996
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.754
Mounting Style :	6 Lugs (M10 x 1.50)
Ring Gear :	
Clutch:	Yes (Captive Clutch)(Rivited To Cover)



Note: 31 Vanes

© Whatever It Takes Transmission Parts. Inc.

Scan the QR for WIT

Mark Wheeler

Meet Our HP Tuner & Lead Warranty Tech

Get registered today!
wittrans.com/hpseminar
wittrans.com/seminar

WIT WHATEVER IT TAKES
TRANSMISSION PARTS, INC

Tired of customer complaints of TCC shudder on a multitude of vehicles?

HP Tuner and the Elite staff of *Whatever It Takes* can help you! Over the last 14 months we have tuned thousands of vehicles to helps eliminate this issue and with a better than 95% success rate we are very proud to offer this product and our staff to help you deal with issues from DOD, TCC on in 1st gear and softer than desired shifts. We don't just modify programs for you, as we teach you what to look for and how to make corrections to give your customer the most superior driveline repair in the industry. Come talk to the tuning staff of *Whatever It Takes* at any of our free seminars that we put on to help guide you through the process. MPV13 is the fastest most sophisticated OBDII interface device to date, and PRO is the new standard. Take advantage of the PRO Feature Set capabilities, like standalone data logging and PROLINK+ compatibility already built in. MPV13 redefines the limits of speed and control with faster standalone data logging and two times the storage capacity compared to the previous generation. Log more runs (faster) and more calibrations on your MPV13, all with the convenience of eliminating your laptop from the equation. HP Tuner VCM Suite MPV13 Credit PRO Packages equip you with the most inclusive scanning, logging, calibration, making them the only tool you need in your toolbox.

WIT Part#'s

T-MPV13 - OBDII Interface Tuner, HP Tuners VCM Suite
T-MPV13-CREDIT - HP Tuner credit
T-MPV13FORDMA - Manual, HP Tuner Ford 6 & 10 Speed Transmissions
T-MPV13MANUAL- Manual, HP Tuner GM 4,6,8 & 10 Speed Transmissions
T-MPV13MOPAR - Manual, HP Tuner Mopar 5, 6, & 8 Speed Transmissions

Follow WIT's social media accounts to stay up-to-date on upcoming free seminars!

@WITTransmission
@whateverittakestransmission
@wittrans
@wittrans

Give us a call today! 1-800-940-0197 wittrans.com

Powered by WIT

Chrysler

A404 / 413 / 470 (31TH)(3 Speed)(FWD)

Atlantic #	TC3201
Model :	
Engine:	1.7L, 2.2L Non Turbo, 2.5L, 2.6L
Year(s) :	1979-85
Code :	058, 466, 597, 873
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	2.00
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC3202
Model :	600, Aries, Charger, Daytona, Omi, Shadow
Engine:	1.6L, 2.2L, 2.5L, 2.6L
Year(s) :	1988-95
Code :	143, 161, 340, 370, 761, 963, 974
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	23
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.281
Mounting Style :	4 Pads Offset (10mm x 1.5)
Ring Gear :	
Clutch:	No

Note: Deep Impeller (Non Turbo)

Atlantic #	TC3202F
Model :	Lebaron, Caravan, Daytona, Lancer, Shadow
Engine:	2.2L Turbo, 2.5L
Year(s) :	1986-95
Code :	072, 339, 369, 432, 967, 972
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	23
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.281
Mounting Style :	4 Pads Offset (10mm x 1.5)
Ring Gear :	
Clutch:	No

Note: Deep Impeller (Turbo)

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A404 / 413 / 470 (31TH)(3 Speed)(FWD) (Continued)

Atlantic #	TC9201
Model :	
Engine:	2.2L, 2.5L, 2.6L
Year(s) :	1986-Up
Code :	340, 370, 761, 963
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	23
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	1.940
Pilot Diameter :	1.337
Pilot Length :	0.940
Lockup :	No
Stall Speed :	Medium
Mounting Bolt Radius :	4.290
Mounting Style :	4 Pads Offset (10mm x 1.5)
Ring Gear :	
Clutch:	No

Note: Shallow Impeller (Turbo)

Atlantic #	TC9202
Model :	Caravan, Daytona, Dynasty, Grand Caravan, Lancer, Mini Ram, Neon, Omi, Shadow, Spirit, Stratus, Acclaim, Grand Voyager, Reliant, Sundance, Voyager
Engine:	2.0L, 2.2L, 2.4L, 2.5L, 2.6L, 2.7L, 3.0L, 3.3L
Year(s) :	2002
Code :	147, 250, 379, 479, 956
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	1.940
Pilot Diameter :	1.337
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.290
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes

Note: Offset Bolt Pattern

Atlantic #	TC9203
Model :	
Engine:	2.2L Turbo
Year(s) :	1979-85
Code :	068, 970
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	1.940
Pilot Diameter :	1.337
Pilot Length :	0.920
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.305
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A470 / A670 3 Speed Lockup (31TH)(3 Speed)(FWD)

Atlantic #	TC9202
Model :	
Engine:	3.0L
Year(s) :	1987-92
Code :	136, 137, 520, 627, 965
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	1.940
Pilot Diameter :	1.337
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.290
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes

Note: Offset Bolt Pattern
Deep Impeller (Replace With TC9202F)

Atlantic #	TC9202F
Model :	
Engine:	2.0L, 2.2L, 2.4L, 2.5L Non-Turbo, 3.0L
Year(s) :	1987-02
Code :	002, 147, 244, 250, 272, 305, 344, 379, 444, 479, 544, 956, 964, 966
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	1.940
Pilot Diameter :	1.337
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.290
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes

Note: Offset Bolt Pattern
Shallow Impeller

Atlantic #	TC9207
Model :	
Engine:	2.5L Turbo
Year(s) :	1989-97
Code :	138, 316, 597, 636, 679, 969
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	1.940
Pilot Diameter :	1.337
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.290
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes

Note: Offset Bolt Pattern
Shallow Impeller

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A43 / A43D / A44D / AW372 (4 Speed)(RWD)

Atlantic #	TC5712
Model :	Dodge Raider, Dakota Ram, D50
Engine:	2.6L
Year(s) :	1987-91
Code :	ODS, ODM
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	1.812
Pilot Diameter :	0.750
Pilot Length :	1.015
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.552
Mounting Style :	Mounting Ring W/6 Threaded Holes
Ring Gear :	
Clutch:	No

Note: Has 2 Line Up Holes On Mounting Ring

Atlantic #	TC5713
Model :	Dodge Raider
Engine:	V6 3.0L
Year(s) :	1989
Code :	3N, Black Dot, Black Circle
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	1.750
Pilot Diameter :	0.750
Pilot Length :	1.150
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.250
Mounting Style :	6 Pads (1/2” Thick)(10mm Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5715NC
Model :	Dodge Raider
Engine:	V6
Year(s) :	1989
Code :	
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.250
Mounting Style :	6 Pads (3/8 x 24 Threads)
Ring Gear :	
Clutch:	No

Note: Clutch Omitted

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A500 (40RH / 42RE / 42RH / 44RE) Non Lock Up (4 Speed)(RWD)

Atlantic #	TC1210
Model :	
Engine:	3.9L
Year(s) :	1992-Up
Code :	831, 881
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	
Mounting Style :	4 Pads
Ring Gear :	122 Teeth (Narrow)
Clutch:	No

Note: Contains Stator Bearing

Atlantic #	TC1211
Model :	
Engine:	3.9L
Year(s) :	1992-Up
Code :	873
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	122 Tooth (Narrow)
Clutch:	No

Note: Contains Stator Bearing

CAUTION: Check The Length Of Your Converter Bolts To Prevent Damage To The Converter Clutch And/Or Clutch Surface

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A500 (40RH / 42RE / 42RH / 44RE) Lockup (4 Speed)(RWD)

Atlantic #	TC1202LULS
Model :	Cherokee, Grand Cherokee
Engine:	5.2L
Year(s) :	1988-92
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	Pilot- 5.615, Lugs- 4.732
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	Yes

Note:

Atlantic #	TC1202LUHS
Model :	Cherokee, Grand Cherokee
Engine:	3.9L
Year(s) :	1988-91
Code :	627
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	Yes



Note: No Balance Weight

Atlantic #	TC1203
Model :	Ram
Engine:	3.9L, 5.2L
Year(s) :	1992-93, 1999
Code :	853, 871, Some 549
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	122 Teeth (Narrow)
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A500 (40RH / 42RE / 42RH / 44RE) Lockup (4 Speed)(RWD) (Continued)

Atlantic #	TC1204
Model :	
Engine:	5.2L
Year(s) :	1992-00
Code :	899, Some 324
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	
Mounting Style :	4 Pads
Ring Gear :	122 Teeth (Narrow)
Clutch:	Yes

Note:

Atlantic #	TC1208
Model :	
Engine:	3.9L
Year(s) :	1994-95
Code :	853
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.500
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Very High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	122 Teeth (Narrow)
Clutch:	Yes

Note:

Atlantic #	TC1209
Model :	
Engine:	3.9L
Year(s) :	1992
Code :	627
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	122 Teeth (Narrow)
Clutch:	Yes

Note: Contains Stator Bearing

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A500 (40RH / 42RE / 42RH / 44RE) Lockup (4 Speed)(RWD) (Continued)

Atlantic #	TC1209LS
Model :	
Engine:	5.2L
Year(s) :	1992
Code :	Some 324
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	122 Teeth (Narrow)
Clutch:	Yes



Note: Contains Stator Bearing

Atlantic #	TC1212
Model :	Dakota, Durango
Engine:	4.7L, 5.2L
Year(s) :	1996-03
Code :	Some 549, 593, 594, 781
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.500
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	122 Teeth (Narrow)
Clutch:	Yes

Note: Contains Stator Bearing
90 Degree Bolt Pattern

Atlantic #	TC1213
Model :	
Engine:	5.2L
Year(s) :	1996-00
Code :	599, 792
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.495
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	130 Teeth (Wide)
Clutch:	Yes

Note: 90 Degree Bolt Pattern

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A500 (40RH / 42RE / 42RH / 44RE) Lockup (4 Speed)(RWD)(Continued)

Atlantic #	TC1234
Model :	D50 Pickup, Wrangler
Engine:	L4 2.5L
Year(s) :	1990-95
Code :	146, 311, 388
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.250
Pilot Diameter :	1.335
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.305
Mounting Style :	4 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Offset Bolt Pattern

Atlantic #	TC1235
Model :	Wrangler. Mighty Max
Engine:	L4 2.5L
Year(s) :	1996-Up
Code :	388
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.250
Pilot Diameter :	1.335
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.290
Mounting Style :	4 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 90 Degree Bolt Pattern

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A518 / A618 (46RH / 46RE / 47RH / 47RE / 48RE) Non Lockup (4 Speed)(RWD)

Atlantic #	TC2204HS
Model :	
Engine:	225, 318
Year(s) :	1989-91
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.3785
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	130 Teeth (Wide)
Clutch:	



Note:

Atlantic #	TC2204LS
Model :	
Engine:	225, 318, 383, 400, 440
Year(s) :	1989-91
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	130 Teeth (Wide)
Clutch:	



Note:

Atlantic #	TC2213HS
Model :	
Engine:	5.9L
Year(s) :	1989-91
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	120 Teeth (Wide)
Clutch:	



Note: Butterfly Balance Weight (3 1/2” x 1 1/2”)

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A518 / A618 (46RH / 46RE / 47RH / 47RE / 48RE) Non Lockup (4 Speed)(RWD) (Continued)

Atlantic #	TC2213LS
Model :	
Engine:	5.9L
Year(s) :	1989-91
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	130 Teeth (Wide)
Clutch:	



Note:

Atlantic #	TC2214LS
Model :	
Engine:	5.9L Cummins Diesel
Year(s) :	1989-93
Code :	
OEM Part Number :	
Overall Diameter :	13.5
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.00
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	6.130
Mounting Style :	6 Square Pads
Ring Gear :	
Clutch:	No

Note: Ribs Angled 45 Degrees To The Left

Atlantic #	TC2216
Model :	
Engine:	5.9L
Year(s) :	1991-95
Code :	125, 858
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	
Mounting Style :	4 Pads
Ring Gear :	130 Teeth (Wide)
Clutch:	No



Note: Contains Stator Bearing
91 Gram Square Balance Weight

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A518 / A618 (46RH / 46RE / 47RH / 47RE / 48RE) Non Lockup (4 Speed)(RWD)(Continued)

Atlantic #	TC2216LS
Model :	
Engine:	5.9L
Year(s) :	1992
Code :	520
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	
Mounting Style :	4 Pads
Ring Gear :	130 Teeth (Wide)
Clutch:	No

Note: Contains Stator Bearing
91 Gram Square Balance Weight

Atlantic #	TC2217
Model :	
Engine:	5.2L
Year(s) :	1992
Code :	087, 518
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	
Mounting Style :	4 Pads
Ring Gear :	130 Teeth (Wide)
Clutch:	No

Note: Contains Stator Bearing
No Balance Weight

Atlantic #	TC2218
Model :	
Engine:	5.9L
Year(s) :	1992
Code :	085
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	1.810
Pilot Diameter :	
Pilot Length :	
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	
Mounting Style :	4 Pads
Ring Gear :	130 Teeth (Wide)
Clutch:	No

Note: Contains Stator Bearing
120 Gram Butterfly Weight

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A518 / A618 (46RH / 46RE / 47RH / 47RE / 48RE) Non Lockup (4 Speed)(RWD)(Continued)

Atlantic #	TC2222
Model :	
Engine:	5.2L
Year(s) :	1993-96
Code :	862, 863
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.3785
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	130 Teeth (Wide)
Clutch:	No

Note: Contains Stator Bearing
No Balance Weight

Atlantic #	TC2223
Model :	
Engine:	5.2L
Year(s) :	1992
Code :	681
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	
Mounting Style :	4 Pads
Ring Gear :	130 Teeth (Wide)
Clutch:	No

Note: Contains Stator Bearing
No Balance Weight

Atlantic #	TC2224
Model :	
Engine:	5.2L, 5.9L
Year(s) :	1996-Up
Code :	546
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	130 Teeth (Wide)
Clutch:	No



Note: 90 Degree Bolt Pattern
No Balance Weight

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A518 / A618 (46RE / 46RH / 47RE / 47RH / 48RE) Lockup (4 Speed)(RWD)

Atlantic #	TC2219
Model :	
Engine:	3.9L, 5.2L
Year(s) :	1993, 1992-96
Code :	514, 875, 957
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	131 Teeth (Wide)
Clutch:	Yes



Note: Contains Stator Bearing
No Balance Weight

Atlantic #	TC2223
Model :	
Engine:	5.9L, 6.6L
Year(s) :	1992-95
Code :	642, 643
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	131 Teeth (Wide)
Clutch:	Yes

Note: Contains Stator Bearing
91 Gram Square Weight

Atlantic #	TC2220
Model :	Ram, Dakota, Durango, 1500-3500
Engine:	5.2L, 5.9L
Year(s) :	1996-03
Code :	595, 785
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	131 Teeth (Wide)
Clutch:	Yes

Note: 90 Degree Bolt Pattern
Contains Stator Bearing
No Balance Weight

Available With Heavy Duty Billet Front Cover - TC2220HD

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A518 / A618 (46RE / 46RH / 47RE / 47RH / 48RE) Lockup (4 Speed)(RWD) (Continued)

Atlantic #	TC2220LS
Model :	Ram, Dakota, Durango, 1500-3500
Engine:	5.2L, 5.9L
Year(s) :	1996-03
Code :	591 (Some),787 (Some)
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	131 Teeth (Wide)
Clutch:	Yes



Note: 90 Degree Bolt Pattern
Contains Stator Bearing
No Balance Weight

Atlantic #	TC2221
Model :	
Engine:	5.9L
Year(s) :	1996-Up
Code :	878, 879
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	131 Teeth (Wide)
Clutch:	Yes

Note: Contains Stator Bearing
Non 90 Degree Bolt Pattern

Atlantic #	TC2214LU
Model :	Ram 1500-3500
Engine:	V10 Gas
Year(s) :	1993-02
Code :	506, 633
OEM Part Number :	
Overall Diameter :	13.5
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.00
Pilot Diameter :	1.810
Pilot Length :	1.095
Lockup :	Yes
Stall Speed :	Medium Low
Mounting Bolt Radius :	6.130
Mounting Style :	6 Square Pads
Ring Gear :	
Clutch:	Yes

Note: Available With Heavy Duty Billet Cover- TC2215LUHD

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A518 / A618 (46RE / 46RH / 47RE / 47RH / 48RE) Lockup (4 Speed)(RWD) (Continued)

Atlantic #	TC2214LUHD
Model :	Ram 1500-3500
Engine:	V10 Gas
Year(s) :	1993-02
Code :	506, 633
OEM Part Number :	
Overall Diameter :	13.5
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.00
Pilot Diameter :	1.810
Pilot Length :	1.095
Lockup :	Yes
Stall Speed :	Medium Low
Mounting Bolt Radius :	6.130
Mounting Style :	Ring With 6 Bolts
Ring Gear :	
Clutch:	Yes

Note: With Heavy Duty Billet Cover

Atlantic #	TC2214LULS
Model :	Ram 1500-3500
Engine:	5.9L Cummins Diesel
Year(s) :	1993-02
Code :	634, 644, 868 (Some)
OEM Part Number :	
Overall Diameter :	13.5
Overall Height :	
Input Spline :	23
Hub Style :	Slotted, Stepped
Hub Diameter :	1.873
Hub Height :	2.00
Pilot Diameter :	1.810
Pilot Length :	0.850
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.130
Mounting Style :	6 Square Lugs (3/8 x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note: Stator Shaft Does NOT Contain Sealing Ring
Available With Heavy Duty Billet Cover- TC2215LULSHD

Atlantic #	TC2214LULSHD
Model :	Ram 1500-3500
Engine:	5.9L Cummins Diesel
Year(s) :	1993-02
Code :	634, 644, 868 (Some)
OEM Part Number :	
Overall Diameter :	13.5
Overall Height :	6.75
Input Spline :	23
Hub Style :	Slotted, Stepped
Hub Diameter :	1.873
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	0.850
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.130
Mounting Style :	Ring With 6 Bolts
Ring Gear :	
Clutch:	Yes

Note: With Heavy Duty Billet Cover, Stator Shaft Does Not Contain Sealing Ring

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A518 / A618 (46RE / 46RH / 47RE / 47RH / 48RE) Lockup (4 Speed)(RWD) (Continued)

Part #	TC2214TCLXHD
Model :	Ram 1500-3500
Engine:	5.9L Cummins Diesel
Year(s) :	1993-02
Code :	634, 644, 868 (Some)
Stall Speed :	Factory Stall
Mounting Style :	Ring With 6 Bolts
Clutch:	Yes (Triple Clutch)



Note: Billet Cover, Triple Clutch
Super-Duty Unit, Max Torque 1200 Ft Pounds

Upgrading Transmission Input Shaft Is Recommended

Part #	TC2214LULXHD
Model :	Ram 1500-3500
Engine:	5.9L Cummins Diesel
Year(s) :	1993-02
Code :	634, 644, 868 (Some)
Stall Speed :	Low
Mounting Style :	Ring With 6 Bolts
Clutch:	Yes

Note: Billet Cover
Super-Duty Unit, Max Torque 1200 Ft Pounds
For Vehicle Owners That Have Increased Output Of Their Engine

Upgrading Transmission Input Shaft Is Recommended

Atlantic #	TC2215LULS
Model :	Ram 1500-3500
Engine:	5.9L Cummins Diesel
Year(s) :	2003-09
Code :	868 (Some)
OEM Part Number :	
Overall Diameter :	13.5
Overall Height :	
Input Spline :	23
Hub Style :	Slotted, ID Is Smooth (No Step)
Hub Diameter :	1.875
Hub Height :	2.0
Pilot Diameter :	1.810
Pilot Length :	0.85
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.125
Mounting Style :	6 Square Pads
Ring Gear :	
Clutch:	Yes

Note: Stator Shaft Contains Sealing Ring

Available With Heavy Duty Billet Cover- TC2215LULSHD

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A518 / A618 (46RE / 46RH / 47RE / 47RH / 48RE) Lockup (4 Speed)(RWD) (Continued)

Atlantic #	TC2215LULSHD
Model :	Ram 1500-3500
Engine:	5.9L Cummins Diesel
Year(s) :	2003-09
Code :	868 (Some)
OEM Part Number :	
Overall Diameter :	13.5
Overall Height :	
Input Spline :	23
Hub Style :	Slotted, ID Is Smooth (No Step)
Hub Diameter :	1.875
Hub Height :	2.0
Pilot Diameter :	1.810
Pilot Length :	0.85
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.125
Mounting Style :	6 Square Pads
Ring Gear :	
Clutch:	Yes

Note: Stator Shaft Contains Sealing Ring

Heavy Duty Billet Cover

Part #	TC2215TCLXHD
Model :	Ram 1500-3500
Engine:	5.9L Cummins Diesel
Year(s) :	2003-09
Code :	868 (Some)
Stall Speed :	Factory Stall
Mounting Style :	Ring With 6 Bolts
Clutch:	Yes (Triple Clutch)

Note: Billet Cover, Triple Clutch
Super-Duty Unit, Max Torque 1200 Ft Pounds

Upgrading Transmission Input Shaft Is Recommended

Part #	TC2215LULXHD
Model :	Ram 1500-3500
Engine:	5.9L Cummins Diesel
Year(s) :	2003-09
Code :	868 (Some)
Stall Speed :	Low
Mounting Style :	Ring With 6 Bolts
Clutch:	Yes

Note: Billet Cover
Super-Duty Unit, Max Torque 1200 Ft Pounds
For Vehicle Owners That Have Increased Output Of Their Engine

Upgrading Transmission Input Shaft Is Recommended

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A518 / A618 (46RE / 46RH / 47RE / 47RH / 48RE) Lockup (4 Speed)(RWD) (Continued)

Atlantic #	TC2215LU
Model :	Ram 1500-3500
Engine:	V10 Gas
Year(s) :	2003-09
Code :	
OEM Part Number :	
Overall Diameter :	13.5
Overall Height :	
Input Spline :	23
Hub Style :	Slotted, ID Is Smooth (No Step)
Hub Diameter :	1.875
Hub Height :	2.0
Pilot Diameter :	1.810
Pilot Length :	1.095
Lockup :	Yes
Stall Speed :	Medium/Low
Mounting Bolt Radius :	6.125
Mounting Style :	6 Square Pads
Ring Gear :	
Clutch:	Yes

Note: Stator Shaft Contains Sealing Ring

Available With Heavy Duty BIllet Lid - TC2215LUHD

Atlantic #	TC2215LUHD
Model :	Ram 1500-3500
Engine:	V10 Gas
Year(s) :	2003-09
Code :	
OEM Part Number :	
Overall Diameter :	13.5
Overall Height :	
Input Spline :	23
Hub Style :	Slotted, ID Is Smooth (No Step)
Hub Diameter :	1.875
Hub Height :	2.0
Pilot Diameter :	1.810
Pilot Length :	1.095
Lockup :	Yes
Stall Speed :	Medium/Low
Mounting Bolt Radius :	6.125
Mounting Style :	6 Square Pads
Ring Gear :	
Clutch:	Yes

Note: Stator Shaft Contains Sealing Ring

With Heavy Duty BIllet Lid - TC2215LUHD

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A604 (40TE / 41TE) (4 Speed) Lockup Ultradrive (4 Speed)(FWD)

Atlantic #	TC9204
Model :	Acclaim, Caravan, Daytona, Dynasty, Grand Caravan, Lebaron, Spirit, Voyager
Engine:	3.0L, 3.3L
Year(s) :	1989-91
Code :	039, 040, 395, 581, 595
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	1.940
Pilot Diameter :	1.337
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.290
Mounting Style :	4 Pads Offset (10mm x 1.5)
Ring Gear :	
Clutch:	Yes

Note: Shallow Impeller

Available With Clutch Omitted - TC9204NC

Atlantic #	TC9202
Model :	Acclaim, Avenger, Breeze, Caravan, Cirrus, Daytona, Eclipse, Lebaron, Neon, Sebring, Shadow, Spirit, Stratus, Talon, PT Cruiser, Voyager
Engine:	2.0L, 2.4L, 2.5L, 2.7L, 3.0L, 3.8L
Year(s) :	1989-08
Code :	002, 136, 137, 147, 244, 250, 272, 305, 311, 344, 379, 444, 479, 520, 544, 627, 956, 964, 966, 965
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	1.940
Pilot Diameter :	1.337
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	2000-2400
Mounting Bolt Radius :	4.290
Mounting Style :	4 Pads, Offset Bolt Pattern (M10 x 1.50)
Ring Gear :	
Clutch:	Yes

Note: Deep Impeller

Available With Clutch Omitted - TC9202NC

Tapered Pad - Offset Style
Metal Stamp "O" Next To Pad

Curved Pad - 90 Degree Style
Wrap Around Welds

Chrysler re-engineered bolt patterns for the A604 and A606 transmissions in 1998. The configuration of the mounting pads will enable you to identify the bolt pattern.

CAUTION: Check The Length Of Your Converter Bolts To Prevent Damage To The Converter Clutch And/Or Clutch Surface, Voiding All Warranty

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A604 (40TE / 41TE) (4 Spd) Lockup Ultradrive (4 Speed)(FWD) (Continued)

Atlantic #	TC9205
Model :	Caravan, Dynasty, Voyager, Town & Country
Engine:	2.7L, 3.3L, 3.5L, 3.8L
Year(s) :	1990-03
Code :	076, 311, 375, 476, 518, 550, 585, 775
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	1.940
Pilot Diameter :	1.337
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	2000-2400
Mounting Bolt Radius :	4.515
Mounting Style :	4 Pads, Offset Bolt Pattern (10mm x 1.50
Ring Gear :	
Clutch:	Yes

Note:

Available With Heavy Duty Billet Lid - TC9209HD

Atlantic #	TC9209HD
Model :	Caravan, Voyager, Town & Country
Engine:	2.7L, 3.3L, 3.5L, 3.8L
Year(s) :	1991-03
Code :	076, 311, 375, 476, 518, 550, 775
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	1.940
Pilot Diameter :	1.337
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.515
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes

Note: Billet Cover With Dual Bolt Pattern

Atlantic #	TC9207
Model :	
Engine:	2.4L Turbo
Year(s) :	1996-98
Code :	138, 316, 597, 636, 679, 969
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	1.940
Pilot Diameter :	1.337
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.290
Mounting Style :	4 Pads, Offset Bolt Pattern
Ring Gear :	
Clutch:	Yes

Note: Shallow Impeller

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A604 (40TE / 41TE) (4 Spd) Lockup Ultradrive (4 Speed)(FWD) (Continued)

Atlantic #	TC9211
Model :	Avenger, Caravan, Concord, Pacifica, Sebring, Stratus,PT Cruiser, Voyager, Town & Country, 300M
Engine:	2.4L, 2.5L, 2.7L, 3.3L, 3.5L, 3.8L
Year(s) :	1998-06
Code :	447AA, 461AD, 476AD, 480AA, 834AA, 872AA, 872AB, 888AA
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	1.940
Pilot Diameter :	1.337
Pilot Length :	0.965
Lockup :	Yes
Stall Speed :	2000-2400
Mounting Bolt Radius :	4.531
Mounting Style :	4 Pads, 90 Degree Bolt Pattern (M10 X 1.5)
Ring Gear :	
Clutch:	Yes (Modulating Friction)

Note: Smooth Or Ribbed Primary

TC9211HD For Heavy-Duty Billet Cover With Dual Bolt Pattern

Atlantic #	TC9209
Model :	Avenger, Sebring, Grand Caravan SXT, Routan, Journey, Town & Country
Engine:	2.7L, 3.5L, 3.8L, 4.0L
Year(s) :	2007-14
Code :	520AA, 520AB, 522AA, 527AA, 527AB, 536AC, 539AA, 539AB, 556AA, 556AB, 556AC, 557AA, 557AC, 593AA,
OEM Part Number :	
Overall Diameter :	11
Overall Height :	4.125
Input Spline :	22
Hub Style :	Flanged With Milled Flats
Hub Diameter :	1.500
Hub Height :	1.525
Pilot Diameter :	1.335
Pilot Length :	0.982
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.500
Mounting Style :	4 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 90 Degree Bolt Pattern

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A604 (40TE / 41TE) (4 Spd) Lockup Ultradrive (4 Speed)(FWD)(Continued)

Atlantic #	TC9212
Model :	200, Avenger, Journey, Sebring
Engine:	2.4L, 3.6L
Year(s) :	2007-16
Code :	478AA, 524AA, 524AB, 534AA, 534AB,
	534AC, 534AD
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	4.125
Input Spline :	22
Hub Style :	Flanged With Milled Flats
Hub Diameter :	1.500
Hub Height :	1.525
Pilot Diameter :	1.335
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	4 Pads, 90 Degree Bolt Pattern
	(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Chrysler Created Modulating Friction Material For The A604, A606, 42LE, and 42RLE Transmissions Beginning With The 2003 Models.

Tapered Pad - Offset Style
Metal Stamp "O" Next To Pad

Curved Pad - 90 Degree Style
Wrap Around Welds

Chrysler re-engineered bolt patterns for the A604 and A606 transmissions in 1998. The configuration of the mounting pads will enable you to identify the bolt pattern.

© Whatever It Takes Transmission Parts. Inc.

Chrysler

A606 / 42LE / 42RLE (4 Speed)(FWD)

Atlantic #	TC9206
Model :	Concorde, Intrepid, LHS, New Yorker, Vision
Engine:	2.7L, 3.3L, 3.5L
Year(s) :	1993-02
Code :	138, 316, 550, 636, 679, 799, 803, 956, 969, 984
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	3.330
Pilot Diameter :	1.337
Pilot Length :	0.965
Lockup :	Yes
Stall Speed :	2000-2400
Mounting Bolt Radius :	4.515
Mounting Style :	4 Pads, Offset Bolt Pattern, (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

Heavy Duty Billet Cover With Dual Bolt Pattern- TC9206HD Non 90 Degree

Atlantic #	TC8201
Model :	300M, Challenger, Charger, Concorde, Dakota, Durango, Intrepid, LHS, Liberty, Magnum, New Yorker, Nitro, Ram Pickup, Raider, Renegade, Vision, Wrangler
Engine:	2.7L, 3.2L, 3.3L, 3.5L, 3.7L, 3.8L, 4.0L, 4.7L
Year(s) :	1998-14
Code :	461AB, 447AA, 447AB, 845AA, 853AA, 893AB, 893AD, 893AE
OEM Part Number :	141887781
Overall Diameter :	10.75
Overall Height :	22
Input Spline :	
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	3.330
Pilot Diameter :	1.337
Pilot Length :	0.965
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.531
Mounting Style :	4 Pads, 90 Degree Bolt Pattern
Ring Gear :	
Clutch:	Yes (Modulating Friction Material)

Note: Smooth Or Ribbed Primary

Heavy Duty Billet Cover With Dual Bolt Pattern- TC8201HD 90 Degree Bolt Pattern

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(No Ring Gear)

Atlantic #	TC2214
Model :	
Engine:	Cummings Turbo Diesel
Year(s) :	1989-93
Code :	D4
OEM Part Number :	
Overall Diameter :	13.125
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	6.125
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	No

Note: Ribs Angled 20 Degrees To The Left

Atlantic #	TC2214A
Model :	Perkins Agramart Application
Engine:	Farm Equiptment
Year(s) :	1989-93
Code :	
OEM Part Number :	
Overall Diameter :	13.125
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	6.125
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	No

Note: Ribs Angled 20 Degrees To The Left

Atlantic #	TC2214LS
Model :	Winnebago, Ram Pickup 1 Ton, D250
Engine:	5.9L Cummings Turbo Diesel
Year(s) :	1989-93
Code :	
OEM Part Number :	
Overall Diameter :	13.125
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.00
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	No
Stall Speed :	1900-2100
Mounting Bolt Radius :	6.130
Mounting Style :	6 Square Pads (3/8 x 24)
Ring Gear :	
Clutch:	No

Note: Ribs Angled 45 Degrees To The Left

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(No Ring Gear)(Continued)

Part #	TC2241
Model :	Jeep All With 11” Bolt Circle
Engine:	
Year(s) :	1968-Up
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.870
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	5.560
Mounting Style :	4 Pads Offset (5/16” x 24 Threads)
Ring Gear :	
Clutch:	No

Note: Thick Mounting Pads

Atlantic #	TC2242LS
Model :	International Scout II
Engine:	304 (5.0L), 345 (5.6L)
Year(s) :	1980
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads, Offset (5/16 x 24)
Ring Gear :	
Clutch:	

Note:

Part #	TC2242
Model :	Jeep All With 10” Bolt Circle
Engine:	2.5L, 2.8L, 3.2L, 4.2L, 5.9L
Year(s) :	1968-Up
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16” x 24 Threads)
Ring Gear :	
Clutch:	No

Note: Thin Mounting Pads

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(No Ring Gear)(Continued)

Part #	TC2242LULS
Model :	Jeep
Engine:	360, 400
Year(s) :	1978-Up
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note: Thin Mounting Pads

Part #	TC2242LUHS
Model :	Jeep
Engine:	360, 400
Year(s) :	1978-Up
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note: Thin Mounting Pads

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(Narrow Ring Gear)

Atlantic #	TC2201
Model :	
Engine:	All Except 426 Hemi
Year(s) :	1960-66
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	19
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	1900-2200
Mounting Bolt Radius :	5.5625
Mounting Style :	4 Pads, Offset, (5/16 x 24 Threads)
Ring Gear :	130 Teeth (Narrow)
Clutch:	No

Note: No Balance Weights

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(Narrow Ring Gear)(Continued)

Atlantic #	TC2203
Model :	
Engine:	318, 383 (Steel Crankshaft)
Year(s) :	1967-72
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.870
Lockup :	No
Stall Speed :	1900-2200
Mounting Bolt Radius :	5.560
Mounting Style :	4 Pads, Offset (5/16 x 24 Threads)
Ring Gear :	130 Teeth (Narrow)
Clutch:	No



Note: No Balance Weights

Atlantic #	TC2206
Model :	
Engine:	400, 440 (Cast Iron Crankshaft)
Year(s) :	1972-76
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.870
Lockup :	No
Stall Speed :	1900-2200
Mounting Bolt Radius :	5.560
Mounting Style :	4 Pads, Offset (5/16 x 24 Threads)
Ring Gear :	130 Teeth (Narrow)
Clutch:	No

Note: Two 50 Gram Balance Weights (1.40” x 0.750” x 0.25”)

Atlantic #	TC2207
Model :	
Engine:	360 (Cast Iron)
Year(s) :	1972-76
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.870
Lockup :	No
Stall Speed :	1900-2200
Mounting Bolt Radius :	5.560
Mounting Style :	4 Pads, Offset (5/16 x 24 Threads)
Ring Gear :	130 Teeth (Narrow)
Clutch:	No

Note: Two 60 Gram Balance Weights (1.620”x 0.75” x 0.380”)

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(Narrow Ring Gear)(Continued)

Atlantic#	TC2208
Model :	
Engine:	440 (Hi-Performance Forged Crankshaft)
Year(s) :	1970-71
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.562
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	130 Tooth (Narrow)
Clutch:	No

Note: Two 20 Gram Balance Weights (1.20” x 0.75” x 0.158”)

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(Wide Ring Gear)(Non Lock-Up)

Atlantic #	TC2202
Model :	
Engine:	426 Hemi
Year(s) :	1965-66
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	19
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads (7/16 x 20 Threads)
Ring Gear :	130 Teeth (Wide)
Clutch:	No



Note: No Balance Weights

Atlantic #	TC2204
Model :	
Engine:	225, 318, 360, 383, 400, 440 (Forged Crankshaft)
Year(s) :	1972-Up
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	2100-2400
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads Thick, Offset (5/16” x 24 Threads)
Ring Gear :	130 or 131 Teeth (Wide)
Clutch:	No



Note: No Balance Weights

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(Wide Ring Gear)(Non Lock-Up)(Continued)

Atlantic #	TC2204HS
Model :	B100, B150, B1500, B250, B2500, B300, B350, D100, D150, D200, D250, Diplomat, LeBaron, Mirado, New Yorker, Ram Charger, St. Regis, W150, W200, W250, W350, Grand Fury, Trailduster, Volare
Engine:	5.2L (318)
Year(s) :	1980-97
Code :	Orange Or Red Sticker
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.3785
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	2100-2400
Mounting Bolt Radius :	5.00
Mounting Style :	4 Thin Pads, Offset (5/16 x 24)
Ring Gear :	130 Teeth (Wide)
Clutch:	

Note: Without Weights

Atlantic #	TC2204LS
Model :	B100, B150, B1500, B200, B250, B2500, B300, B350, D100, D150, D200, D250, D350, Diplomat, LeBaron, Mirado, New Yorker, Ramcharger, St. Regis, W150, W200, W250, W350, Gran Fury, Trailduster, Volare
Engine:	5.2L (318)
Year(s) :	1980-97
Code :	Green Sticker
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	1700-2000
Mounting Bolt Radius :	5.00
Mounting Style :	4 Thin Pads, Offset (5/16 x 24)
Ring Gear :	130 Teeth (Wide)
Clutch:	

Note: Without Weights

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(Wide Ring Gear)(Non Lock-Up)(Continued)

Atlantic #	TC2205
Model :	
Engine:	426 Hemi
Year(s) :	1967-71
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (7/16 x 20 Threads)
Ring Gear :	130 Teeth (Wide)
Clutch:	No



Note: No Balance Weights

Atlantic #	TC2209
Model :	
Engine:	360
Year(s) :	1973-76
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.870
Lockup :	No
Stall Speed :	2000-2200
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads Thick, Offset (5/16 x 24 Threads)
Ring Gear :	130 Or 131 Teeth (Wide)
Clutch:	No



Note: Two 60 Gram Balance Weights (1.620” x 0.75” x 0.380”)

Atlantic #	TC2210
Model :	
Engine:	400, 440
Year(s) :	1973-76
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	1800-2100
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads Thick, Offset (5/16 x 24 Threads)
Ring Gear :	130 Or 131 Tooth (Wide)
Clutch:	No



Note: Two 50 Gram Balance Weights (1.40” x 0.750” x .250”)

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(Wide Ring Gear)(Non Lock-Up)(Continued)

Atlantic #	TC2211
Model :	
Engine:	340
Year(s) :	1968-73
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	
Stall Speed :	1800-2100
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads Thick, Offset (5/16 x 24 Threads)
Ring Gear :	130 Or 131 Teeth (Wide)
Clutch:	No

Note: Two 25 Gram Balance Weights (0.880” x 0.620” x 0.177”)

Atlantic #	TC2212LS
Model :	
Engine:	400
Year(s) :	1977-Up
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	1900-2100
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads, Offset (5/16 x 24 Threads)
Ring Gear :	130 Or 131 Teeth (Wide)
Clutch:	No



Note: 100 Gram Butterfly Balance Weight (1.200 x 3.500”)

Atlantic #	TC2212HS
Model :	
Engine:	400
Year(s) :	1977-Up
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	2400-2600
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads, Offset (5/16 x 24 Threads)
Ring Gear :	130 Or 131 Teeth (Wide)
Clutch:	No



Note: 100 Gram Butterfly Balance Weight (1.200 x 3.500”)

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(Wide Ring Gear)(Non Lock-Up)(Continued)

Atlantic #	TC2213LS
Model :	
Engine:	5.9L (360)
Year(s) :	1977-94
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	1800-2100
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads Thin, Offset (5/16 x 24 Threads)
Ring Gear :	130 Or 131 Teeth (Wide)
Clutch:	No



Note: 120 Gram Butterfly Balance Weight (1.480” x 3.415”)

Atlantic #	TC2213HS
Model :	
Engine:	5.9L (360)
Year(s) :	1977-94
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	2200-2500
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads Thin, Offset (5/16 x 24 Threads)
Ring Gear :	130 Or 131 Teeth (Wide)
Clutch:	No



Note: 120 Gram Butterfly Balance Weight (1.480” x 3.415”)

Atlantic #	TC2222
Model :	B150, B1500, B250, B2500, Durango, Ram 3500 Van
Engine:	5.2L
Year(s) :	1994-99
Code :	681, 682, 862, 863
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.3785
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	2100-2400
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads, Offset (5/16 x 24)
Ring Gear :	130 Teeth (Wide)
Clutch:	

Note: Without Weights

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(Wide Ring Gear)(Non Lock-Up)(Continued)

Atlantic #	TC2224
Model :	B1500, B2500, B3500, Dakota, Durango, Ram 1500, Ram 1500 Van, Ram 2500, Ram 2500 Van, Ram 3500 Van
Engine:	5.2L
Year(s) :	1996-01
Code :	546
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	2200-2200
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads (90 Degree)(5/16 x 24)
Ring Gear :	130 Teeth (Wide)
Clutch:	

Note: Without Weights

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(Wide Ring Gear)(Lock-Up)

Atlantic #	TC2204LULS
Model :	Cordoba, Fifth Avenue, LeBaron, New Yorker, Newport, Town & Country, B100, B150, B1500, B200, B250, B2500, B300, B350, D100, D150, D200, D250, D300, D350, D400, D450, Diplomat, Mirado, Ramcharger, RD200, St. Regis, W100, W150, W200, W250, W350, Grand Fury, Trailduster, Volare
Engine:	3.7L (225), 3.9L, 5.2L (318), 5.9L (360)
Year(s) :	1978-97
Code :	Blue Or White Sticker
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads, Offset (5/16x 24 Threads)
Ring Gear :	130 Or 131 Teeth (Wide)
Clutch:	Yes



Note: No Balance Weight

Available With Heavy-Duty Billet Cover - TC2204LULSHD

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(Wide Ring Gear)(Lock-Up)(Continued)

Atlantic #	TC2204LUHS
Model :	Cordoba, Fifth Avenue, LeBaron, New Yorker, Newport, Town & Country, B100, B150, B1500, B200, B250, B2500, B300, B350, D100, D150, D200, D250, D300, D350, D400, D450, Diplomat, Mirado, Ramcharger, RD200, St. Regis, W100, W150, W200, W250, W350, Grand Fury, Trailduster, Volare
Engine:	3.7L (225), 3.9L, 5.2L (318), 5.9L (360)
Year(s) :	1978-97
Code :	Blue Or White Sticker
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads, Offset (5/16x 24 Threads)
Ring Gear :	130 Or 131 Teeth (Wide)
Clutch:	Yes



Note: No Balance Weight

Available With Heavy-Duty Billet Cover - TC2204LUHSHD

Atlantic #	TC2212LULS
Model :	
Engine:	400
Year(s) :	1978-91
Code :	Red Sticker
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads Thin, Offset (5/16 x 24 Threads)
Ring Gear :	130 Or 131 Teeth (Wide)
Clutch:	Yes



Note: 100 Gram Butterfly Balance Weight (1.200” x 3.500”)

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(Wide Ring Gear)(Lock-Up)(Continued)

Atlantic #	TC2212LUHS
Model :	
Engine:	400
Year(s) :	1978-91
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	130 Or 131 Teeth (Wide)
Clutch:	Yes



Note: 100 Gram Butterfly Balance Weight (1.200” x 3.500”)

Atlantic #	TC2213LULS
Model :	Aspen, B200, B250, B2500, B300, B350, D150, D200, D250, D350, Mirado, Newport, New Yorker, Ramcharger, St. Regis, W100, W150, W200, W250, W300, W350, Grand Fury, Trailduster
Engine:	360 (5.9L)
Year(s) :	1978-95
Code :	Red Low Stall Sticker
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads, Offset (5/16 x 24 Threads)
Ring Gear :	130 Or 131 Teeth (Wide)
Clutch:	Yes

Note: 120 Gram Butterfly Balance Weight (1.480” x 3.415”)

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF8, A727 (36RH / 37RH) (4 Speed)(RWD)(Wide Ring Gear)(Lock-Up)(Continued)

Atlantic #	TC2213LUHS
Model :	Cordoba, New Yorker, B200, B250, B2500, B350, D100, D150, D200, D250, D350, Mirado, Ramcharger, RD200, St. Regis, W150, W200, W250, W350, Grand Fury, Trailduster
Engine:	5.9L (360)
Year(s) :	1978-95
Code :	Red Sticker
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads, Offset (5/16 x 24 Threads)
Ring Gear :	130 Or 131 Teeth (Wide)
Clutch:	Yes



Note: 120 Gram Butterfly Balance Weight (1.480" x 3.415")

TF6, A904 / A998 / A999 (30RH / 31RH / 32RH)(3 Speed)(RWD/4x4)(Non Lock-Up)

Atlantic #	TC1201
Model :	
Engine:	6 Cylinder
Year(s) :	1960-62
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	18
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.550
Pilot Length :	
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	148 Teeth (Narrow)
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF6, A904 / A998 / A999 (30RH / 31RH / 32RH)(3 Speed)(RWD/4x4)(Non Lock-Up)

Atlantic #	TC1202LS
Model :	Fifth Avenue, LeBaron, New Yorker, Town & Country, Aspen, B150, B1500, B200, B250, B2500, B300, B350, D150, D250, D350, Diplomat, Mirado, Ramcharger, St. Regis, W100, W150, W250, W350, Gran Fury, PB150, PB250, PB350, Trailduster, Volare
Engine:	3.9L (225), 5.2L, (318)
Year(s) :	1968-97
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.187
Pilot Diameter :	1.810
Pilot Length :	0.870
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	No



Note: No Weight

Atlantic #	TC1202HS
Model :	Fifth Avenue, LeBaron, New Yorker, Town & Country, Aspen, B150, B1500, B200, B250, B2500, B300, B350, D150, D250, D350, Diplomat, Mirado, Ramcharger, St. Regis, W100, W150, W250, W350, Gran Fury, PB150, PB250, PB350, Trailduster, Volare
Engine:	3.7L (225), 5.2L, (318)
Year(s) :	1968-97
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.187
Pilot Diameter :	1.810
Pilot Length :	0.870
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	No

Note: No Weight

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF6, A904 / A998 / A999 (30RH / 31RH / 32RH)(3 Speed)(RWD/4x4)(Non Lock-Up)(Continued)

Atlantic #	TC1205
Model :	
Engine:	360
Year(s) :	1976-77
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.187
Pilot Diameter :	1.810
Pilot Length :	0.870
Lockup :	No
Stall Speed :	1600-1800
Mounting Bolt Radius :	4.995
Mounting Style :	4 Square Pads, Offset (5/16” x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	No

Note: Two 60 Gram Balance Weights (1.620” x 0.750” x 0.380”)

Atlantic #	TC1206
Model :	
Engine:	400
Year(s) :	1976-Up
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	No

Note: 100 Gram Balance Weight (1.200” x 3.500”)

Atlantic #	TC1207LS
Model :	New Yorker, Aspen, B200, B250, B2500, B300, B350, D150, D250, D350, Mirado, Ramcharger, St. Regis, W100, W150, W250, W350, Gran Fury, PB350, Trailduster, Volare
Engine:	5.9L (360)
Year(s) :	1978-93
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads, Offset (5/16” x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	No

Note: 120 Gram Balance Weight (1.480” x 3.415”)

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF6, A904 / A998 / A999 (30RH / 31RH / 32RH)(3 Speed)(RWD/4x4)(Non Lock-Up)(Continued)

Atlantic #	TC1207HS
Model :	
Engine:	360
Year(s) :	1978-Up
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads, Offset (5/16” x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	No

Note: 120 Gram Balance Weight (1.480” x 3.415”)

Atlantic #	TC1214
Model :	
Engine:	6 Cylinder
Year(s) :	1962-67
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	18
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.550
Pilot Length :	
Lockup :	No
Stall Speed :	Medium
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads Offset, (5/16 x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	No



Note: No Weights

Atlantic #	TC1215
Model :	
Engine:	6 Cylinder
Year(s) :	1968-72
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.550
Pilot Length :	
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF6, A904 / A998 / A999 (30RH / 31RH / 32RH)(3 Speed)(RWD/4x4)(Non Lock-Up)(Continued)

Atlantic #	TC1220
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	2 Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	No



Note:

Atlantic #	TC1221
Model :	Colt, Arrow
Engine:	1.6L
Year(s) :	1974-79
Code :	
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	3 Lugs
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC1222
Model :	Colt, Arrow, Challenger, D50
Engine:	2.6L (156)
Year(s) :	1978-83
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	3 Lugs
Ring Gear :	
Clutch:	No

Note: With Weighted Ring

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF6, A904 / A998 / A999 (30RH / 31RH / 32RH)(3 Speed)(RWD/4x4)(Non Lock-Up)(Continued)

Atlantic #	TC3201
Model :	Mighty Max, Montero
Engine:	2.3L, 2.6L
Year(s) :	1983-85
Code :	058, 466, 597, 873
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	2.00
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC1231
Model :	Postal, D50 Pickup, Colt, CJ5, Comanche, DJ5, J10, Scrambler, Wagoneer, Mighty Max, Arrow Pickup
Engine:	2.0L, 2.1L, 2.5L, 2.6L, 2.8L, 4.0L, 4.2L
Year(s) :	1979-89
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	2.200
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.30
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC1232
Model :	1600 Colt
Engine:	1.4L
Year(s) :	1979-80
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	2.250
Pilot Diameter :	1.079
Pilot Length :	1.00
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.30
Mounting Style :	3 Pads (10mm x 1.50)
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF6, A904 / A998 / A999 (30RH / 31RH / 32RH)(3 Speed)(RWD/4x4)(Non Lock-Up)(Continued)

Atlantic #	TC1233
Model :	D50, Colt, Dakota, Daytona, Arrow
Engine:	1.6L, 2.2L
Year(s) :	1979-88
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	2.00
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	No

Note: With Inertia Ring (1 5/8” x 3/8”)

Atlantic #	TC1242
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	2050
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads, Offset (5/16 x 24)
Ring Gear :	
Clutch:	

Note:

Atlantic #	TC1244
Model :	
Engine:	232, 258, 304
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.187
Pilot Diameter :	1.810
Pilot Length :	0.870
Lockup :	No
Stall Speed :	2050
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads, Offset (5/16 x 24)
Ring Gear :	
Clutch:	

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF6, A904 / A998 / A999 (30RH / 31RH / 32RH)(3 Speed)(RWD/4x4)(Lock-Up)

Atlantic #	TC1202LULS
Model :	Cordoba, Fifth Avenue, Imperial, LeBaron, New Yorker, Town & Country, Aspen, B150, B1500, B200, B250, B2500, B300, B350, B3500, D100, D150, D250, D350, D50, Dakota, Diplomat, Mirado, Ram 1500, Ram 50, Ramcharger, St. Regis, W100, W150, W250, W350, Grand Cherokee, Gran Fury, PB150, Trailduster, Volare
Engine:	2.5L, 2.6L, 3.7L (225), 3.9L, 5.2L (318)
Year(s) :	1978-97
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	1700-2100
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads, Offset (5/16 x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	Yes

Note: No Balance Weight

Available With Clutch Omitted- TC1211

Atlantic #	TC1202LULS
Model :	Cordoba, Fifth Avenue, Imperial, LeBaron, New Yorker, Town & Country, Aspen, B150, B1500, B200, B250, B2500, B300, B350, B3500, D100, D150, D250, D350, D50, Dakota, Diplomat, Mirado, Ram 1500, Ram 50, Ramcharger, St. Regis, W100, W150, W250, W350, Grand Cherokee, Gran Fury, PB150, Trailduster, Volare
Engine:	2.5L, 2.6L, 3.7L (225), 3.9L, 5.2L (318)
Year(s) :	1978-97
Code :	627
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	1900-2400
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads, Offset (5/16 x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	Yes



Note: No Balance Weight

Available With Clutch Omitted- TC1211

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF6, A904 / A998 / A999 (30RH / 31RH / 32RH)(3 Speed)(RWD/4x4)(Lock-Up)(Continued)

Atlantic #	TC1207LULS
Model :	New Yorker, Aspen, B200, B250, B2500, B300, B350, D100, D150, D250, D350, Mirado, Ramcharger, St. Regis, W100, W150, W250, W350, Gran Fury, PB350, Trailduster, Volare
Engine:	5.9L (360)
Year(s) :	1978-94
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.187
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads, Offset (5/16 x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	Yes



Note: 120 Gram Butterfly Balance Weight (1.480” x 3.415”)

Atlantic #	TC1207LUHS
Model :	New Yorker, Aspen, B200, B250, B2500, B300, B350, D100, D150, D250, D350, Mirado, Ramcharger, St. Regis, W100, W150, W250, W350, Gran Fury, PB350, Trailduster, Volare
Engine:	5.9L (360)
Year(s) :	1978-94
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.187
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads, Offset (5/16 x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	Yes



Note: 120 Gram Butterfly Balance Weight (1.480” x 3.415”)

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF6, A904 / A998 / A999 (30RH / 31RH / 32RH)(3 Speed)(RWD/4x4)(Lock-Up)(Continued)

Atlantic #	TC1203
Model :	B150, B1500, B250, B2500, B350, D150, D250, Dakota, Ram 1500, W150, W250, Grand Cherokee
Engine:	3.9L, 5.2L
Year(s) :	1988-95
Code :	White Sticker
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	2050
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads, Offset (5/16 x 24)
Ring Gear :	122 Teeth (Narrow)
Clutch:	

Note: Without Weights

Atlantic #	TC1212
Model :	B1500, B2500, Dakota, Durango, Ram 1500
Engine:	3.9L, 5.2L
Year(s) :	1996-03
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	122 Teeth
Clutch:	

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF6, A904 / A998 / A999 (30RH / 31RH / 32RH)(3 Speed)(RWD/4x4)(Lock-Up)(Continued)

Atlantic #	TC1234
Model :	D50 Pickup, Wrangler
Engine:	2.5L
Year(s) :	1990-01
Code :	146, 311, 388, 002B
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.250
Pilot Diameter :	1.335
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.305
Mounting Style :	4 Pads, Offset (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Offset Bolt Pattern

Atlantic #	TC1235
Model :	Wrangler. Mitsubishi Mighty Max
Engine:	L4 2.5L
Year(s) :	1996-00
Code :	002B, 146, 311, 388 (Some)
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.250
Pilot Diameter :	1.335
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.290
Mounting Style :	4 Pads, Offset (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 90 Degree Bolt Pattern

Atlantic #	TC1241LU
Model :	Cherokee, CJ5, Grand Wagoneer, J10, J20, Scrambler, Wagoneer
Engine:	4.2L (258), 5.0L (304), 5.9L (360)
Year(s) :	1980-90
Code :	Red Sticker
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.810
Hub Height :	
Pilot Diameter :	
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads, Offset (5/16 x 24)
Ring Gear :	
Clutch:	

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF6, A904 / A998 / A999 (30RH / 31RH / 32RH)(3 Speed)(RWD/4x4)(Lock-Up)(Continued)

Atlantic #	TC1241HS
Model :	Cherokee, CJ5, Grand Wagoneer, J10, Scrambler, Wagoneer
Engine:	2.5L (151), 4.2L (258), 5.9L (360)
Year(s) :	1980-88
Code :	White Sticker
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.187
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads, Offset (5/16 x 24)
Ring Gear :	
Clutch:	

Note:

Atlantic #	TC1243
Model :	B1500, Grand Cherokee
Engine:	4.0L, 5.2L
Year(s) :	1993-04
Code :	703
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	2400
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads, Offset (5/16 x 20)
Ring Gear :	
Clutch:	



Note:

Atlantic #	TC1245
Model :	Grand Cherokee
Engine:	4.0L, 5.2L
Year(s) :	1999-04
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	2050
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads, 90 Degree (5/16 x 20)
Ring Gear :	
Clutch:	

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

TF6, A904 / A998 / A999 (30RH / 31RH / 32RH)(3 Speed)(RWD/4x4)(Lock-Up)(Continued)

Atlantic #	TC1251
Model :	Cherokee
Engine:	6 Cylinder
Year(s) :	1984-87
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	1.938
Pilot Diameter :	0.825
Pilot Length :	0.695
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.565
Mounting Style :	4 Pads (90 Degree)
Ring Gear :	
Clutch:	Yes

Note: Ribs Are Straight
Fichtel & Sachs

Atlantic #	TC1252
Model :	Cherokee, CJ5, Comanche, Scrambler, Wagoneer
Engine:	4 Cylinder 2.1L, 2.5L, 2.8L, 4.2L
Year(s) :	1980-87
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	1.938
Pilot Diameter :	0.825
Pilot Length :	0.695
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.565
Mounting Style :	4 Pads (90 Degree)
Ring Gear :	
Clutch:	Yes

Note: Ribs Are Slanted
Fichtel & Sachs

AS66RC (Aisin 6 Speed)(RWD/4x4)

Atlantic #	TC17203
Model :	Ram 3500HD, 4500HD, 5500HD
Engine:	6.4L
Year(s) :	2014-15
Code :	14H18A3, Blue/Green Paint Swatch, 3115114D0211
OEM Part Number :	
Overall Diameter :	12.5
Overall Height :	Pad- 7.121, Pilot- 7.028
Input Spline :	24
Hub Style :	Flanged & Slotted
Hub Diameter :	1.842
Hub Height :	2.026
Pilot Diameter :	1.812
Pilot Length :	1.258
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	6 Pads, Stepped (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Clutch Pack

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

AS68RC (Aisin 6 Speed)(RWD/4x4)

Atlantic #	TC17201
Model :	Ram 2500, 3500, 3500HD, 4500HD, 5500HD
Engine:	5.7L, 5.9L, 6.7L Diesel
Year(s) :	2007-15
Code :	06L11A, 10J15A, Green Stripe, 07E14 A, R8085951AA, 15H28A 3
OEM Part Number :	
Overall Diameter :	13.25
Overall Height :	
Input Spline :	24
Hub Style :	Flanged & Slotted
Hub Diameter :	1.840
Hub Height :	2.020
Pilot Diameter :	2.125
Pilot Length :	1.415
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.094
Mounting Style :	6 Stepped Pads (M10 x 1.5mm Threads)
Ring Gear :	
Clutch:	Clutch Pack

Note:

Atlantic #	TC17220
Model :	Mitsubishi Fuso FE/FG/FH Truck
Engine:	4.9L Diesel
Year(s) :	
Code :	04G20, White Paint
OEM Part Number :	
Overall Diameter :	12.475
Overall Height :	
Input Spline :	24 (Fully Splined Stator)
Hub Style :	Slotted, Flanged
Hub Diameter :	1.844
Hub Height :	2.025
Pilot Diameter :	1.572
Pilot Length :	1.875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.347
Mounting Style :	6 Lugs On Extended Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Captive Clutch

Note:

Atlantic #	TC17222
Model :	HINO HD Truck
Engine:	5.0L Diesel
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	
Hub Style :	Slotted, Flanged
Hub Diameter :	1.842
Hub Height :	2.030
Pilot Diameter :	1.260
Pilot Length :	0.783
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	6 Extended Lugs
Ring Gear :	
Clutch:	

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

AS69RC (Aisin 6 Speed)(RWD/4x4)

Atlantic #	TC17202
Model :	Ram 3500HD, 4500HD, 5500HD
Engine:	L6 6.7L Diesel
Year(s) :	2013-15
Code :	Bar Code Label With Blue Stripe
	15J2400, 32032
OEM Part Number :	
Overall Diameter :	14
Overall Height :	7.703
Input Spline :	32
Hub Style :	Flanged & Slotted
Hub Diameter :	2.140
Hub Height :	2.260
Pilot Diameter :	2.120
Pilot Length :	1.340
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.250
Mounting Style :	6 Pads (M12 x 1.25 Threads)
Ring Gear :	
Clutch:	Multiple Disc Clutch Pack



Note: 54 Stator Splines W/24 Vanes

F3A21 (KM171-5) (3 Speed)(FWD)

Atlantic #	TC4211
Model :	Colt
Engine:	1.5L
Year(s) :	1990-94
Code :	(Some 41), P1
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.5625
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	106 Teeth
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

F4A21 (KM176-5) / F4A22 (KM175-5) / F4A23 (KM177-8) (4 Speed)(FWD/AWD)

Atlantic #	TC4207B
Model :	Colt, Laser
Engine:	1.8L, 2.4L
Year(s) :	1989-96
Code :	33, (Some 52), 54, 56, 68, (Some 76), b3, b4, b5, F2, IF, HQ, IQ, KV, RM, V6
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.693
Hub Height :	1.57
Pilot Diameter :	1.060
Pilot Length :	0.71
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring (M10 x 1.25)
Ring Gear :	106 Teeth
Clutch:	Yes

Note:

Atlantic #	TC4206
Model :	Colt
Engine:	1.5L
Year(s) :	1989-94
Code :	51, 56, 71, H2, P2, S2, S4, W2, X4
OEM Part Number :	
Overall Diameter :	10
Overall Height :	4.220
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.572
Pilot Diameter :	1.060
Pilot Length :	0.76
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.4375
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	106 Teeth
Clutch:	Yes

Note:

Atlantic #	TC4211B
Model :	Colt
Engine:	1.5L
Year(s) :	1992-94
Code :	(Some 41)
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.5625
Pilot Diameter :	1.060
Pilot Length :	0.75
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Pads (M10 x 1.25)
Ring Gear :	106 Teeth
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

F4A21 (KM176-5) / F4A22 (KM175-5) / F4A23 (KM177-8) (4 Speed)(FWD/AWD)

Atlantic #	TC4207
Model :	Laser
Engine:	1.8L
Year(s) :	1989-94
Code :	C7, KF, KH, KJ, V6, (Some 52), 64, (Some 76)
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.692
Hub Height :	1.570
Pilot Diameter :	1.060
Pilot Length :	0.790
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring (M10 x 1.5)
Ring Gear :	106 Tooth
Clutch:	Yes

Note:

F4A33-1 / W4A33-1 (4 Speed)(FWD/AWD)

Atlantic #	TC4210
Model :	Laser
Engine:	2.0L Turbo
Year(s) :	1991-94
Code :	LK
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.690
Pilot Diameter :	1.060
Pilot Length :	0.76
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads (M10 x 1.5)
Ring Gear :	110 Tooth (3/4” Wide)
Clutch:	None

Note:

Atlantic #	TC4212
Model :	Stealth
Engine:	3.0L
Year(s) :	1991-96
Code :	MM, MT
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.59
Pilot Diameter :	1.337
Pilot Length :	0.99
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads (M10 x 1.5)
Ring Gear :	110 Teeth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

F4A33-1 (4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC4212B
Model :	Stealth
Engine:	3.0L
Year(s) :	1991-96
Code :	3M, 3T
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Teeth
Clutch:	Yes

Note:

F4A51 (4 Speed)(FWD/AWD)

Atlantic #	TC4102
Model :	Sebring, Stratus R/T
Engine:	3.0L
Year(s) :	2001-05
Code :	6d, LB, LC, LE, P9
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.50
Pilot Diameter :	1.337
Pilot Length :	0.925
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10x 1.25)
Ring Gear :	110 Teeth
Clutch:	Yes

Note: Middle Row Of Ribs Angles at 15 Degrees

KM170 / KM171 (3 Speed)(FWD)

Atlantic #	TC4201
Model :	Colt, Champ
Engine:	
Year(s) :	1978-81
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	0.863
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring
Ring Gear :	106 Teeth
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

KM170 / KM171 (3 Speed)(FWD)(Continued)

Atlantic #	TC4204
Model :	Colt
Engine:	1.4L, 1.6L, 2.6L
Year(s) :	1982-88
Code :	Green Paint Swatch
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	3 Hole Ring
Ring Gear :	106 Teeth
Clutch:	No

Note:

Atlantic #	TC4202
Model :	Colt
Engine:	1.5L
Year(s) :	1989-90
Code :	A2
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	3 Pads
Ring Gear :	106 Teeth
Clutch:	Yes

Note:

KM176 (4 Speed)(FWD/AWD)

Atlantic #	TC4205
Model :	Laser
Engine:	1.8L
Year(s) :	1989-94
Code :	51, 56, S2, S4, X4
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	3 Hole Ring
Ring Gear :	106 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

RE0F10A (JF011E)(CVT)(FWD)

Atlantic #	TC21203C
Model :	Caliber
Engine:	2.0L
Year(s) :	2007-12
Code :	22C, 22K, 22M
OEM Part Number :	
Overall Diameter :	10.4375
Overall Height :	
Input Spline :	20
Hub Style :	Flanged, Stepped With 2 Drive Ears
Hub Diameter :	1.894 to 2.006
Hub Height :	0.678
Pilot Diameter :	1.338
Pilot Length :	1.043
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	4 Oval Pads (M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note: Hub Has Inner Bushing
Low Stall Rib Angle

Atlantic #	TC21203B
Model :	Caliber
Engine:	2.4L
Year(s) :	2007-12
Code :	22B, 22E, 22J, 22L
OEM Part Number :	
Overall Diameter :	10.4375
Overall Height :	
Input Spline :	20
Hub Style :	Flanged & Stepped With 2 Drive Ears
Hub Diameter :	0.894
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.500
Mounting Style :	4 Oval Pads (M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note: Hub Has Inner Bushing
Low Stall Rib Angle

Atlantic #	TC17303D
Model :	
Engine:	
Year(s) :	
Code :	22D, 22H
OEM Part Number :	
Overall Diameter :	10.4375
Overall Height :	
Input Spline :	20
Hub Style :	Flanged & Stepped With 2 Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	4 Oval Pads (M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes



Note: Hub Has Inner Bushing
Low Stall Rib Angle

© Whatever It Takes Transmission Parts. Inc.

Chrysler

RE0F10A (JF011E)(CVT)(FWD)(Continued)

Atlantic #	TC17303E
Model :	
Engine:	
Year(s) :	
Code :	28B
OEM Part Number :	
Overall Diameter :	10.4375
Overall Height :	
Input Spline :	20
Hub Style :	Flanged & Stepped With 2 Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	4 Oval Pads (M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note: Hub Has Inner Bushing
Low Stall Rib Angle

ZF8HP45 (845RE)(8 Speed)(RWD)

Atlantic #	TC30911-1
Model :	300, Charger, Challenger, Durango, Ram 1500, Grand Cherokee, Wrangler
Engine:	3.6L
Year(s) :	2011-19
Code :	Ink Code 36, 38, G178 Metal Stamp 16, K140, 464, 000323, 000337, 000415, V05406, 1090322162,300700003217, 10903223678689, 22015081128054, 02IMP, 2014, 852109336AA
OEM Part Number :	
Overall Diameter :	9.575
Overall Height :	Pilot- 5.973, Lug Plate- 5.450
Input Spline :	32, 31 Vanes
Hub Style :	No Drive (53 Internal Pump Drive Splines)
Hub Diameter :	2.088
Hub Height :	1.532
Pilot Diameter :	1.336
Pilot Length :	0.852
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.50
Mounting Style :	11.375” Dia Mounting Plate With 3 Pads With 2 Threaded Holes (M8 x 1.25)
Ring Gear :	
Clutch:	Clutch Pack



Note: 2 Threaded Holes in Each Mounting Pad (M8 x 1.25 Threads)

© Whatever It Takes Transmission Parts. Inc.

Chrysler

ZF8HP70 (8 Speed)(RWD/4x4)

Atlantic #	TC32901
Model :	Charger, Ram 1500
Engine:	5.7L
Year(s) :	2012-21
Code :	C178, K146, (000323, 000418 Some)
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	5.594
Input Spline :	32
Hub Style :	No Drive (Internal Drive W/53 Splines)
Hub Diameter :	2.085
Hub Height :	1.540
Pilot Diameter :	1.335
Pilot Length :	1.020
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.125
Mounting Style :	11.0625” Dia Mounting Plate (.117”Thk)
	With 3 Pads With 2 Threaded Holes
	(M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Clutch Pack

Note: 40 Stator Splines, 26 Blades

Atlantic #	TC32902
Model :	
Engine:	
Year(s) :	
Code :	H175, 000417, LD07 On Mounting Tab
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	5.781
Input Spline :	32
Hub Style :	No Drive W/32 Internal Splines
Hub Diameter :	2.087
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	
Ring Gear :	
Clutch:	Clutch Pack

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

Atlantic #	TC32904
Model :	Ram 1500
Engine:	3.0L Diesel
Year(s) :	2013-24
Code :	S179, 000429, 467
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	5.936
Input Spline :	32
Hub Style :	No Drive (53 Internal Drive Splines)
Hub Diameter :	2.084
Hub Height :	1.527
Pilot Diameter :	1.335
Pilot Length :	1.472
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	5.0625
Mounting Style :	Mounting Plate 10.625 Dia (.125”Thk)
	With 3 Pads With 2 Threaded Holes
	(M8 x 1.25)
Ring Gear :	
Clutch:	Clutch Pack

Note:

Atlantic #	TC32905
Model :	Durango
Engine:	5.7L
Year(s) :	2017-19
Code :	000418
OEM Part Number :	
Overall Diameter :	10.583
Overall Height :	Pilot- 6.162, Lug Plate- 5.576
Input Spline :	32, 31 Vanes
Hub Style :	No Drive (53 Inner Splines)
Hub Diameter :	2.084
Hub Height :	1.536
Pilot Diameter :	1.812
Pilot Length :	1.369 - 1.008
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.084
Mounting Style :	Mounting Plate (3 Pads With 2 Threaded
	Holes)
Ring Gear :	
Clutch:	Yes

Note: Stator Splines 45, 27 Vanes

Atlantic #	TC32907
Model :	Challenger, Charger, Ram 2500
Engine:	6.4L
Year(s) :	2015-22
Code :	C178, K146, 000323 (Some), Metal Stamp
	000418 (Some), Blue Dot, Green Dot
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	5.570
Input Spline :	32
Hub Style :	No Drive W/53 Internal Splines
Hub Diameter :	2.085 (1.805”ID)
Hub Height :	1.540
Pilot Diameter :	1.810
Pilot Length :	1.360
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.125
Mounting Style :	11.0625” Mounting Plate, 0.117”Thk,
	W/6 Lug Nuts, (M8 x 1.25)
Ring Gear :	
Clutch:	Clutch Pack

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

ZF8HP90 (8 Speed)(RWD)

Atlantic #	TC32920
Model :	Challenger, Charger Hellcat
Engine:	6.2L
Year(s) :	2014-24
Code :	V116
OEM Part Number :	
Overall Diameter :	11.225
Overall Height :	6.521
Input Spline :	32
Hub Style :	No Drive, 53 Inner Splines
Hub Diameter :	2.085
Hub Height :	1.700
Pilot Diameter :	1.337
Pilot Length :	1.315
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.984
Mounting Style :	3 Pad Plate W/Double Holes
Ring Gear :	No
Clutch:	Captive Clutch

Note:

ZF9HP48 (948TE)(9 Speed)(FWD)

Atlantic #	TC33901
Model :	Trail Hawk (AWD)
Engine:	3.2L
Year(s) :	2014
Code :	Metal Stamp 225A, 225D On Front Cover
OEM Part Number :	
Overall Diameter :	11
Overall Height :	4.048-Pilot, 3.627-Lugs
Input Spline :	25
Hub Style :	Stepped, Flanged With 4 Milled Flats
Hub Diameter :	1.812-Bottom, 1.371-Top
Hub Height :	1.233
Pilot Diameter :	1.335
Pilot Length :	0.939
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each (5/16 x 24 Threads)
Ring Gear :	
Clutch:	Modulating Clutch Pack

Note: 11” Primary Reduced To 9.8125”

© Whatever It Takes Transmission Parts. Inc.

Chrysler

ZF9HP48 (948TE)(9 Speed)(FWD)

Atlantic #	TC33902
Model :	
Engine:	
Year(s) :	
Code :	Metal Stamp 225C Cover, 270AA On Pump
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	25
Hub Style :	Recessed & Stepped With 4 Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.335
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each (5/16 x 24 Threads)
Ring Gear :	
Clutch:	Modulating Clutch Pack

Note: 11” Primary Reduced To 9.8125”
(5/16” x 24 Threads)

Atlantic #	TC33903
Model :	200 AWD
Engine:	3.6L
Year(s) :	2014-16
Code :	Metal Stamp 275 On Both Sides
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	25
Hub Style :	Recessed & Stepped With 4 Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.335
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.500
Mounting Style :	3 Pads With 2 Holes Each (5/16 x 24 Threads)
Ring Gear :	
Clutch:	Captive Clutch

Note: 11” Primary Reduced To 9.8125”
(5/16” x 24 Threads)

Atlantic #	TC33904
Model :	
Engine:	
Year(s) :	
Code :	270AD, 000543 Metal Stamp
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	25
Hub Style :	Recessed, Stepped W/4 Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.335
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each (5/16 x 24 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: 11” Primary Reduced To 9.8125”

© Whatever It Takes Transmission Parts. Inc.

Chrysler

45RFE / 5-45RFE (4 & 5 Speed)(RWD/AWD)

Atlantic #	TC7201
Model :	Dakota, Durango, Ram 1500, Grand Cherokee, Liberty
Engine:	3.7L, 4.7L, 5.2L
Year(s) :	1999-12
Code :	394AA, 454AC, 496, 582, 582AB, 582AD, 6349AA, 4963511, 582 0322, 582 0672, 582 1030, 582 2000, 582 2500, 582 2921, 582 3130, B1
OEM Part Number :	04736582, R4736582, R4736982AB
Overall Diameter :	11.5
Overall Height :	5.75
Input Spline :	29
Hub Style :	Milled Flats With O-Ring
Hub Diameter :	1.775 / 1.836 / 1.877
Hub Height :	1.060
Pilot Diameter :	1.810
Pilot Length :	0.750
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads (5/16 x 24)
Ring Gear :	No
Clutch:	Yes (Modulating Friction Material)

Note: Ribbed Primary

Available With Heavy-Duty Billet Cover - TC7201HD

Atlantic #	TC7201LS
Model :	Dakota, Durango, Ram 1500, Cherokee
Engine:	4.7L, 5.7L, 5.9L
Year(s) :	2000-16
Code :	325AF, 492AA, 492AB, 582AB, 587AA, 587AB, 587AC, 600AA, 705AA, 1592AF, 582 2202B, 582 2892B, 352AA
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	5.75
Input Spline :	29
Hub Style :	Milled Flats With O-Ring
Hub Diameter :	1.775 / 1.836 / 1.877
Hub Height :	1.060
Pilot Diameter :	1.810
Pilot Length :	0.768
Lockup :	Yes
Stall Speed :	Low (11:00 Vanes)
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	No
Clutch:	Yes (Modulating Friction Material)

Note: Ribbed Primary

Available With Heavy-Duty Billet Cover - TC7201LSHD

Atlantic #	TC7201LSHD
Model :	
Engine:	4.7L, 5.7L
Year(s) :	2000-16
Code :	325AF, 492AA, 492AB, 582AB, 587AA, 587AB, 587AC, 600AA, 705AA, 1592AF, 582 2202B, 582 2892B

Note: Ribbed Primary
Heavy-Duty Billet Cover

© Whatever It Takes Transmission Parts. Inc.

Chrysler

6F24 (A6MF-1)(6 Speed)(FWD)

Atlantic #	TC21108
Model :	Dart
Engine:	2.4L
Year(s) :	2013-18
Code :	Ink Code XHB
OEM Part Number :	15706994
Overall Diameter :	10.1875
Overall Height :	
Input Spline :	20
Hub Style :	Flanged & Slotted
Hub Diameter :	1.693
Hub Height :	1.343
Pilot Diameter :	1.335 (Hollow)
Pilot Length :	0.917
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each (5/16 x 24 Threads)
Ring Gear :	No
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC21115
Model :	Dart
Engine:	2.0L
Year(s) :	2013-23
Code :	Ink Code XE1
OEM Part Number :	131041418
Overall Diameter :	10.1875
Overall Height :	Ring- 3.908, Pilot- 4.136
Input Spline :	20, 29 Vanes
Hub Style :	Flanged & Slotted
Hub Diameter :	1.691
Hub Height :	1.343
Pilot Diameter :	1.337
Pilot Length :	0.917
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25 Threads)
Ring Gear :	110 Teeth (11” Diameter)
Clutch:	Yes

Note: 38 Spline Stator, 30 Vanes

© Whatever It Takes Transmission Parts. Inc.

Chrysler

62TE (6 Speed)(FWD/AWD)

Atlantic #	TC9209
Model :	Avenger, Caravan, Pacifica, Routan, Town & Country, Journey
Engine:	3.5L, 3.8L, 4.0L
Year(s) :	2007-16
Code :	447AB, 520AA, 520AB, 522AA, 536AC, 539AA, 556AA, 556AB, 556AC, 557AC, 559AC, 593AA
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	4.125
Input Spline :	22
Hub Style :	Flanged Hub With Milled Flats
Hub Diameter :	1.500
Hub Height :	1.525
Pilot Diameter :	1.335
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.53
Mounting Style :	4 Notched Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 90 Degree Bolt Pattern

Atlantic #	TC9212
Model :	200, Avenger, Journey
Engine:	2.4L
Year(s) :	2007-14
Code :	524AA, 524AB, 534AA, 534AB, 534AC, 534AD
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	4.125
Input Spline :	22
Hub Style :	Flanged With Milled Flats
Hub Diameter :	1.500
Hub Height :	1.525
Pilot Diameter :	1.335
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	4 Notched Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 90 Degree Bolt Pattern

© Whatever It Takes Transmission Parts. Inc.

Chrysler

65RFE / 66RFE (6 Speed)(RWD/4x4)

Atlantic #	TC7203
Model :	Ram 1500, 2500, 3500, 3500HD
Engine:	5.7L, 6.4L
Year(s) :	2012-15
Code :	624A, 659AA, 659AB, Green Paint Swatch,
	647AA, 649AA
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	5.750
Input Spline :	29
Hub Style :	Stepped With Milled Flats
	(Requires O-Ring)
Hub Diameter :	1.875 / 1.834
Hub Height :	1.635
Pilot Diameter :	1.812
Pilot Length :	0.800
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Modulating Clutch)

Note: Available With Billet Lid #TC7203HD

68RFE (6 Speed)(RWD/AWD)

Atlantic #	TC7202
Model :	Ram 1500-3500, Van
Engine:	6.7L Cummins Diesel
Year(s) :	2007-Mid 2009
Code :	671AD
OEM Part Number :	
Overall Diameter :	13.5
Overall Height :	7.312
Input Spline :	27
Hub Style :	Flanged & Stepped With 4 Milled Flats
	Requires O-Ring
Hub Diameter :	1.875
Hub Height :	2.585
Pilot Diameter :	2.125
Pilot Length :	0.800
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.10
Mounting Style :	Mounting Plate W/6 Captive Nuts
	(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Multiple Friction Clutch Pack

Note:

Available With Heavy-Duty Billet Cover- TC7202BHD

Available With Triple Clutch- TC7202TCHD

Atlantic #	TC7202BHD
Model :	Ram 1500-3500, Van
Engine:	6.7L Cummins Diesel
Year(s) :	2007-Mid 2009
Code :	671AD

With Heavy-Duty Billet Cover

© Whatever It Takes Transmission Parts. Inc.

Chrysler

68RFE (6 Speed)(RWD/AWD)(Continued)

Atlantic #	TC7202A
Model :	Ram 1500-3500, Van
Engine:	6.7L Cummins Diesel
Year(s) :	Mid 2009-16
Code :	671AE, 671AF
OEM Part Number :	
Overall Diameter :	13.5
Overall Height :	7.312
Input Spline :	27
Hub Style :	Flanged & Stepped With 4 Milled Flats
	Requires O-Ring
Hub Diameter :	1.875
Hub Height :	2.585
Pilot Diameter :	2.125
Pilot Length :	0.800
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.10
Mounting Style :	Mounting Plate W/6 Captive Nuts
	(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Multiple Friction Clutch Pack

Note:

Available With Heavy-Duty Billet Cover- TC7202AHD

Available With Triple Clutch- TC7202ATCHD

Atlantic #	TC7202BHD
Model :	Ram 1500-3500, Van
Engine:	6.7L Cummins Diesel
Year(s) :	2017-Up
Code :	671AG, 671AH
OEM Part Number :	
Overall Diameter :	13.5
Overall Height :	7.312
Input Spline :	27
Hub Style :	Flanged & Stepped With 4 Milled Flats
	Requires O-Ring
Hub Diameter :	1.875
Hub Height :	2.585
Pilot Diameter :	2.125
Pilot Length :	0.800
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.10
Mounting Style :	Mounting Plate W/6 Captive Nuts
	(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Multiple Friction Clutch Pack

Note:

With Heavy-Duty Billet Cover- TC7202BHD

Available With Triple Clutch- TC7202BTCHD

© Whatever It Takes Transmission Parts. Inc.

Chrysler

722.6 (5 Speed)(RWD/AWD)

Atlantic #	TC6810
Model :	Sprinter Van
Engine:	2.7L, 2.9L Diesel
Year(s) :	2003-06
Code :	2102500502, 2102500602, 9032500002,
	2102500402, 2112500902
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	2.00
Pilot Diameter :	1.375
Pilot Length :	1.200
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.500
Mounting Style :	3 Pads W/2 Holes Each (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC6811
Model :	Crossfire, Sprinter Van
Engine:	3.2L, 3.5L
Year(s) :	2004-07, 2007-08
Code :	Ink Code 210 07, 211 14
	Metal Stamp 2102500702, 2102500902,
	2112500302, 2112500802, 2112501402
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	2.00
Pilot Diameter :	1.375
Pilot Length :	1.200
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads W/2 Holes Each (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

722.6 (5 Speed)(RWD/AWD) (Continued)

Atlantic #	TC7804
Model :	300, Challenger, Charger, Magnum SXT, Nitro, SRT-8
Engine:	2.7L, 3.5L, 4.0L, 5.7L, 6.1L, 6.4L
Year(s) :	2004-19
Code :	421AB, 447AA, 448AA, 478AA, 489AA, 500AA, 520AB, 580AA, 580AB, 603AA, 795AA, PO4753451AA, TTP2385A0753 515AA, 580AA, 580AB, 3363A
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	5.875
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.694
Hub Height :	2.00
Pilot Diameter :	1.340
Pilot Length :	1.125
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.125
Mounting Style :	3 Pads W/2 Holes Each (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Multiple Disc Clutch Pack

Note: Ribs Angled 10 Degrees High
38 Spline Stator

Atlantic #	TC6812
Model :	Sprinter Van
Engine:	3.0L Diesel
Year(s) :	2007-10
Code :	Ink 947AA Metal Stamp 2212500102 2212500502, 2212502102, 2212501702, 2212502202, 2212501802, 2212502502, 2210441DL2
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	5.5
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.694
Hub Height :	1.9375
Pilot Diameter :	1.375
Pilot Length :	1.220
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.00
Mounting Style :	3 Angled Brackets W/2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Chrysler

722.6 (5 Speed)(RWD/AWD) (Continued)

Atlantic #	TC6812HS
Model :	Sprinter Van
Engine:	3.0L Diesel
Year(s) :	2007-14
Code :	2212500102, 2212500302, 2212503302
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	5.5
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.694
Hub Height :	1.9375
Pilot Diameter :	1.375
Pilot Length :	1.220
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	5.00
Mounting Style :	3 Angled Brackets W/2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 38 Spline Stator

Atlantic #	TC6817
Model :	300, Challenger, Charger, Durango
Engine:	3.6L
Year(s) :	2006-14
Code :	436AA, 426AA, 840AA
OEM Part Number :	R8078840AA
Overall Diameter :	11.375
Overall Height :	5.875
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	5.50
Mounting Style :	3 Extended Mounting Pads W/2 Holes Each (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes (Clutch Pack)



Note:

© Whatever It Takes Transmission Parts. Inc.

Chrysler

722.9 (7 Speed)(RWD/4x4)(Continued)

Atlantic #	TC28810
Model :	Sprinter Van
Engine:	2.1L Diesel
Year(s) :	2014-15
Code :	Metal Stamp 222 250 0502
	Ink Stamp 17-142, 222.05
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	18 Plus 3 Gaps
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.0625
Mounting Style :	Mounting Plate (10.9375 Dia) W/4 Angled
	Tabs
Ring Gear :	
Clutch:	Yes (Captive Clutch Pack)

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Chrysler

722.9 (7 Speed)(RWD/4x4)(Continued)

Atlantic #	TC28811
Model :	
Engine:	
Year(s) :	
Code :	Metal Stamp 231 250 0502
	Ink Stamp 220 341 BL2
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	18 Plus 3 Gaps
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.0625
Mounting Style :	Mounting Plate (10.9375 Dia) W/4 Angled
	Tabs
Ring Gear :	
Clutch:	Yes (Captive Clutch Pack)

Note: 38 Spline Stator

Atlantic #	TC28812
Model :	
Engine:	
Year(s) :	
Code :	Metal Stamp 231 250 0402
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	18 Plus 3 Gaps
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.0625
Mounting Style :	Mounting Plate (10.9375 Dia) W/4 Angled
	Tabs
Ring Gear :	
Clutch:	Yes (Captive Clutch Pack)



Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

WIT WHATEVER IT TAKES
TRANSMISSION PARTS, INC

SOLUTIONS THAT DRIVE RESULTS

Built Tough for the Trucks That Do It All
From hauling hay in the fields to plowing through snow and towing heavy loads on the job site—your truck demands parts that can keep up. Whether you're running a Ford F-250/F-350, RAM 2500/3500, or a Chevy/GMC 2500/3500, we've got the remanufactured transmissions and heavy-duty parts built to handle the toughest conditions. From the 48RE to the 10L1000, our lineup covers the workhorses of the road—backed by the brands you trust.

Featured Heavy-Duty Parts:
- RFE Line Pressure Tool
- 6R140 Hercules Ring
- 10R80 P3 Piston Kit
- 68RFE 4C Clutch Kit

Built for performance. Ready for anything.

FEATURED 4X4 PART SOLUTIONS



68RFE 4C KIT
A72101CHDK
4 G3 .060" Frictions, 4 Steels, Sonnax Clearance Kit increases holding power by 30%

RFE CASE GIRDLE
A72761-5
Fits all RFE Transmissions bolts to case, to eliminate cracking or flexing.

Give us a call today at 1-800-940-0197 or visit wittrans.com

whateverittakestransmission WITTransmission

Ford

A4LD / 4R44E / 4R55E / 5R55E (4 Speed)(RWD/4x4) (With 1.375” Pilot)

Atlantic#	TC5614
Model :	Aviator, Explorer, Jaguar, Lincoln LS, Mountaineer, Mustang, Thunderbird
Engine:	3.9L, 4.6L
Year(s) :	2002-09
Code :	1W4P-AA, 1X4P-AA, 3L2P-CA, 4L2P-BA, XW4P-AC, XW4P-AB
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	1.610
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.375
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.4375
Mounting Style :	8 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5613
Model :	Aviator, Explorer, Jaguar, Lincoln LS, Mountaineer, Mustang, Thunderbird
Engine:	3.0L, 4.6L
Year(s) :	
Code :	XW4P-BA, XW4P-BD
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	1.610
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.375
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes



Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

A4LD / 4R44E / 4R55E / 5R55E (4 Speed)(RWD/4x4) (With 0.750” Pilot)

Atlantic #	TC5615
Model :	Mustang
Engine:	4.0L
Year(s) :	2005-10
Code :	4R3P-AD, 3PGD
OEM Part Number :	4R3Z-7902-AARM
Overall Diameter :	11.25
Overall Height :	6.0625
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	1.610
Hub Height :	2.3125
Pilot Diameter :	0.750
Pilot Length :	0.980
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.435
Mounting Style :	4 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5604
Model :	Aerostar, Bronco II, Mustang, Ranger, Thunderbird Turbo Coupe
Engine:	2.3L, 2.5L, 2.8L, 2.9L, 3.0L
Year(s) :	1985-07
Code :	AA, AF, BA, BDA, BEA, BFA, CA, CFA, DA, EA FA, FDA,FAO, FCA, HCA, HDA, 87BA, 97HCA
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	1.610
Hub Height :	2.187
Pilot Diameter :	0.750 / 0.825 (Stepped)
Pilot Length :	1.3125 to 1.4375
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.648
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5608
Model :	Merkur
Engine:	2.3L
Year(s) :	1987-89
Code :	CA, CE, DE
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	1.610
Hub Height :	2.187
Pilot Diameter :	0.750 (Stepped)
Pilot Length :	0.9375
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.593
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

A4LD / 4R44E / 4R55E / 5R55E (4 Speed)(RWD/4x4) (With 0.750” Pilot) (Continued)

Atlantic #	TC5608N
Model :	Ranger, Mazda B3000
Engine:	2.3L, 3.0L
Year(s) :	1995-03
Code :	1L5AB, 1L5AC,1L5AD, YL2AB, YL2BA,
	2L5AA, 2L5BD, 4L5AD, 4L5BD
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	1.610
Hub Height :	2.187
Pilot Diameter :	0.825
Pilot Length :	1.875 (Non Stepped)
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.593
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5610
Model :	Mazda 2300, Aerostar, Explorer,
	Mountaineer, Mustang, Ranger, Sport Trac
Engine:	2.3L, 4.0L
Year(s) :	1985-12
Code :	AA, AF, BAA, BAB, DAA, DBA, FEA, HFB,
	HFC, HFD, HKA, SDAA, 1L2AB, 1L2AC,
	2L2BA, 4L2AC, 97HFB, 97HFC, YL2CA,
	XL2AA, 1LZA
OEM Part Number :	4L2Z-7902-AARM
Overall Diameter :	11
Overall Height :	
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	1.610
Hub Height :	2.187
Pilot Diameter :	0.750 (Stepped)
Pilot Length :	1.3125 to 1.4375
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.593
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

AOD / FIOD (4 Speed)(RWD/4x4)

Atlantic #	TC7601
Model :	Crown Victoria
Engine:	V8 351 (5.8L)
Year(s) :	1980-93
Code :	7A, 14A, 15A
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	35
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	0.780
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.719
Mounting Style :	4 Studs
Ring Gear :	Yes
Clutch:	

Note:

Atlantic #	TC7601HS
Model :	Bronco, Crown Victoria, Continental,
	Cougar, LTD, Mustang,E & F Truck,
	Grand Marquis, Mark, Town Car
Engine:	6 Cylinder 3.8L Turbo, 4.6L, 4.9L
	V8 302
Year(s) :	1980-93
Code :	11A, 13A, 18A, 19A, 30A, 36A, 37A, 39A,
	44A, 46A, 56A
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	5.963
Input Spline :	35
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	0.780
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	5.719
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note:

Using The Correct ATF Is A Must

Each automobile manufacturer developed their own TCC systems which includes automatic transmission fluid specifically developed for their applications. Substituting alternative fluids for the recommended fluid may cause performance problems (chatter, reduced friction material torque capacity) and/or durability problems (reduced friction material life due to heat glazing and/or accelerated wear).

© Whatever It Takes Transmission Parts. Inc.

Ford

AODE / 4R70E / 4R70W / 4R75E / 4R75W (4 Speed)(RWD/4x4)

Atlantic #	TC7602
Model :	Crown Victoria, Cougar, E150/E250/E350, Expedition, Explorer, F150/F250, Grand Marquis, Mark LT, Mountaineer, Mustang, Town Car, Thunderbird
Engine:	V6 3.8L, 3.9L, 4.2L V8 4.6L, 4.9L, 5.0L, 5.4L
Year(s) :	1990-14
Code :	03B, 22B, 31B, 51A, 59A, 61A, 63A, 64A, 65A, 69A, 71A, 72A, 73A, 75A, 76A, 77A, 80A, 82A, 90A, 96A, 97A, 98A, 327A
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.385
Pilot Diameter :	1.375
Pilot Length :	0.75
Lockup :	Yes
Stall Speed :	High (1900-2200)
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs On Top Round Or Oval Bases
Ring Gear :	
Clutch:	Yes

Note: Blue Or Orange Swatch

Atlantic #	TC7602HD
Model :	Crown Victoria, Cougar, E150/E250/E350, Expedition, Explorer, F150/F250, Grand Marquis, Mark LT, Mountaineer, Mustang, Town Car, Thunderbird
Engine:	V6 3.8L, 3.9L, 4.2L V8 4.6L, 4.9L, 5.0L, 5.4L
Year(s) :	1990-14
Code :	03B, 22B, 31B, 51A, 59A, 61A, 63A, 64A, 65A, 69A, 71A, 72A, 73A, 75A, 76A, 77A, 80A, 82A, 90A, 96A, 97A, 98A, 327A

Note: With Heavy-Duty Billet Lid

Atlantic #	TC7206HS
Model :	Cougar, Expedition, Explorer, F150/F250, Grand Marquis, Mountaineer, Mustang, Thunderbird, Towncar
Engine:	3.8L, 3.9L, 4.6L, 4.9L, 5.0L, 5.4L
Year(s) :	1990-11
Code :	59A, 69A, 71A, 73A, 77A, 82A, 96A, 97A, 98A, Orange Swatch
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	0.750
Lockup :	
Stall Speed :	2200
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs On Round Or Oval Bases
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

AODE / 4R70E / 4R70W / 4R75E / 4R75W (4 Speed)(RWD/4x4)(Continued)

Atlantic #	TC7602LS
Model :	E150, E250, E350, Expedition, F150, Mark LT, Marauder, Mountaineer, Thunderbird SC
Engine:	V6 3.8L V8 5.4L
Year(s) :	1994-14
Code :	71A, 84A, 99A
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.385
Pilot Diameter :	1.375
Pilot Length :	0.840
Lockup :	Yes
Stall Speed :	Low (1700)
Mounting Bolt Radius :	5.625
Mounting Style :	4 Studs On Top Round Or Oval Bases
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC7602LSHD
Model :	E150, E250, E350, Expedition, F150, Mark LT, Marauder, Mountaineer, Thunderbird SC
Engine:	V6 3.8L V8 5.4L
Year(s) :	1994-14
Code :	71A, 84A, 99A

Note: With Heavy-Duty Billet Lid

Atlantic #	TC7603
Model :	Crown Victoria, Limo, Marauder, Mark VIII, Marquis, Mustang, Thunderbird, Town Car
Engine:	3.8L, 4.6L, 5.0L
Year(s) :	1993-11
Code :	52A, 62A, 70A, 72A, 74A, 78A, 81A, 83A
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.385
Pilot Diameter :	1.375
Pilot Length :	0.84
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	5.3125
Mounting Style :	4 Studs On Top Round Or Oval Bases
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

AODE / 4R70E / 4R70W / 4R75E / 4R75W (4 Speed)(RWD/4x4)(Continued)

Atlantic #	TC7603P
Model :	Crown Victoria, Mustang
Engine:	V8 4.6L
Year(s) :	1996-07
Code :	04B, 20B, 32B, 52A, 62A, 70A, 74A, 81A, 82A, 92A, 93A, 327A, A224A, B400, 7W7Z
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.385
Pilot Diameter :	1.375
Pilot Length :	0.84
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	5.3125
Mounting Style :	4 Studs On Top Round Or Oval Bases
Ring Gear :	
Clutch:	Yes

Note: Contains Stator Bearing
Furnace Brazed Primary & Turbine

ATX (3 Speed)(FWD)

Atlantic #	TC6601
Model :	Escort, Lynx, Taurus
Engine:	2.3L, 2.5L
Year(s) :	1981-Up
Code :	DO4, DO5, E16
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	34
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.367
Hub Height :	0.560
Pilot Diameter :	0.825
Pilot Length :	0.850
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.421
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Overdrive

Note: 48 Spline Stator / 24 Spline Intermediate
Drain Plug

Atlantic #	TC6602
Model :	Escort, Lynx
Engine:	1.9L
Year(s) :	1981-Up
Code :	BO1, E11
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	34
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.367
Hub Height :	0.560
Pilot Diameter :	0.825
Pilot Length :	0.850
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.421
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Overdrive

Note: 48 Spline Stator / 24 Spline Intermediate
No Drain Plug

© Whatever It Takes Transmission Parts. Inc.

1-800-940-0197

WHATEVER IT TAKES TRANSMISSION PARTS, INC

Ford

ATX (3 Speed)(FWD) (Continued)

Atlantic #	TC6604
Model :	Taurus, Sable, Tempo, Topaz
Engine:	1.9L, 2.3L, 2.5L, 2.9L, 3.0L
Year(s) :	1985-Up
Code :	E25, LE, BO7F
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	30
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.367
Hub Height :	0.560
Pilot Diameter :	0.825
Pilot Length :	0.850
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note: Removable Splined Sleeve

Atlantic #	TC6603
Model :	Taurus, Sable
Engine:	2.5L
Year(s) :	1985-87
Code :	E12
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	34
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.367
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Centrifugal Clutch Omitted

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

AWTF81SC (AF21-B)(AW6A-EL)(6 Speed)(FWD/AWD)

Atlantic #	TC25503
Model :	Mazda CX7S
Engine:	L4 2.3L, 2.5L
Year(s) :	2007-12
Code :	71A090, 71A160
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	4.1875
Input Spline :	23
Hub Style :	Flanged & Slotted
Hub Diameter :	1.850
Hub Height :	1.335
Pilot Diameter :	0.825
Pilot Length :	1.8125
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs On Square Pad Atop Rectangular Bases (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes



Note: 42 Spline Stator
(Mounting Stud 3/4" Long on 1" x 1" x 3/4" Square Pad on 2 1/2" x 1" x 1/8" Pad)

Atlantic #	TC25501
Model :	Five Hundred, Freestyle, Milan, MKX, MKZ, Montego, Zephyr
Engine:	V6 3.0L
Year(s) :	2005-09
Code :	5G1Z-7902AA, 71A040
OEM Part Number :	5G13-7902AA
Overall Diameter :	11.125
Overall Height :	Studs - 3.610, Pilot - 3.262
Input Spline :	23, 31 Vanes
Hub Style :	Flanged & Slotted
Hub Diameter :	1.850
Hub Height :	1.365
Pilot Diameter :	0.825
Pilot Length :	1.225
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note: 42 Stator Splines / 21 Vanes

Atlantic #	TC25502
Model :	Fusion, Mazda 6, Milan, Zephyr
Engine:	V6 3.0L
Year(s) :	2006-09
Code :	47A010, 05Y, 18686
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	4.125
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.850
Hub Height :	1.330
Pilot Diameter :	1.375
Pilot Length :	1.750
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Studs On 0.8125"Thick Oval Base (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note: 42 Spline Stator, 21 Vanes

© Whatever It Takes Transmission Parts. Inc.

1-800-940-0197

WHATEVER IT TAKES TRANSMISSION PARTS, INC

AWTF81SC (AF21-B)(AW6A-EL)(6 Speed)(FWD/AWD) (Continued)

Atlantic #	TC25504
Model :	Lincoln MKZ, Mazda CX9
Engine:	V6 3.5L, 3.7L
Year(s) :	2007-15
Code :	71A110, 71A130, 71A120, 71A140, 71A170
OEM Part Number :	
Overall Diameter :	11
Overall Height :	3.75
Input Spline :	23
Hub Style :	Flanged & Slotted
Hub Diameter :	1.850
Hub Height :	1.335
Pilot Diameter :	1.375 (Hollow)
Pilot Length :	1.375
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.807
Mounting Style :	4 Studs On Double Deck Rectangular Base
	(M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note: 42 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Ford

AXOD / AXODE / AX4N / AX4S / 4F50N (4 Speed)(FWD)

Atlantic #	TC8601
Model :	Taurus, SHO
Engine:	3.2L, 3.4L
Year(s) :	1994-99
Code :	18, 28, 42, 51, 55, 64, 70, F3DP-BA,
	F4DP-EA, F6DP-AA, F8DP-BB, SHO
OEM Part Number :	F4DP-7902-EA, F6DP-7902-AA,
	F8DP-7902-BB
Overall Diameter :	11
Overall Height :	
Input Spline :	25
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.9965
Hub Height :	0.865
Pilot Diameter :	0.825
Pilot Length :	0.775
Lockup :	Yes
Stall Speed :	2875-3300
Mounting Bolt Radius :	4.424
Mounting Style :	4 Studs On Oval Pads (10mm x 1.0)
Ring Gear :	
Clutch:	Carbon

Note: Reduced Primary
18 Spline Pump Drive
4 Ears On Stator

Atlantic #	TC8602
Model :	Taurus, SHO
Engine:	3.0L, 3.2L
Year(s) :	1993-95
Code :	18, 36
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.9965
Hub Height :	0.865
Pilot Diameter :	0.825
Pilot Length :	0.775
Lockup :	Yes
Stall Speed :	2875-3300
Mounting Bolt Radius :	4.423
Mounting Style :	4 Studs (10mm x 1.0)
Ring Gear :	
Clutch:	Carbon Clutch

Note: Reduced Primary
No Ears

Atlantic #	TC8603
Model :	Continental, Police, Sable, Taurus, Windstar
Engine:	3.0L, 3.8L
Year(s) :	1986-94
Code :	01, 06, 10, 14, 17, 24, 26, 27, 34, 37,
	40, 43, 53
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.9965
Hub Height :	0.865
Pilot Diameter :	0.825
Pilot Length :	0.775
Lockup :	Yes
Stall Speed :	2200-2400
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Studs (10mm x 1.0)
Ring Gear :	
Clutch:	Carbon Clutch

Note: No Tabs

© Whatever It Takes Transmission Parts. Inc.

AXOD / AXODE / AX4N / AX4S / 4F50N (4 Speed)(FWD) (Continued)

Atlantic #	TC8603LS
Model :	Continental, Police, Sable, Taurus, Windstar
Engine:	3.8L
Year(s) :	1987-94
Code :	03, 04, 07, 08, 11, 12, 15, 25, 35, 38, 46, 47
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.995
Hub Height :	0.910
Pilot Diameter :	0.825
Pilot Length :	0.775
Lockup :	Yes
Stall Speed :	2200-2400
Mounting Bolt Radius :	4.423
Mounting Style :	4 Studs (10mm x 1.0)
Ring Gear :	
Clutch:	Carbon Clutch

Note: No Tabs

Atlantic #	TC8604
Model :	Continental, Police, Sable, Taurus, Windstar
Engine:	3.0L, 3.8L, 4.6L
Year(s) :	1994-03
Code :	19, 20, 29, 30, 31, 32, 39, 44, 45, 50, 56, 59, 73, 74, 75, 76, 79, F88Z-BA, F68P-AA, F88P-BA 1F1P-7902-BA, 1F1P-7902-BB, 1F2P-7902-AA, 1F2P-7902-AB, 1F3P-7902-AA, F4DP-7902-AA, F4DP-7902-BA, F4DP-7902-CA, F4DP-7902-CB, F4DP-7902-DA, F4DP-7902-DB, F4OP-7902-AA, F4OP-7902-AB, F5DP-7902-BA, F6DP-7902-BA, F8DP-7902-CA
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	25
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.9965
Hub Height :	0.865
Pilot Diameter :	0.825
Pilot Length :	0.775
Lockup :	Yes
Stall Speed :	1900-2200
Mounting Bolt Radius :	4.423
Mounting Style :	4 Studs On Oval Pads (120mm x 1.0)
Ring Gear :	
Clutch:	Carbon Clutch

Note: 2 Ears On Stator

© Whatever It Takes Transmission Parts. Inc.

Ford

AXOD / AXODE / AX4N / AX4S / 4F50N (4 Speed)(FWD) (Continued)

Atlantic #	TC8604HS
Model :	Sable, Taurus, Windstar
Engine:	3.0L (24 Valve)(DOHC), 3.8L
Year(s) :	1996-03
Code :	69, 72, 77, 80, 96, 540, 1F1P-7902-AA,
	1F1P-7902-AB, 1F1P-7902-AC,
	F88P-7902-AA, F88P-7902-AB, 1F3P-AA,
	F3RT, F8DP-AA, F8DP-AC
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	25
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.9965
Hub Height :	0.865
Pilot Diameter :	0.825
Pilot Length :	0.775
Lockup :	Yes
Stall Speed :	2200-2400
Mounting Bolt Radius :	4.423
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Carbon Clutch

Note: 3 Ears On Stator

Atlantic #	TC8604LS
Model :	Continental, Sable, Taurus, Windstar
Engine:	3.8L, 4.6L
Year(s) :	1994-02
Code :	29, 39, 49, 1F3P-AA, F4DP-7902-CA,
	F4DP-7902-CB
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	25
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.9965
Hub Height :	0.865
Pilot Diameter :	0.825
Pilot Length :	0.775
Lockup :	Yes
Stall Speed :	1800-2100
Mounting Bolt Radius :	4.423
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Carbon Clutch

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

AXOD / AXODE / AX4N / AX4S / 4F50N (4 Speed)(FWD) (Continued)

Atlantic #	TC8605
Model :	Sable, Taurus, Windstar
Engine:	3.0L, 3.8L
Year(s) :	1996-00
Code :	50, 73, 1F2P-AA, 1F2P-AB, F4OP-AB, F68P-AA, F88P-BA
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	25
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.9965
Hub Height :	0.865
Pilot Diameter :	0.825
Pilot Length :	0.775
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.423
Mounting Style :	4 Studs On Oval Pads
Ring Gear :	
Clutch:	Carbon (Multiple Clutch)

Note:

Atlantic #	TC8605HS
Model :	Sable, Taurus
Engine:	3.0L (24 Valve)
Year(s) :	1998-99
Code :	S40, 69, 96, F8DP-AC
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	25
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.9965
Hub Height :	0.865
Pilot Diameter :	0.825
Pilot Length :	0.775
Lockup :	Yes
Stall Speed :	Very High
Mounting Bolt Radius :	4.423
Mounting Style :	4 Studs On Oval Pads
Ring Gear :	
Clutch:	Carbon (Multiple Clutch)

Note: 4 Ears On Stator

Atlantic #	TC8605LS
Model :	Continental
Engine:	4.6L
Year(s) :	1995-02
Code :	58, 71, F5OP-7902AA, F8OP-7902AB
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	25
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.9965
Hub Height :	0.865
Pilot Diameter :	0.825
Pilot Length :	0.775
Lockup :	Yes
Stall Speed :	1800-2100
Mounting Bolt Radius :	4.423
Mounting Style :	4 Studs On Oval Pads (M10 x 1.0)
Ring Gear :	
Clutch:	Carbon (Multiple Clutch)

Note: 4 Ears On Stator

© Whatever It Takes Transmission Parts. Inc.

Ford

AXOD / AXODE / AX4N / AX4S / 4F50N (4 Speed)(FWD) (Continued)

Atlantic #	TC8607
Model :	Police
Engine:	3.8L
Year(s) :	1994
Code :	31, 41
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	25
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Carbon (Non-Modulating)

Note:

Atlantic #	TC8606
Model :	Freestar, Montery, Sable, Taurus
Engine:	3.0L
Year(s) :	2004-07
Code :	3F1P, 3F1P-AF, 3F1Z-ADRM, Purple Or
	Hot Pink Paint Swatch
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	25
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.997
Hub Height :	1.055
Pilot Diameter :	0.825
Pilot Length :	0.875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.420
Mounting Style :	4 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Carbon Clutch

Note: 1 Ear On Stator / 18 Spline

Atlantic #	TC8608
Model :	Freestar, Montego, Windstar
Engine:	3.8L, 3.9L, 4.2L
Year(s) :	2001-07
Code :	3F2P, 3F2P-AG, 3F2P-BF, 5F2P, 5F2P-AD,
	5F2P-AG, 5F2P-BC, Blue or Orange Swatch
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	25
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.997
Hub Height :	1.055
Pilot Diameter :	0.825
Pilot Length :	0.875
Lockup :	Yes
Stall Speed :	2300-2500
Mounting Bolt Radius :	4.420
Mounting Style :	4 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Carbon Clutch

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

Borg Warner 12 (3 Speed)(RWD/4x4)

Atlantic #	TC10608
Model :	
Engine:	V8 400
Year(s) :	1972-74
Code :	PHE
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	29
Hub Style :	2 Drive Ears
Hub Diameter :	1.937
Hub Height :	1.505
Pilot Diameter :	1.375 (Cupped Shaped, Extended)
Pilot Length :	1.365
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.750
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note:

C3 (3 Speed)(RWD)

Atlantic #	TC5601
Model :	
Engine:	4 Cylinder 2.3L
Year(s) :	1974-Up
Code :	74, DT
OEM Part Number :	
Overall Diameter :	9
Overall Height :	
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	1.61
Hub Height :	2.312
Pilot Diameter :	0.750 / 0.825
Pilot Length :	
Lockup :	No
Stall Speed :	2250-2500
Mounting Bolt Radius :	4.375
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC5602
Model :	
Engine:	4 Cylinder 2.3L, 6 Cylinder 2.8L
Year(s) :	1975-78
Code :	AA, LF, LG, NC, RA, TC
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	1.610
Hub Height :	2.312
Pilot Diameter :	0.750 / 0.825
Pilot Length :	0.855
Lockup :	No
Stall Speed :	2250-2500
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

C3 (3 Speed)(RWD)

Atlantic #	TC5603
Model :	Capri, Merkur, Mustang
Engine:	4 Cylinder 2.3L
Year(s) :	1980-85
Code :	A1071
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	1.610
Hub Height :	2.312
Pilot Diameter :	0.750 / 0.825
Pilot Length :	0.855
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC5606
Model :	
Engine:	4 Cylinder 2.3L
Year(s) :	1978-Up
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375 (Extended)
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC5606LS
Model :	Capri, Mustang
Engine:	6 Cylinder 2.8L
Year(s) :	1978-Up
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	1.61
Hub Height :	2.312
Pilot Diameter :	1.375 (Extended)
Pilot Length :	2.20
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

C3 (3 Speed)(RWD) (Continued)

Atlantic#	TC5606S
Model :	Granada
Engine:	6 Cylinder 3.3L
Year(s) :	1980-Up
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375 (Extended)
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note:

C4 / C5 (3 Speed)(RWD/4x4)

Atlantic #	TC2620
Model :	Capri
Engine:	140
Year(s) :	1971-74
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.550
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	No

Note: With Cooling Shroud

Atlantic #	TC2616
Model :	Capri
Engine:	171
Year(s) :	1971-73
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Ford

C4 / C5 (3 Speed)(RWD/4x4)

Atlantic #	TC2617
Model :	Capri
Engine:	171
Year(s) :	1971-73
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	No

Note: Without Cooling Shroud

Atlantic #	TC2618
Model :	Capri
Engine:	171
Year(s) :	1971-73
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note: With Cooling Shroud

Atlantic #	TC2619
Model :	Capri
Engine:	2.8L
Year(s) :	1973-75
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note: Without Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Ford

C4 / C5 (3 Speed)(RWD/4x4) (Continued)

Atlantic #	TC2620
Model :	Cougar, Mustang
Engine:	6 Cylinder 200
Year(s) :	1979-83
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375 (Extended)
Pilot Length :	1.360
Lockup :	No
Stall Speed :	1300-1500
Mounting Bolt Radius :	
Mounting Style :	4 Studs (3/8 X 24)
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC2601
Model :	
Engine:	6 Cylinder 223
Year(s) :	1964-66
Code :	P
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.572
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note: Thin Wall Impeller Hub

Atlantic #	TC2602
Model :	
Engine:	260, 289, 302
Year(s) :	1964-69
Code :	AB, N
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.035
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.250
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note: May Contain 1 or 2 Drain Plugs

© Whatever It Takes Transmission Parts. Inc.

Ford

C4 / C5 (3 Speed)(RWD/4x4) (Continued)

Atlantic #	TC2603
Model :	
Engine:	4.1L / 250, 4.2L / 255, 5.0L / 302
Year(s) :	1969-76
Code :	BP
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.996
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.035
Lockup :	No
Stall Speed :	1950-2150
Mounting Bolt Radius :	5.250
Mounting Style :	4 Studs (3/8 x 24)
Ring Gear :	
Clutch:	No

Note: May Contain 1 or 2 Drain Plugs

Atlantic #	TC2604
Model :	
Engine:	6 Cylinder 170, 200
Year(s) :	1964-69
Code :	R, X, Z
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.50
Pilot Diameter :	1.375
Pilot Length :	1.050
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	4 Studs
Ring Gear :	132 Teeth
Clutch:	No

Note: May Contain 1 or 2 Drain Plugs

Atlantic #	TC2605
Model :	Comet, Fairmont, Maverick, Mustang, Zephyr
Engine:	170, 200
Year(s) :	1970-81
Code :	BT
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.500
Pilot Diameter :	1.375
Pilot Length :	1.050
Lockup :	No
Stall Speed :	1600-1800
Mounting Bolt Radius :	4.650
Mounting Style :	4 Studs (3/8 x 24)
Ring Gear :	132 Teeth
Clutch:	No

Note: May Contain 1 or 2 Drain Plugs

© Whatever It Takes Transmission Parts. Inc.

Ford

C4 / C5 (3 Speed)(RWD/4x4) (Continued)

Atlantic #	TC2606
Model :	
Engine:	170, 240, 250, 289, 302, 340, 351
Year(s) :	1964-69
Code :	AC, V
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.315
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.65
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC2607
Model :	
Engine:	
Year(s) :	1969-76
Code :	BM, BN, BR
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.315
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.656
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note: Smooth Primary

Atlantic #	TC2609
Model :	
Engine:	
Year(s) :	1977-81
Code :	DB, DC, DD, DF, DH, DX, FB
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.360
Lockup :	No
Stall Speed :	1300-1500
Mounting Bolt Radius :	5.656
Mounting Style :	4 Studs (3/8 x 24)
Ring Gear :	
Clutch:	No

Note: Ribbed Primary

© Whatever It Takes Transmission Parts. Inc.

Ford

C4 / C5 (3 Speed)(RWD/4x4) (Continued)

Atlantic #	TC2608
Model :	Pinto, Ranger
Engine:	122, 140, 2.3L
Year(s) :	1971-83
Code :	BU
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.625
Pilot Diameter :	0.825
Pilot Length :	1.00
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.650
Mounting Style :	4 Studs (3/8 x 24)
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC2610
Model :	E100, F100
Engine:	302 / 5.0L
Year(s) :	1974-76
Code :	CM
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.213
Pilot Diameter :	1.375 (Cup Shaped Extended Pilot)
Pilot Length :	1.315
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.250
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC2611
Model :	Capri, Mustang
Engine:	302
Year(s) :	1975-81
Code :	CP, DS
OEM Part Number :	
Overall Diameter :	10.85
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.665
Hub Height :	2.250
Pilot Diameter :	1.375
Pilot Length :	0.875
Lockup :	No
Stall Speed :	2125-2325
Mounting Bolt Radius :	4.650
Mounting Style :	4 Studs (3/8 x 24)
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

C4 / C5 (3 Speed)(RWD/4x4) (Continued)

Atlantic #	TC2612
Model :	Mustang, Capri, Pinto
Engine:	140, 170, 2.8L
Year(s) :	1974-78
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.625
Pilot Diameter :	0.750
Pilot Length :	0.825
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.650
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No



Note: Ribs Angle 45 Degrees

Atlantic #	TC2613
Model :	Bronco, Mustang, Ranger
Engine:	6 Cylinder
Year(s) :	1974-84
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.665
Hub Height :	2.625
Pilot Diameter :	0.750
Pilot Length :	0.825
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.650
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note: Ribs Are Straight

Atlantic #	TC2614
Model :	
Engine:	3.3L
Year(s) :	1979-83
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	2.6875
Pilot Diameter :	1.375
Pilot Length :	0.875
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

C5 Lockup (3 Speed)(RWD/4x4)

Atlantic #	TC2615
Model :	
Engine:	3.8L
Year(s) :	1982-Up
Code :	FS, FY, FX, GB
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	0.875
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	5.656
Mounting Style :	4 Studs (3/8 x 24)
Ring Gear :	
Clutch:	Centrifugal Clutch Omitted

Note:

C6 (3 Speed)(RWD/4x4)

Atlantic #	TC3601
Model :	
Engine:	300, 352, 390, 410, 427, 428, 429, 460, 462
Year(s) :	1965-76
Code :	
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.848
Pilot Length :	0.920
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No



Note: Smooth Primary / 8 Boss Front Cover

Atlantic #	TC3602
Model :	Cobra Jet, Mustang, GT, Torino
Engine:	351 (High Performance)
Year(s) :	1971-74
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.250
Pilot Diameter :	1.375
Pilot Length :	1.475
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

C6 (3 Speed)(RWD/4x4)

Atlantic #	TC3603
Model :	
Engine:	351 Hi-Performance, 428, 429
Year(s) :	1971
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	2.250
Pilot Diameter :	1.375
Pilot Length :	1.475
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	8 Studs
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC3604
Model :	Bronco, E & F Truck
Engine:	300, 302, 351, 400, 460
	4.9L, 5.0L, 5.8L, 6.9L, 7.3L, 7.5L
Year(s) :	1971-95
Code :	64, 65, ZZ
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.560
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note: Smooth Primary

Atlantic #	TC3605
Model :	
Engine:	4.9L, 7.5L
Year(s) :	1994-97
Code :	64, 65, ZZ
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.560
Lockup :	No
Stall Speed :	Medium
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note: Ribbed Primary / Straight Dimples

© Whatever It Takes Transmission Parts. Inc.

Ford

C6 (3 Speed)(RWD/4x4) (Continued)

Atlantic #	TC3605D
Model :	E & F Truck
Engine:	6.9L, 7.3L Diesel
Year(s) :	1985-95
Code :	D
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.550
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs (With Smooth Extended Tips)
Ring Gear :	
Clutch:	No

Note: Ribbed Primary

Atlantic #	TC3605HS
Model :	Bronco, E & F Truck
Engine:	5.8L
Year(s) :	1994-97
Code :	
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.550
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note: Ribbed Primary 45 Degrees To Right

Atlantic #	TC3605LS
Model :	Bronco, E & F Truck
Engine:	300, 302, 351, 400, 460, 4.9L, 5.0 L, 5.8L, 6.9L, 7.3L, 7.5L
Year(s) :	1994-97
Code :	
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.550
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No



Note: Ribbed Primary 45 Degrees To Left

© Whatever It Takes Transmission Parts. Inc.

Ford

CD4E (4 Speed)(FWD)

Atlantic #	TC9601
Model :	626, Contour, Cougar, Escape, Mystique, MX6, Probe. Tribute
Engine:	2.0L
Year(s) :	1994-02
Code :	A (On Tip Of Pilot)
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	30
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.140
Hub Height :	0.675
Pilot Diameter :	0.825
Pilot Length :	0.780
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.426
Mounting Style :	4 Studs On Oval Pads (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

Atlantic #	TC9602
Model :	Contour, Cougar, Escape, Mystique
Engine:	2.3L, 2.5L
Year(s) :	1994-08
Code :	C (On Tip Of Pilot)
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	30
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.140
Hub Height :	0.675
Pilot Diameter :	0.825
Pilot Length :	0.780
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.426
Mounting Style :	4 Studs On Oval Pads(M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note: 32 Spline Stator

Atlantic #	TC9603
Model :	Cougar, Escape, Mariner, Tribute
Engine:	2.3L, 2.5L, 3.0L
Year(s) :	1999-08
Code :	H (On Tip Of Pilot), 3L8P-BA, 3L8P-BB
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	30
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.140
Hub Height :	0.625
Pilot Diameter :	0.825
Pilot Length :	0.765
Lockup :	Yes
Stall Speed :	2325-2710
Mounting Bolt Radius :	4.423
Mounting Style :	4 Studs On Oval Pads (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary
32 Spline Stator
Stamped “X” On Each Stud

© Whatever It Takes Transmission Parts. Inc.

Ford

CD4E (4 Speed)(FWD) (Continued)

Atlantic #	TC9604
Model :	Escape, Mariner, Tribute
Engine:	2.3L, 3.0L
Year(s) :	2004-08
Code :	H (On Top Of Pilot), W (On Each Stud),
	5L8P-DA, 5L8P-7902DB
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	30
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.140
Hub Height :	0.720
Pilot Diameter :	0.825
Pilot Length :	0.600
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.426
Mounting Style :	4 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary
Primary Welds To Inside Front Cover

CFT30 (ZF)(CVT)(FWD/AWD)

Atlantic #	TC20601
Model :	Five Hundred, Freestyle, Montego
Engine:	V6 3.0L
Year(s) :	2005-08
Code :	P82, B83
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	3.962
Input Spline :	27
Hub Style :	1 Drive Ear
Hub Diameter :	2.435
Hub Height :	0.687
Pilot Diameter :	1.375
Pilot Length :	1.270
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

ECAT / 4EAT / F4AEL / F4E / G4AEL / LJ4A-EL (4 Speed)(FWD)

Atlantic #	TC2801
Model :	323, 626, Protege
Engine:	1.6L
Year(s) :	1986-Up
Code :	R35
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	25
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.674
Hub Height :	0.560
Pilot Diameter :	1.375
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note: 37 Dimples On Pump

Atlantic #	TC2801LS
Model :	626
Engine:	2.0L
Year(s) :	1987
Code :	R35B, R40B
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	25
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.674
Hub Height :	0.560
Pilot Diameter :	1.375
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note: 3 Rows Of Straight Ribs / 31 Dimples On Pump

Atlantic #	TC2802
Model :	323, 626, MX6, Capri, Probe
Engine:	
Year(s) :	1988-Up
Code :	Q20, Green Dot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.674
Hub Height :	0.560
Pilot Diameter :	0.785
Pilot Length :	0.900
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs (10mm x 1.0)
Ring Gear :	
Clutch:	Yes

Note: 1" Spacing Between Ribs
23 Dimples On Pump

© Whatever It Takes Transmission Parts. Inc.

Ford

ECAT / 4EAT / F4AEL / F4E / G4AEL / LJ4A-EL (4 Speed)(FWD)

Atlantic #	TC2802A
Model :	Capri, Probe
Engine:	
Year(s) :	1991
Code :	Q20G, 2 Pink Dots, 2 Red Dots
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.674
Hub Height :	0.560
Pilot Diameter :	0.825
Pilot Length :	0.930
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note: Has Flange Around Hub
1” Spacing Between Ribs

Atlantic #	TC2802F
Model :	Capri, Escort, MX3, 323, Probe, Protege
Engine:	
Year(s) :	1990-Up
Code :	Q20F, 2 White Dots
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note: 1” Spacing Between Ribs

Atlantic #	TC2803
Model :	Escort, MX3, Probe, Protege, Tracer, Sephia
Engine:	1.6L, 1.8L, 2.0L
Year(s) :	1990-Up
Code :	Q25E, Q25F, Q25G, 94A, 2 Orange Dots
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.674
Hub Height :	0.560
Pilot Diameter :	0.825
Pilot Length :	0.900
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note: 37 Inner Dimples, 1.25” Between Dimples
Ribs Angled 30 Degrees

© Whatever It Takes Transmission Parts. Inc.

Ford

ECAT / 4EAT / F4AEL / F4E / G4AEL / LJ4A-EL (4 Speed)(FWD) (Continued)

Atlantic #	TC8302
Model :	Millenia
Engine:	2.3L
Year(s) :	1995-97
Code :	K2
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	4 Lugs (M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC2551
Model :	626, Probe
Engine:	
Year(s) :	1989-Up
Code :	R35B, R35PC, R40B, R40BP, R40PD, FU31F
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	21
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.674
Hub Height :	0.56
Pilot Diameter :	1.375
Pilot Length :	1.0
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note: 31 Dimples On Pump

Atlantic #	TC2551A
Model :	Probe
Engine:	
Year(s) :	1989-Up
Code :	R35B, R40B, FU80A, FU80C FU31F
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	21
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.674
Hub Height :	0.56
Pilot Diameter :	0.825
Pilot Length :	1.0
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes



Note: 31 Dimples On Pump

© Whatever It Takes Transmission Parts. Inc.

Ford

ECAT / 4EAT / F4AEL / F4E / G4AEL / LJ4A-EL (4 Speed)(FWD) (Continued)

Atlantic #	TC2852
Model :	Kio Rio, Mazda MPV
Engine:	1.5L, 2.5L, 3.0L
Year(s) :	2000-02
Code :	42, Yellow Dot Both Sides
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	21
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.677
Hub Height :	0.575
Pilot Diameter :	1.375 (Semi Hollow)
Pilot Length :	1.375
Lockup :	Yes
Stall Speed :	Med
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note: 31 Spline Stator / 12 Spline Pump Drive

Atlantic #	TC2853
Model :	Probe, 626, MX6
Engine:	2.0L
Year(s) :	1993
Code :	FU9A, FU9F, GF02
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	21
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.674
Hub Height :	0.56
Pilot Diameter :	0.825
Pilot Length :	0.90
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note: Slightly Reduced Primary

Atlantic #	TC2854
Model :	Capri, 626, MX6, Millenia, Probe
Engine:	1.6L, 2.5L
Year(s) :	1992-98
Code :	FU9B, GFO, GFO1
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	21
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.674
Hub Height :	0.560
Pilot Diameter :	0.825
Pilot Length :	0.900
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note: 31 Dimples On Pump Ribs Are 1/4" Long

© Whatever It Takes Transmission Parts. Inc.

Ford

ECAT / 4EAT / F4AEL / F4E / G4AEL / LJ4A-EL (4 Speed)(FWD) (Continued)

Atlantic #	TC2857
Model :	Protege
Engine:	
Year(s) :	1990-91
Code :	Q17G, Q22G, Blue W/White Dot
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	21
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.531
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes



Note:

Atlantic #	TC2855
Model :	Escort, Protege, Tracer
Engine:	1.5L, 1.8L, 1.9L, 2.0L
Year(s) :	1990-03
Code :	White Dot, Blue Square W/Black Dot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.674
Hub Height :	0.750
Pilot Diameter :	0.825
Pilot Length :	1.080
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.516
Mounting Style :	4 Studs (On Thick Round Pads)
Ring Gear :	
Clutch:	Yes



Note: Space Between Dimples 1.75”, No Ribs On Cover

Atlantic #	TC2856
Model :	Kia Rio, Mazda MX3, Protege, Sephia, Spectra
Engine:	1.5L, 1.6L, 1.8L, 2.5L
Year(s) :	1994-05
Code :	Blue Or Green Dots On Pump & Cover 98H24D072, 98BO40032, Yellow Dot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21 (Blue Rectangle & White Dot)
Hub Style :	No Drive (With Inner Bushing)(Stamp ZZZ)
Hub Diameter :	2.673
Hub Height :	0.600
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	Yes
Stall Speed :	Med
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary
12 Spline Pump Drive

© Whatever It Takes Transmission Parts. Inc.

Ford

E4OD / 4R100 (4 Speed)(RWD/4x4) (With 4 Mounting Studs)

Atlantic #	TC3640
Model :	Blackwood, Bronco, Club Wagon, Expedition, Excursion, E & F Truck, Navigator
Engine:	4.9L, 5.0L, 5.4L (Except 5.4L SC), 5.8L
Year(s) :	1989-05
Code :	A, E, F, H, M, O, U, AA, SS
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs (3/8 x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note: Available With Billet Lid - TC3640HD

Atlantic #	TC3640HD
Model :	Blackwood, Bronco, Club Wagon, Expedition, Excursion, E & F Truck, Navigator
Engine:	4.9L, 5.0L, 5.4L (Except 5.4L SC), 5.8L
Year(s) :	1989-05
Code :	A, E, F, H, M, O, U, AA, SS

Note: With Heavy-Duty Billet Lid

Atlantic #	TC3640D
Model :	
Engine:	7.3L Diesel, 7.5L
Year(s) :	1989-04
Code :	
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.25
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs (3/8 x 24 Threads)(Extended Tips)
Ring Gear :	
Clutch:	Yes

Note: Available With Billet Lid - TC3640DHD

Atlantic #	TC3640DHD
Model :	
Engine:	7.3L Diesel, 7.5L
Year(s) :	1989-04
Code :	

Note: With Heavy-Duty Billet Lid

© Whatever It Takes Transmission Parts. Inc.

Ford

E4OD / 4R100 (4 Speed)(RWD/4x4) (With 4 Mounting Studs)

Atlantic #	TC3640LS
Model :	
Engine:	4.9L, 5.4L SC, 6.8L V10, 7.5L Gas, 7.3L Diesel
Year(s) :	1989-05
Code :	L, N, R, W
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs (3/8 x 24 Threads)
Ring Gear :	
Clutch:	Yes



Note: Available With Billet Cover - TC3640LSHD

Atlantic #	TC3640LSHD
Model :	
Engine:	4.9L, 5.4L SC, 6.8L V10, 7.5L Gas, 7.3L Diesel
Year(s) :	1989-05
Code :	L, N, R, W

Note: With Heavy-Duty Billet Lid

E4OD / 4R100 (4 Speed)(RWD/4x4) (With 6 Mounting Studs)

Atlantic #	TC3661
Model :	E-Truck, F250, F350, F450, F550 Super Duty, Excursion
Engine:	6.8L V10 Gas, 7.3L Powerstroke Diesel
Year(s) :	1998-06
Code :	AC, AD, AE, WW, XX, ZZ
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.700
Mounting Style :	6 Studs (3/8 x 24 Threads)
Ring Gear :	
Clutch:	Yes (Multiple Clutch Assembly)

Note: Available With Heavy-Duty Billet Lid - TC3661HD

Atlantic #	TC3661HD
Model :	E-Truck, F-Truck, Excursion
Engine:	V10 6.8L Gas, 7.3L Powerstroke Diesel, 7.5L Diesel
Year(s) :	1998-02
Code :	AC, AD, AE, WW, XX, ZZ

Note: One Piece Heavy-Duty Billet Lid

Atlantic #	TC3661TCHD
Model :	E-Truck, F-Truck, Excursion
Engine:	V10 6.8L Gas, 7.3L Powerstroke Diesel, 7.5L Diesel
Year(s) :	1998-02
Code :	AC, AD, AE, WW, XX, ZZ

Note: One Piece Heavy-Duty Billet Lid / Triple Clutch

© Whatever It Takes Transmission Parts. Inc.

Ford

E4OD / 4R100 (4 Speed)(RWD/4x4) (With 6 Mounting Studs)

Atlantic#	TC3661LSHD
Model :	E-Truck, F-Truck
Engine:	V10 6.8L Gas
Year(s) :	2000-02
Code :	AC, AD, AE, WW, XX, ZZ
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.700
Mounting Style :	6 Studs (3/8 x 24 Threads)
Ring Gear :	
Clutch:	Yes (Multiple Clutch)

Note: One Piece Heavy Duty Billet Cover / Lowered Stall

Atlantic #	TC3660
Model :	E-Truck, F-Truck, Excursion
Engine:	5.4L SC, 6.0L, 7.5L Gas,
Year(s) :	1992-04
Code :	AB, BB, EE, GG, JJ, TT
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.700
Mounting Style :	6 Studs (3/8 x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note: Available With Heavy-Duty Billet Lid - TC3660HD

Atlantic #	TC3660HD
Model :	E-Truck, F-Truck, Excursion
Engine:	5.4L SC, 6.0L, 7.5L Gas,
Year(s) :	1992-04
Code :	AB, BB, EE, GG, JJ, TT

Note: With Heavy-Duty Billet Lid

Atlantic #	TC3660HDHS
Model :	E-Truck, F-Truck, Excursion
Engine:	6.0L, 7.5L Gas,
Year(s) :	1992-04
Code :	AB, BB, EE, GG, JJ, TT

Note: With Heavy-Duty Billet Lid / Increased Stall

© Whatever It Takes Transmission Parts. Inc.

Ford

E4OD / 4R100 (4 Speed)(RWD/4x4) (With 6 Mounting Studs)

Atlantic #	TC3660D
Model :	E-Truck, F-Truck, Excursion
Engine:	7.3L Diesel
Year(s) :	1992-97
Code :	V
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.700
Mounting Style :	6 Studs (3/8 x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note: Available With Heavy-Duty Billet Lid - TC3660HD

Atlantic #	TC3660HD
Model :	E-Truck, F-Truck, Excursion
Engine:	7.3L Diesel
Year(s) :	1992-97
Code :	V

Note: With Heavy-Duty Billet Lid

F3A (Jatco) (3 Speed)(FWD)

Atlantic #	TC1803
Model :	Tracer, Festiva
Engine:	
Year(s) :	1985-87
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.1875
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	Re-Manufactured With Clutch Omitted

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

F3A (Jatco) (3 Speed)(FWD) (Continued)

Atlantic #	TC1803A
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.1875
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	Re-Manufactured With Clutch Omitted

Note:

Atlantic #	TC1804
Model :	Tracer, Festiva
Engine:	
Year(s) :	1988
Code :	Light Blue Circle, White Dot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	Omitted

Note:

Atlantic #	TC1805
Model :	Festiva
Engine:	
Year(s) :	1990-93
Code :	Dark Blue Circle, White Dot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	Omitted



Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

F3A (Jatco) (3 Speed)(FWD) (Continued)

Atlantic #	TC1806A
Model :	Aspire
Engine:	1.3L
Year(s) :	1994-97
Code :	RM, Black Paint Swatch
OEM Part Number :	
Overall Diameter :	10
Overall Height :	3.985
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.765
Hub Height :	0.620
Pilot Diameter :	0.825
Pilot Length :	0.750
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.510
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Omitted

Note:

Atlantic #	TC1807
Model :	Aspire
Engine:	1.3L
Year(s) :	1995-97
Code :	W1
OEM Part Number :	
Overall Diameter :	10
Overall Height :	3.985
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.765
Hub Height :	0.620
Pilot Diameter :	0.825
Pilot Length :	0.750
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.510
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Omitted

Note:

FNR5 (5 Speed)(FWD)

Atlantic #	TC13857
Model :	Focus, Fusion, Milan, MKZ, Zephyr
Engine:	2.3L
Year(s) :	2000-09
Code :	FNE4, FNS2, FNS4, S4, S5
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	4.03125
Input Spline :	16
Hub Style :	Milled Flats
Hub Diameter :	1.752
Hub Height :	1.407
Pilot Diameter :	0.825
Pilot Length :	0.750
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary / Pilot Tip May Or May Not Be Tapered

© Whatever It Takes Transmission Parts. Inc.

Ford

3N71B (Jatco) (4 Speed)(RWD)

Atlantic #	TC5351
Model :	Granada, Monarch
Engine:	6 Cylinder 250, 4.1L
Year(s) :	1977-80
Code :	
OEM Part Number :	
Overall Diameter :	11.75
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.250
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	None



Note:

RE4F04A / RE4F04V (4 Speed)(FWD)

Atlantic #	TC9304
Model :	Villager
Engine:	3.0L
Year(s) :	1992-02
Code :	GB, GD, GE, GF, GE213
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	1.295
Pilot Diameter :	0.785
Pilot Length :	0.727
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	4 Round Lugs (10mm x 1.25)
Ring Gear :	
Clutch:	Yes



Note: Primary May Have 2 Or 3 Rows Of Ribs

© Whatever It Takes Transmission Parts. Inc.

Ford

ZF4HP22 (4 Speed)(RWD)

Atlantic #	TC6911
Model :	Lincoln Continental
Engine:	2.4L Turbo Diesel
Year(s) :	1984-Up
Code :	A3
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.575 / 1.495
Hub Height :	1.800
Pilot Diameter :	1.257
Pilot Length :	1.790
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.250
Mounting Style :	Plate With 4 Studs
Ring Gear :	
Clutch:	Yes



Note: May Interchange With TC6911A

Atlantic #	TC6911A
Model :	Lincoln Continental
Engine:	2.4L Turbo Diesel
Year(s) :	1984-Up
Code :	A3
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.575 / 1.495
Hub Height :	1.800
Pilot Diameter :	1.257
Pilot Length :	1.790
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.250
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes

Note: May Interchange With TC6911

Atlantic #	TC6916
Model :	Lincoln
Engine:	V8
Year(s) :	1989-90
Code :	07, E11
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.575 / 1.495
Hub Height :	2.05
Pilot Diameter :	1.257
Pilot Length :	1.79
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.250
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	Yes

Note: 3 Piece Body

© Whatever It Takes Transmission Parts. Inc.

Ford

2 Speed (Aluminum Case)

Atlantic #	TC14601	
Model :	Ford, Edsel	
Engine:	223 6 Cylinder, 292 V8	
Year(s) :	1959-62	
Code :	PBP, PBR, PCH, PCJ	
OEM Part Number :		
Overall Diameter :	12	
Overall Height :		
Input Spline :	31	
Hub Style :	Large Notch	
Hub Diameter :		
Hub Height :		
Pilot Diameter :	1.572	
Pilot Length :		
Lockup :		
Stall Speed :		
Mounting Bolt Radius :	6.375	**Note:**
Mounting Style :	3 Tabs	
Ring Gear :		
Clutch:	No	

Atlantic #	TC14602	
Model :	Mercury	
Engine:	352 V8	
Year(s) :	1959-62	
Code :	PBS, PCK	
OEM Part Number :		
Overall Diameter :	12	
Overall Height :		
Input Spline :	31	
Hub Style :	Large Notch	
Hub Diameter :		
Hub Height :		
Pilot Diameter :	1.848	
Pilot Length :		
Lockup :		
Stall Speed :		
Mounting Bolt Radius :	6.375	**Note:**
Mounting Style :	3 Tabs	
Ring Gear :		
Clutch:	No	

Atlantic #	TC14603	
Model :	Falcon, Air Cooled	
Engine:	6 Cylinder 140, 170	
Year(s) :	1960-62	
Code :		
OEM Part Number :		
Overall Diameter :	10.25	
Overall Height :		
Input Spline :	31	
Hub Style :	Large Notch	
Hub Diameter :		
Hub Height :		
Pilot Diameter :	1.375	
Pilot Length :		
Lockup :		
Stall Speed :		
Mounting Bolt Radius :	4.656	**Note: With Cooling Shroud**
Mounting Style :	4 Studs	
Ring Gear :	132 Teeth	
Clutch:	No	

© Whatever It Takes Transmission Parts. Inc.

Ford

2 Speed (Aluminum Case) (Continued)

Atlantic #	TC14604	
Model :	Comet	
Engine:	6 Cylinder 170	
Year(s) :	1960-62	
Code :		
OEM Part Number :		
Overall Diameter :	10.25	
Overall Height :		
Input Spline :	31	
Hub Style :	Large Notch	
Hub Diameter :		
Hub Height :		
Pilot Diameter :	1.375	
Pilot Length :		
Lockup :		
Stall Speed :		
Mounting Bolt Radius :	4.656	**Note: No Cooling Shroud**
Mounting Style :	4 Studs	
Ring Gear :	132 Teeth	
Clutch:	No	

Atlantic #	TC14605	
Model :	Fairlane, Meteor	
Engine:	V8 221, 260	
Year(s) :	1962	
Code :	(Some PCL, PCM), PCN, PCP, PFC, PZB	
OEM Part Number :		
Overall Diameter :	10.25	
Overall Height :		
Input Spline :	31	
Hub Style :	Large Notch	
Hub Diameter :		
Hub Height :		
Pilot Diameter :	1.375	
Pilot Length :		
Lockup :		
Stall Speed :		
Mounting Bolt Radius :	4.656	**Note:**
Mounting Style :	4 Studs	
Ring Gear :		
Clutch:	No	

Atlantic #	TC14606	
Model :	Falcon, Air Cooled	
Engine:	6 Cylinder 140, 170	
Year(s) :	1962-64	
Code :	(Some PCL, PCM)	
OEM Part Number :		
Overall Diameter :	10.25	
Overall Height :		
Input Spline :	31	
Hub Style :	Milled Flats	
Hub Diameter :		
Hub Height :		
Pilot Diameter :	1.375	
Pilot Length :		
Lockup :		
Stall Speed :		
Mounting Bolt Radius :	4.656	**Note: With Cooling Shroud**
Mounting Style :	4 Studs	
Ring Gear :	132 Teeth	
Clutch:	No	

© Whatever It Takes Transmission Parts. Inc.

Ford

2 Speed (Aluminum Case) (Continued)

Atlantic #	TC14607
Model :	Comet
Engine:	6 Cylinder 170, 200
Year(s) :	1963-64
Code :	PCME, PCMF, PCMG
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.656
Mounting Style :	4 Studs
Ring Gear :	132 Teeth
Clutch:	No

Note:

Atlantic #	TC14608
Model :	Farilane, Meteor
Engine:	221, 260, 289
Year(s) :	1963-64
Code :	PCBN
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC14611
Model :	Ford, Edsel
Engine:	6 Cylinder 223, V8 292
Year(s) :	1963-64
Code :	PCHB
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.572
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	6.375
Mounting Style :	3 Tabs
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

2 Speed (Aluminum Case) (Continued)

Atlantic #	TC14610
Model :	Comet
Engine:	V8 260, 289
Year(s) :	1963-64
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC14609
Model :	Mercury
Engine:	V8 352
Year(s) :	1963-64
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.848
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	3 Tabs
Ring Gear :	
Clutch:	No

Note:

3 Speed (Cruiso & FMX)

Atlantic #	TC10606
Model :	
Engine:	352, 390
Year(s) :	1963-71
Code :	23, 30
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	29
Hub Style :	2 Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.850
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.72
Mounting Style :	4 Studs (Thick Pads)
Ring Gear :	
Clutch:	No

Note: Without Shroud / No Ring Gear / Full Skirted Front

© Whatever It Takes Transmission Parts. Inc.

Ford

3 Speed (Cruiso & FMX) (Continued)

Atlantic #	TC10601
Model :	
Engine:	V8 272, 292
Year(s) :	1958-62
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	17
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.572
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs (On 3/32” Thick Base)
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC10602
Model :	
Engine:	V8 332, 352, 390
Year(s) :	1958-62
Code :	23, 30
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	29
Hub Style :	2 Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.850
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs (3/8 x 24)(On 3/32” Thick Base)
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC10602A
Model :	Medium Case
Engine:	V8 292
Year(s) :	1959-63
Code :	19, 20, 24
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	29
Hub Style :	2 Drive Ears
Hub Diameter :	1.850
Hub Height :	1.572
Pilot Diameter :	1.850
Pilot Length :	1.100
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs (3/8 x 24)(On 3/16” Thick Base)
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

3 Speed (Cruiso & FMX) (Continued)

Atlantic #	TC10602X
Model :	Medium Case
Engine:	V8 352, 390
Year(s) :	1963-67
Code :	20
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	29
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.848
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs (On 3/16” Thick Base)
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC10603
Model :	Lincoln (Large Case)
Engine:	410, 430
Year(s) :	1958-61
Code :	PBB, PCA
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	31
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.848
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs (On 3/32” Thick Base)
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC10603X
Model :	Lincoln (Large Case)
Engine:	
Year(s) :	1962-65
Code :	PCA-E, PCA-D
OEM Part Number :	12
Overall Diameter :	
Overall Height :	31
Input Spline :	Drive Ears
Hub Style :	
Hub Diameter :	
Hub Height :	1.848
Pilot Diameter :	
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs (On 3/16” Thick Base)
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

3 Speed (Cruiso & FMX) (Continued)

Atlantic #	TC10604
Model :	
Engine:	V8 260, 289
Year(s) :	1963-64
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	29
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note: Ribbed Primary

Atlantic #	TC10605
Model :	
Engine:	6 Cylinder 240, V8 289, 302
Year(s) :	1965-72
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	29
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC10609
Model :	
Engine:	6 Cylinder 240, 300, V8 302, 351, 400
Year(s) :	1968-76
Code :	49, 54, 56, 84, 85
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	
Input Spline :	29
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.285
Lockup :	No
Stall Speed :	Medium
Mounting Bolt Radius :	5.70
Mounting Style :	4 Studs (3/8 x 24)
Ring Gear :	
Clutch:	No

Note: Smooth Primary

© Whatever It Takes Transmission Parts. Inc.

Ford

3 Speed (Cruiso & FMX) (Continued)

Atlantic #	TC10610
Model :	
Engine:	V8 361, 390
Year(s) :	1968-76
Code :	57
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	29
Hub Style :	Milled Flats
Hub Diameter :	1.996
Hub Height :	1.312
Pilot Diameter :	1.848
Pilot Length :	.960
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC10607
Model :	
Engine:	V8 302, 351, 400 W/PHA
Year(s) :	1973-74
Code :	CC
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	29
Hub Style :	Milled Flats
Hub Diameter :	1.996
Hub Height :	1.312
Pilot Diameter :	1.375 (Cupped Shaped, Extended)
Pilot Length :	1.415
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.25
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC10611
Model :	
Engine:	240, 300, 302, 351, 400
Year(s) :	1977-80
Code :	49, 54, 56, 84, 85
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	29
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.285
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No

Note: Ribbed Primary

© Whatever It Takes Transmission Parts. Inc.

Ford

4F27E (4 Speed)(FWD)

Atlantic #	TC13852
Model :	Focus, Transit, Transit Connect
Engine:	2.0L, 2.3L
Year(s) :	2000-13
Code :	3H, 0316C, 0320C, 0329C, 2Z09C,
	090317E, White Or Purple Paint Swatch
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	16
Hub Style :	Milled Flats
Hub Diameter :	1.575
Hub Height :	1.405
Pilot Diameter :	0.825 (Small Step At End)
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.425
Mounting Style :	4 Studs On Round Pads (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note: Round Mounting Pads Have No Weld

Atlantic #	TC13853
Model :	Focus
Engine:	2.0L, 2.3L
Year(s) :	2000-11
Code :	Light Purple/Pink Swatch
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	16
Hub Style :	Milled Flats
Hub Diameter :	1.575
Hub Height :	1.405
Pilot Diameter :	0.825
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC13855
Model :	Focus
Engine:	2.0L, 2.3L
Year(s) :	2000-11
Code :	6B01, White Dot Inside Blue Swatch,
	Black Dot Inside Yellow Swatch
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	16
Hub Style :	Milled Flats
Hub Diameter :	1.575
Hub Height :	1.400
Pilot Diameter :	0.825
Pilot Length :	1.000
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs On Round Pads (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

5R110W (Torqshift) (5 & 6 Speed)(RWD/4x4)

Atlantic #	TC13660HD
Model :	E Truck, F Truck, Excursion
Engine:	5.4L, 6.0L Diesel, V10 6.8L Gas
Year(s) :	2003-16
Code :	Some 6MM On Front Cover
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	5.700
Mounting Style :	6 Studs (3/8 x 24 Threads)
Ring Gear :	
Clutch:	Yes (Multiple Clutch)

Note: Heavy-Duty Billet Cover

Atlantic #	TC13660TCHD
Model :	E Truck, F Truck, Excursion
Engine:	5.4L, 6.0L Diesel, V10 6.8L Gas
Year(s) :	2003-16
Code :	6MM On Front Cover

Note: With Heavy-Duty Billet Cover / Triple Clutch

Atlantic #	TC13680
Model :	F350 Super Duty
Engine:	6.4L Diesel
Year(s) :	2003-10
Code :	70 1178 2, 70 5027 3, 7QD0762, 7QD2162
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	31
Hub Style :	Milled Flats
Hub Diameter :	1.9965
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.125
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	5.6875
Mounting Style :	8 Studs On Top Of .207"Thick Bases (3/8 x 24 Threads)
Ring Gear :	
Clutch:	Yes (Multiple)

Note: 32 Spline Stator
Heavy-Duty Billet Cover Available - TC13680HD

Atlantic #	TC13680HD
Model :	F350 Super Duty
Engine:	6.4L Diesel
Year(s) :	2003-10
Code :	70 1178 2, 70 5027 3, 7QD0762, 7QD2162

Note: Heavy-Duty Billet Cover

Atlantic #	TC13680TCHD
Model :	F350 Super Duty
Engine:	6.4L Diesel
Year(s) :	2003-10
Code :	70 1178 2, 70 5027 3, 7QD0762, 7QD2162

Note: Heavy-Duty Billet Cover / Triple Clutch

© Whatever It Takes Transmission Parts. Inc.

Ford

6F15 / 6F35 (6 Speed)(FWD)

Atlantic #	TC4651
Model :	Edge, Escape, Fusion, Mariner, Milan, Transit Connect, Tribute
Engine:	L4 1.6L, 2.0L, 2.5L, V6 3.0L
Year(s) :	2009-18
Code :	Ink Code Starts 9A, 9B, Bar Code A or B, 9L8P-7902AF, AP, BF, BP, BS, N2X5C, A224A, Peach Paint Swatch, Round Yellow Sticker
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.560
Hub Height :	2.085
Pilot Diameter :	0.825
Pilot Length :	0.650
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.406
Mounting Style :	4 Studs (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Woven Clutch)

Note: Reduced Primary, With or Without Machined Surface On Pump, Some With Flanged Hub, Some With Butt Welded Hub

Atlantic #	TC4652
Model :	Edge, Escape, Explorer, Fushion, MKC, MKZ, Taurus
Engine:	L4 1.6L, 2.0L
Year(s) :	2011-17
Code :	BB5P-EB, E, Green Swatch Front Cover, Green Swatch Pump, 2216
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats (Flanged & Stepped W/Chamfer)
Hub Diameter :	1.560
Hub Height :	2.085
Pilot Diameter :	0.825
Pilot Length :	0.650
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.406
Mounting Style :	4 Studs On Oval Bases (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator / Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Ford

6F15 / 6F35 (6 Speed)(FWD)(Continued)

Atlantic #	TC4653
Model :	Escape, Fusion, Transit Connect
Engine:	L4 1.6L, 2.0L
Year(s) :	2013-17
Code :	Bar Code C, D, H, Paint Code Peach On
	Cover Pink On Pump, FW2MA-CO605133,
	3516
OEM Part Number :	
Overall Diameter :	10.4375
Overall Height :	4.735
Input Spline :	24
Hub Style :	Milled Flats (Flanged & Stepped)
Hub Diameter :	1.552
Hub Height :	2.112
Pilot Diameter :	0.825
Pilot Length :	0.830
Lockup :	Yes (EC3)
Stall Speed :	Low
Mounting Bolt Radius :	4.406
Mounting Style :	4 Studs On Round Or Rectangular Base
	With Extended Tips (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Woven Clutch)

Note: Reduced Primary / 35 Spline Stator

Atlantic #	TC4654
Model :	Edge, Fusion
Engine:	L4 2.0L
Year(s) :	2015-19
Code :	Bar Code F, Some FW2MA, DG9Z-F, 08816,
	4902 FD, White On Pump, Pink On Cover
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats (Flanged / Stepped)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	0.596
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.406
Mounting Style :	4 Studs On Oval Bases (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Woven Clutch)

Note: Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Ford

6F15 / 6F35 (6 Speed)(FWD)(Continued)

Atlantic #	TC4656
Model :	Explorer Turbo, MKC, Tribute
Engine:	L4 2.3L
Year(s) :	2007-17
Code :	Bar Code G, J, EJ7P-GB, EJ7P-JA, EJ7P-JB,
	Some GXFZ-B, Some N2X5C, 34614,
	Black On Primary Pump,Orange On Cover
OEM Part Number :	BB5Z-7902F
Overall Diameter :	10.75
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats (Flanged & Stepped)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	0.641
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.406
Mounting Style :	4 Studs On Oval Bases (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Reduced Primary
Captive Clutch Rivets Visible On Front Cover

Atlantic #	TC2559
Model :	Transit
Engine:	2.5L
Year(s) :	
Code :	Bar Code K, Metal Stamp (Some) GXFZB
	Orange Sticker On Both Halves
OEM Part Number :	9L8P-KA
Overall Diameter :	10.75
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats (Stepped)
Hub Diameter :	
Hub Height :	2.007
Pilot Diameter :	0.825
Pilot Length :	0.630
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.406
Mounting Style :	4 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Modulating Friction Ring)

Note: Reduced Primary

Atlantic #	TC2560
Model :	Fusion
Engine:	2.7L
Year(s) :	2017
Code :	FG9P-CC, FL9P-CB, Peach & Green
	Paint On Cover, 03216, FW2MA
OEM Part Number :	
Overall Diameter :	11.615
Overall Height :	Pilot - 4.638, Studs - 3.867
Input Spline :	27
Hub Style :	Milled Flats (Flanged/Stepped W/Bushing)
Hub Diameter :	2.047 / 2.057
Hub Height :	1.508
Pilot Diameter :	1.375
Pilot Length :	0.875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.9375
Mounting Style :	6 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)



Note: Reduced Primary / 6 Captive Clutch Rivets Visible On Front Cover

© Whatever It Takes Transmission Parts. Inc.

Ford

6F45 / 6F50 / 6F55 (6 Speed)(FWD/AWD)

Atlantic #	TC2551
Model :	Edge, Explorer, Flex, Fusion, MKS, MKT, MKX, Probe, Sable, Taurus/X, 626
Engine:	V6 2.2L, 3.5L, 3.7L
Year(s) :	2007-17
Code :	Starts With 7A, 7H, 7L, 9E, 9F, Starts With 1D, 1E, 3E, 3F, 3G, 5H, 5J, 5K, 5L, OH
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	3 15/16”
Input Spline :	27
Hub Style :	Milled Flats (Flanged With Inner Bushing)
Hub Diameter :	2.060
Hub Height :	1.500
Pilot Diameter :	1.375
Pilot Length :	0.920
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.875
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC2554
Model :	Flex, MKT
Engine:	V6 3.5L
Year(s) :	2009-17
Code :	Starts With 9D
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	27
Hub Style :	Milled Flats (Flanged With Inner Bushing)
Hub Diameter :	2.060
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	4 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes



Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

6F45 / 6F50 / 6F55 (6 Speed)(FWD/AWD) (Continued)

Atlantic #	TC2558
Model :	EcoSport
Engine:	2.0L
Year(s) :	2008-25
Code :	Ink Code Y Printed On Orange Label
	Metal Stamp WQB5A, FM5P-AC
OEM Part Number :	
Overall Diameter :	9.9375
Overall Height :	4.848
Input Spline :	24
Hub Style :	Milled Flats (Stepped & Beveled At Top)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Studs With Extended Tips On Oval Bases
	(M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Modulating Clutch)

Note: Reduced Primary

Atlantic #	TC2560
Model :	Edge
Engine:	V6 3.5L
Year(s) :	2015
Code :	FG9P-CC, FG9P-CB, FL9P-CB,
	Peach & Green Paint Swatch On Cover
OEM Part Number :	
Overall Diameter :	11.615
Overall Height :	Pilot - 4.638, Studs - 3.867
Input Spline :	27
Hub Style :	Milled Flats (Flanged/Stepped W/Bushing)
Hub Diameter :	2.047 / 2.057
Hub Height :	1.508
Pilot Diameter :	1.375
Pilot Length :	0.875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.9375
Mounting Style :	6 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)



Note: Reduced Primary / 6 Captive Clutch Rivets Visible On Front Cover

© Whatever It Takes Transmission Parts. Inc.

Ford

6R140 (6 Speed)(RWD/4x4)

Atlantic #	TC23601
Model :	F250SD, F350SD, F450SD, F550SD
Engine:	6.2L, 6.7L, 6.8L Diesel
Year(s) :	2011-19
Code :	BC3P-DE, 27415, CC3P-7902AB, CC3Z-7902A
OEM Part Number :	
Overall Diameter :	13.50
Overall Height :	
Input Spline :	32
Hub Style :	62 External PTO Drive Splines And
	69 Internal Pump Drive Splines
Hub Diameter :	2.505
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.70
Mounting Style :	4 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Multiple Plate Captive Clutch)

Note: 42 Spline Stator

Atlantic #	TC23602
Model :	F250SD, F350SD, F450SD, F550SD
Engine:	6.2L, 6.7L, 6.8L Diesell
Year(s) :	2011-17
Code :	16138, FW2MA
OEM Part Number :	CC3P-7902BB, CC3Z-7902B
Overall Diameter :	13.50
Overall Height :	
Input Spline :	32
Hub Style :	62 External PTO Drive Splines And
	69 Internal Pump Drive Splines
Hub Diameter :	2.505
Hub Height :	2.800
Pilot Diameter :	1.375
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.70
Mounting Style :	6 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Multiple Plate Captive Clutch)

Note: 42 Spline Stator

Atlantic #	TC23603
Model :	F250SD, F350SD, F450SD, F550SD
Engine:	6.2L, 6.7L, 6.8L Diesel
Year(s) :	2011-17
Code :	BC3P-7902ED
OEM Part Number :	
Overall Diameter :	13.50
Overall Height :	
Input Spline :	32
Hub Style :	62 External PTO Drive Splines And
	69 Internal Pump Drive Splines
Hub Diameter :	2.505
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.70
Mounting Style :	8 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Multiple Plate Captive Clutch)

Note: 42 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Ford

6R60 (ZF6HP26) (6 Speed)(RWD/4x4)

Atlantic #	TC4901
Model :	Explorer, Sport Trac, Mountaineer
Engine:	V8 4.6L
Year(s) :	2006-11
Code :	5L2P, 6L2P-7902AF, 9L3P-BC, 9L3P-BD, 6L27-PF, 7L1P-7902-AG
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	5.6875
Input Spline :	27
Hub Style :	Slotted (2 Step)
Hub Diameter :	1.744
Hub Height :	2.250
Pilot Diameter :	1.375
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	5.6875
Mounting Style :	Plate With 4 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)



Note: Mounting Plate Is 0.125" Thick And Measures 12.5625" At Widest Point

Atlantic #	TC4905
Model :	Navigator
Engine:	5.4L
Year(s) :	2005-07
Code :	Ink Code 10, 23, B30, 40, 51, 63, A81, 99, Metal Stamp 000030, Y92YY
OEM Part Number :	
Overall Diameter :	12
Overall Height :	5.625
Input Spline :	27
Hub Style :	Slotted (Stepped)
Hub Diameter :	1.772
Hub Height :	2.0625
Pilot Diameter :	1.375
Pilot Length :	0.875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs On Mounting Plate (3/8 x 24 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note:

Atlantic #	TC4912
Model :	Navigator
Engine:	5.4L
Year(s) :	2008
Code :	206700, Z92, Z92YY
OEM Part Number :	
Overall Diameter :	12
Overall Height :	5 625
Input Spline :	27
Hub Style :	Slotted (Stepped)
Hub Diameter :	1.772
Hub Height :	2.125
Pilot Diameter :	1.375
Pilot Length :	1.285
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs On Mounting Plate (3/8 x 24 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

6R75 (ZF6HP26) (6 Speed)(RWD/4x4)

Atlantic #	TC4902
Model :	Expedition, F150, Navigator
Engine:	5.4L
Year(s) :	2007-08
Code :	7L1P-7902AE, 7L1P-7902AG
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	2.250
Pilot Diameter :	1.375
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs On Mounting Plate (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: Mounting Plate Measures 12.5625” Across

6R80 / 6R100 (6 Speed)(RWD/4x4)

Atlantic #	TC4901
Model :	F150
Engine:	V8 4.6L
Year(s) :	2009-10
Code :	5L2P, 6L2P-7902AF, 9L3P-BC, 9L3P-BD, 6L27-PF
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	5.6875
Input Spline :	27
Hub Style :	Slotted (2 Step)
Hub Diameter :	1.744
Hub Height :	2.250
Pilot Diameter :	1.375
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	5.6875
Mounting Style :	Plate With 4 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Mounting Plate Is 0.125” Thick And Measures 12.5625” At Widest Point

© Whatever It Takes Transmission Parts. Inc.

Ford

6R80 / 6R100 (6 Speed)(RWD/4x4)(Continued)

Atlantic #	TC4902
Model :	Expedition
Engine:	5.4L
Year(s) :	2008-14
Code :	7L1P-7902AE, AG On Mounting Plate
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	2.250
Pilot Diameter :	1.375
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs On Mounting Plate (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: Mounting Plate Measures 12.5625” Across

Atlantic #	TC4903
Model :	
Engine:	
Year(s) :	
Code :	LE 9.8 Stamped On Each Stud Base
OEM Part Number :	7L1P-AH, 7L1P-AJ
Overall Diameter :	11.50
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.719
Mounting Style :	4 Studs On Mounting Plate (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Mounting Plate Measures 12.608” Across

Atlantic #	TC4904
Model :	F150, Transit 150, 250, 350
Engine:	3.7L, 5.0L
Year(s) :	2010-17
Code :	CK4B-BB, Orange Swatch On Cover
OEM Part Number :	
Overall Diameter :	11.3125
Overall Height :	
Input Spline :	32
Hub Style :	Milled Flats (Stepped)
Hub Diameter :	1.772 - 1.748
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	0.892
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.720
Mounting Style :	4 Studs On Mounting Plate (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Mounting Plate Riveted To Front Cover
27 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

6R80 / 6R100 (6 Speed)(RWD/4x4) (Continued)

Atlantic #	TC4906
Model :	Expedition, F150
Engine:	5.4L, 6.2L
Year(s) :	2008-14
Code :	B, BR3P-BB, BR3P-BC, 9L3P-AA, 9L3P-AF, 9L3P-AG, 9L3P-AH, Orange Swatch By 1 Stud
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	32
Hub Style :	Slotted (Stepped)
Hub Diameter :	1.772
Hub Height :	2.238
Pilot Diameter :	1.375
Pilot Length :	0.083
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs On Mounted Plate (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Multiple Plate Captive Clutch)

Note: 27 Spline Stator, 12.50" Mounted Plate Riveted To Front Cover

Atlantic #	TC4907
Model :	F150, F150 Ecoboost, Expedition
Engine:	3.5L, 5.0L
Year(s) :	2010-17
Code :	FL3P-CC, CD, 023166, 3316
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	5.624 Pad To Hub, 6.559 Pilot To Hub
Input Spline :	32
Hub Style :	Milled Flats (Stepped)
Hub Diameter :	1.750 / 1.770
Hub Height :	2.270
Pilot Diameter :	1.375
Pilot Length :	0.842
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.712
Mounting Style :	4 Studs On Mounting Plate (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: 27 Spline Stator / 12.6875" Mounting Plate Riveted To Front Cover

Atlantic #	TC4908
Model :	F150
Engine:	3.5L, 5.0L
Year(s) :	2010-17
Code :	BL3P-AB, BL3P-AC, BL3P-AD, BL3P-AE, BL3P-BA, 9016
OEM Part Number :	
Overall Diameter :	12
Overall Height :	5.648 Pad To Hub, 6.551 Pilot To Hub
Input Spline :	32
Hub Style :	Slotted (Stepped)
Hub Diameter :	1.474 / 1.772
Hub Height :	2.234
Pilot Diameter :	1.375
Pilot Length :	0.830
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs On Mounting Plate (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Multiple Plate Captive Clutch)

Note: 27 Spline Stator With 20 Vanes / 12.6875" Mounting Plate Riveted To Front Cover

© Whatever It Takes Transmission Parts. Inc.

Ford

6R80 / 6R100 (6 Speed)(RWD/4x4) (Continued)

Atlantic #	TC4910
Model :	F150, Mustang
Engine:	3.7L
Year(s) :	2010-17
Code :	BR3P-AB, AC, AD, EA, 36415
OEM Part Number :	
Overall Diameter :	11.3125
Overall Height :	5.670
Input Spline :	32
Hub Style :	Slotted (Stepped)
Hub Diameter :	1.748 / 1.772
Hub Height :	2.210
Pilot Diameter :	1.375
Pilot Length :	0.860
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs On Mounting Plate (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Multiple Plate Captive Clutch)

Note: 27 Spline Stator / 12.6875” Mounting Plate Riveted To Front Cover

Atlantic #	TC4913
Model :	
Engine:	
Year(s) :	
Code :	CK4P-AA, CK4P-AD
OEM Part Number :	
Overall Diameter :	11.625
Overall Height :	
Input Spline :	32
Hub Style :	Slotted (Stepped)
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	1.100
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.75
Mounting Style :	6 Studs W/Extended Tips On Mounting Plate (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Captive Clutch Rivets Visible On Front Cover

© Whatever It Takes Transmission Parts. Inc.

Ford

6R80 / 6R100 (6 Speed)(RWD/4x4) (Continued)

Atlantic #	TC4915
Model :	F150, Navigator, F10 Raptor
Engine:	3.5L, 5.4L, 6.2L
Year(s) :	2014
Code :	BR3P-BF, BR3P-BF, Z On Pump,
	Orange Swatch By 1 Stud, 2915, HC3P-DB,
	HC3P-DC, BR3P-CE
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	32
Hub Style :	Milled Flats (Stepped)
Hub Diameter :	1.772
Hub Height :	2.237
Pilot Diameter :	1.375
Pilot Length :	0.859
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs On Mounting Plate (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Multiple Plate Captive Clutch)

Note: 27 Spline Stator / 12.50” Mounting Plate Riveted To Front Cover

Atlantic #	TC4916
Model :	Transit 150, 250, 350
Engine:	3.2L Diesel
Year(s) :	2015-17
Code :	CK4P-AE, CK4P-AG, AL, Orange Swatch
	By 1 Stud, 35215
OEM Part Number :	
Overall Diameter :	11.75
Overall Height :	Pilot - 7.069, Studs - 5.963
Input Spline :	32
Hub Style :	Milled Flats (Stepped)
Hub Diameter :	1.772
Hub Height :	2.342
Pilot Diameter :	1.100
Pilot Length :	1.553
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.75
Mounting Style :	6 Studs On Mounting Plate (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Multiple Friction Captive Clutch)

Note: 27 Spline Stator / 10.6875” Mounting Plate Riveted To Front Cover

© Whatever It Takes Transmission Parts. Inc.

Ford

6R80 / 6R100 (6 Speed)(RWD/4x4) (Continued)

Atlantic #	TC4917
Model :	F150, Expedition, Navigator, Transit 150, 250, 350
Engine:	L4 2.7L, 3.2L, 3.5L
Year(s) :	2010-17
Code :	FL3P-AD, BC, BD, BE, BG, DB, DC, DD, DE Orange Swatch On Cover, 31614
OEM Part Number :	
Overall Diameter :	11.75
Overall Height :	
Input Spline :	32
Hub Style :	Milled Flats (Stepped)
Hub Diameter :	1.772
Hub Height :	2.335
Pilot Diameter :	1.375
Pilot Length :	1.075
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs On Mounting Plate (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Multiple Friction Captive Clutch)

Note: 27 Spline Stator / 12.625” Mounting Plate Riveted To Front Cover

Atlantic #	TC4918
Model :	F150, Mustang, Transit 150, 250, 350
Engine:	3.5L, 3.7L
Year(s) :	2015-17
Code :	FL3P-AE, AF, AP, FL3Z-A, 28015
OEM Part Number :	
Overall Diameter :	12
Overall Height :	Pilot - 6.604, Studs - 5.678
Input Spline :	32
Hub Style :	Milled Flats (Stepped)
Hub Diameter :	1.772
Hub Height :	2.344
Pilot Diameter :	1.375
Pilot Length :	1.050
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Studs On Mounting Plate (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Multiple Friction Captive Clutch)

Note: 27 Spline Stator / 12.625” Mounting Plate Riveted To Front Cover, Milled Circle On Hub Body

Atlantic #	TC4924
Model :	Mustang
Engine:	L4 2.3L
Year(s) :	2015-17
Code :	FR3P-AG, FR3Z-A
OEM Part Number :	
Overall Diameter :	11.75
Overall Height :	
Input Spline :	32
Hub Style :	Milled Flats (Stepped)
Hub Diameter :	1.772
Hub Height :	2.338
Pilot Diameter :	0.825
Pilot Length :	1.157
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.75
Mounting Style :	6 Studs On Mounting Plate (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Multiple Friction Captive Clutch)

Note: 27 Spline Stator / 10.75” Mounting Plate Riveted To Front Cover

© Whatever It Takes Transmission Parts. Inc.

Ford

8F24 / 8F35 / 8F40 / 8F45 / 8F57 (8 Speed)(FWD)

Atlantic #	TC17401
Model :	Bronco Sport, Edge, Escape, Maverick, Transit Connect, Corsair
Engine:	1.5L, 2.0L, 2.5L
Year(s) :	2018-Up
Code :	JM5Z7902S, JM5Z7902H, JM5Z7902R, JM5P NA/ JM5P KA, JM5P KC, JM5P KD, GXFZB, GFXZB, 18132 030079
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	3.950
Input Spline :	20
Hub Style :	Milled Flats W/Inner Bushing
Hub Diameter :	1.920
Hub Height :	1.450
Pilot Diameter :	0.820
Pilot Length :	0.800
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	

Note:

Atlantic #	TC17403
Model :	Escape
Engine:	1.5L, 2.0L
Year(s) :	2017-Up
Code :	S on Cover, JM5P SB, J1KP, JM5P SC, GXFZB, 21096 03 1958
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	4.213-Studs, 4.878-Pilot
Input Spline :	26
Hub Style :	Stepped, Milled Flats W/Inner Bushing
Hub Diameter :	1.920
Hub Height :	1.450
Pilot Diameter :	1.375
Pilot Length :	0.923
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.400
Mounting Style :	4 Oval Pads W/Studs (M10 x 1.0) (0.680” Pad Height)
Ring Gear :	
Clutch:	Yes



Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

8F24 / 8F35 / 8F40 / 8F45 / 8F57 (8 Speed)(FWD)(Continued)

Atlantic #	TC17404
Model :	
Engine:	
Year(s) :	
Code :	FG9P-7902-CB, K26D7902AB, Pink Dot,
	BRZSEFOMOCO
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	3.860
Input Spline :	26
Hub Style :	Milled Flats W/Inner Bushing
Hub Diameter :	2.060
Hub Height :	1.500
Pilot Diameter :	1.375
Pilot Length :	0.866
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.900
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Captive (Woven)



Note:

Atlantic #	TC17405
Model :	Edge
Engine:	2.7L, Some Turbo
Year(s) :	2019-21
Code :	JC
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	3.840
Input Spline :	27
Hub Style :	Milled Flats W/Bushing
Hub Diameter :	2.060
Hub Height :	1.499
Pilot Diameter :	1.375
Pilot Length :	0.882
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Captive Clutch

Note:

Atlantic #	TC17406
Model :	Escape
Engine:	1.5L Turbo
Year(s) :	2020-Up
Code :	GX30A, 03720135125, J1KP BE,
	J1KP 7902BE, White Dot, Blue Dot
OEM Part Number :	
Overall Diameter :	10.180
Overall Height :	4.312-Studs, 5.00-Pilot
Input Spline :	25
Hub Style :	Stepped, Flanged, 2 Milled Flats W/Bushing
Hub Diameter :	1.901-Top, 1.920-Bottom
Hub Height :	1.529
Pilot Diameter :	1.375
Pilot Length :	0.807
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.412
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

8F24 / 8F35 / 8F40 / 8F45 / 8F57 (8 Speed)(FWD)(Continued)

Atlantic #	TC16415
Model :	Edge
Engine:	2.7L
Year(s) :	2015-21
Code :	FG9P-7902-CB, k26D7902AB,
	BRZSEFOMOCO, Pink Dot
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	3.860
Input Spline :	27
Hub Style :	Milled Flats W/Bushing
Hub Diameter :	2.060
Hub Height :	1.500
Pilot Diameter :	1.375
Pilot Length :	0.866
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.900
Mounting Style :	6 Studs (M10 x 1.00)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note:

10R60 / 10R80 (10 Speed)(RWD/4x4)

Atlantic #	TC16402
Model :	Expedition, Explorer, F150, F150 Raptor,
	Navigator, Transit, Police Interceptor
Engine:	2.7L/3.5L Turbo/EcoBoost/5.0L
Year(s) :	2017-24
Code :	HL3P-AE, HL3P-AD, Orange Dot On
	Front Cover, 35416 044601
OEM Part Number :	
Overall Diameter :	12.950
Overall Height :	Pilot - 5.634, Studs - 4.873
Input Spline :	41
Hub Style :	4 Milled Flats W/Inner Bushing
Hub Diameter :	2.700
Hub Height :	1.540
Pilot Diameter :	1.375
Pilot Length :	0.890
Lockup :	Yes - Attached To Turbine
Stall Speed :	Low Stall
Mounting Bolt Radius :	5.70
Mounting Style :	4 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes

Note: 39 Spline Stator, 25 Vanes

© Whatever It Takes Transmission Parts. Inc.

Ford

10R60 / 10R80 (10 Speed)(RWD/4x4)

Atlantic #	TC16407
Model :	Explorer ST
Engine:	3.0L
Year(s) :	2018-21
Code :	L1MP-RA, EGXRA, 11719, 31019 044745
OEM Part Number :	
Overall Diameter :	12.875
Overall Height :	Studs - 6.240, Pilot - 5.621
Input Spline :	38
Hub Style :	4 Milled Flats W/Inner Bushing
Hub Diameter :	2.635
Hub Height :	1.550
Pilot Diameter :	1.375
Pilot Length :	0.850
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.375
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Captive Clutch



Note:

Atlantic #	TC16406
Model :	F150
Engine:	3.0L Diesel
Year(s) :	2018-23
Code :	E
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	Studs - 4.858, Pilot - 5.616
Input Spline :	41
Hub Style :	4 Milled Flats W/Bushing
Hub Diameter :	2.760
Hub Height :	1.528
Pilot Diameter :	1.372
Pilot Length :	0.643
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.50
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	



Note:

Atlantic #	TC16408
Model :	Ranger XLT, Some Mustang
Engine:	2.3L
Year(s) :	2018-22
Code :	JR3P MD 31417, KB3P, L1MPTB, KB3P, TB, 05321, 204607,JR3D MD 07819
OEM Part Number :	
Overall Diameter :	12.00
Overall Height :	5.120
Input Spline :	41, 39 Stator
Hub Style :	4 Milled Flats W/Inner Bushing
Hub Diameter :	2.755
Hub Height :	1.530
Pilot Diameter :	0.825
Pilot Length :	0.890
Lockup :	
Stall Speed :	Very Low
Mounting Bolt Radius :	4.719
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Ford

10R60 / 10R80 (10 Speed)(RWD/4x4)(Continued)

Atlantic #	TC16410
Model :	Mustang
Engine:	5.0L
Year(s) :	2017-Up
Code :	D On Front Cover, JR3PNE, MR39,
	Metal Stamp EGXRA
OEM Part Number :	
Overall Diameter :	12
Overall Height :	4.950
Input Spline :	41
Hub Style :	4 Milled Flats W/Inner Bushing
Hub Diameter :	2.765
Hub Height :	1.550
Pilot Diameter :	1.375
Pilot Length :	0.890
Lockup :	
Stall Speed :	Super Low
Mounting Bolt Radius :	5.688
Mounting Style :	4 Stud Plate (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

10R140 (10 Speed)(RWD/4x4)

Atlantic #	TC31601
Model :	F350 to F650
Engine:	7.3L Gas
Year(s) :	2020-Up
Code :	7902BC
OEM Part Number :	
Overall Diameter :	
Overall Height :	9.223-Pilot, 8.373-Studs
Input Spline :	48
Hub Style :	Flanged W/Inner Bushing, 105 Splines
Hub Diameter :	3.160
Hub Height :	2.978
Pilot Diameter :	1.375
Pilot Length :	1.097
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.695
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	



Note: 64 Stator Splines

Atlantic #	TC31602
Model :	F550
Engine:	6.7L
Year(s) :	2020-Up
Code :	7902AD
OEM Part Number :	
Overall Diameter :	13.310
Overall Height :	9.225-Pilot, 8.373-Studs
Input Spline :	48
Hub Style :	Flanged W/Inner Bushing, 105 Splines
Hub Diameter :	3.160
Hub Height :	2.970
Pilot Diameter :	1.375
Pilot Length :	1.103
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.694
Mounting Style :	6 Studs
Ring Gear :	
Clutch:	

Note: 64 Stator Splines

© Whatever It Takes Transmission Parts. Inc.

Acura

CL

Atlantic #	TC8003
Transmission :	A6VA, AOYA, BOYA, MPOA
Engine:	2.0L, 2.2L
Year(s) :	1996-97
Code :	AAO, AYA, B5HO8C9, B5AO4A3, b6,
	EA12B, EH23A, Metal Stamp b
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	22
Hub Style :	Splined, Stepped W/O-Ring, 38 Splines
Hub Diameter :	1.520
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.9375
Mounting Style :	8 Hole Mounting Ring (6mm x 1.0)
Ring Gear :	114 Teeth
Clutch:	Yes

Note: 32 Spline Stator

Atlantic #	TC8002
Transmission :	B6VA
Engine:	2.3L
Year(s) :	1998-99
Code :	5M, 8b, 8B, EA, GA, P5M, PAA, PCA, PEA
	b, CA, Y, BAXA, MAXA
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Splines
Hub Diameter :	1.520
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.125
Mounting Style :	8 Hole Mounting Ring (6mm x 1.0)
Ring Gear :	114 Teeth (0.275”Thick)
Clutch:	Yes

Note: Without Coast Release Valves, Slightly Released Primary

Atlantic #	TC2002
Transmission :	M7ZA
Engine:	3.0L
Year(s) :	1996-00
Code :	CAA, PO, POG, PFW, P8A, P8C, 8A, 8C
	LJ, U, 5
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Spline
Hub Diameter :	1.520
Hub Height :	1.681
Pilot Diameter :	0.945
Pilot Length :	0.670
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.4375
Mounting Style :	Mounting Ring, 8 Holes (6mm Threads)
Ring Gear :	121 Teeth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Acura

Atlantic #	TC2001
Transmission :	BGFA, MGFA
Engine:	3.2L
Year(s) :	2001-03
Code :	8F, P8, P8E, P8F, PG, PGC, PGE, PGK, PGL, RGL, RGM
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, 38 Splines, W/O-Ring
Hub Diameter :	1.537 @ O-Ring
Hub Height :	1.6875
Pilot Diameter :	0.945
Pilot Length :	0.8125
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.625
Mounting Style :	8 Tapped Hole Ring (M6 x 1.0)
Ring Gear :	121 Teeth
Clutch:	Yes

Note: 32 Spline Stator

Integra

Atlantic #	TC6005
Transmission :	CA
Engine:	1.6L
Year(s) :	1986-87
Code :	HAM, HK3, H13, H16, A, E
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	4.565
Input Spline :	19
Hub Style :	Stepped, 36 Spline, W/O-Ring
Hub Diameter :	
Hub Height :	1.500
Pilot Diameter :	0.945
Pilot Length :	0.890
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.9375
Mounting Style :	Ring With 8 Holes, W/2 Line Up Holes
Ring Gear :	103 Teeth
Clutch:	

Note: Without Coast Release Valves

Atlantic #	TC6006
Transmission :	P1
Engine:	1.6L
Year(s) :	1988-89
Code :	L15, L16, S15, S16, A, A8, B
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	4.525
Input Spline :	19
Hub Style :	Stepped, 38 Spline, W/O-Ring
Hub Diameter :	
Hub Height :	1.500
Pilot Diameter :	0.945
Pilot Length :	0.890
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.91
Mounting Style :	Ring With 8 Holes (M6 x 1.0)
Ring Gear :	107 Teeth
Clutch:	Yes

Note: Without Coast Release Valves

© Whatever It Takes Transmission Parts. Inc.

Acura

Integra (Continued)

Atlantic #	TC17001
Transmission :	MPRA, RO
Engine:	1.8L
Year(s) :	1990-93
Code :	R18, C
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Teeth
Hub Diameter :	
Hub Height :	1.520
Pilot Diameter :	0.945
Pilot Length :	0.945
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.00
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	114 Teeth (1” Wide)
Clutch:	Yes

Note: Without Coast Release Valves

Atlantic #	TC7002
Transmission :	MP7A, SP7A, SKWA
Engine:	1.8L
Year(s) :	1994-01
Code :	215, 216, A, B, AB, F16, J1-LM, J1-PLM,
	P56, P6T, P72, A, B, A-B, BA, y
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Tooth
Hub Diameter :	1.520
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.9375
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	109 Teeth
Clutch:	Yes

Note:

Legend

Atlantic #	TC6004
Transmission :	G4
Engine:	2.5L
Year(s) :	1986-87
Code :	25, 25AR, K
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	4.64
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Teeth
Hub Diameter :	
Hub Height :	1.50
Pilot Diameter :	0.945
Pilot Length :	0.890
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.50
Mounting Style :	Mounting Ring, W/8 Holes (6mm x 1.0)
Ring Gear :	114 Teeth
Clutch:	Yes

Note: Without Coast Release Valves

© Whatever It Takes Transmission Parts. Inc.

1-800-940-0197

WHATEVER IT TAKES TRANSMISSION PARTS, INC

Acura

Legend (Continued)

Atlantic #	TC6009
Transmission :	Legend
Engine:	2.7L
Year(s) :	1988-90
Code :	L5, PL5X, 27, 27M, 27N, N, 5
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	4.625
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Teeth
Hub Diameter :	
Hub Height :	1.660
Pilot Diameter :	0.945
Pilot Length :	0.890
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.4375
Mounting Style :	Mounting Ring W8 Holes (6mm x 1.0)
Ring Gear :	114 Teeth
Clutch:	Yes

Note: Without Coast Release Valves

Atlantic #	TC7001
Transmission :	MPYA
Engine:	3.2L
Year(s) :	1991-95
Code :	P5A, P5G, Y4, YA, 11
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	23
Hub Style :	Stepped, Flanged, W/O-Ring, 39 Teeth
Hub Diameter :	1.550
Hub Height :	1.790
Pilot Diameter :	0.945
Pilot Length :	0.810
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.9375
Mounting Style :	6 Oval Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

MDX

Atlantic #	TC2001
Transmission :	BGHA, MGHA
Engine:	3.5L
Year(s) :	2001-02
Code :	8F, P8F, PG, PGC, PGE, PGK, PGL, 8F, PG
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Teeth
Hub Diameter :	1.537 @ O-Ring
Hub Height :	1.6875
Pilot Diameter :	0.945
Pilot Length :	0.8125
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.625
Mounting Style :	8 Tapped Hole Ring (M6 x 1.0)
Ring Gear :	121 Teeth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Acura

MDX (Continued)

Atlantic #	TC4001
Transmission :	MDKA, BDKA
Engine:	3.5L
Year(s) :	2003-06
Code :	PVJ, RD, RDJ, RJE, RYP, 02, RD
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Stepped W/O-Ring, 39 Teeth
Hub Diameter :	1.652/1.810
Hub Height :	1.577
Pilot Diameter :	0.945
Pilot Length :	0.663
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (7/8”Wide)(.365”Thk)(13.125”OD)
Clutch:	Yes

Note:

Atlantic #	TC4002
Transmission :	MDKA, BDKA
Engine:	3.5L
Year(s) :	2003-06
Code :	RGMY, RWC, 04, GLA, GMA, RGL, RGLY, R4, RDJ
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 39 Teeth
Hub Diameter :	1.652/1.810
Hub Height :	1.577
Pilot Diameter :	0.945
Pilot Length :	0.663
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	131 Teeth (7/8”Wide)(.365”Thk)(13 1/8”Dia)
Clutch:	Yes

Note:

Atlantic #	TC4004
Transmission :	BTFA, MYFA
Engine:	3.7L
Year(s) :	2007-09
Code :	RYE, 05
OEM Part Number :	
Overall Diameter :	11.375 / 10.1875
Overall Height :	4.125
Input Spline :	22
Hub Style :	Stepped, Flanged, 39 Teeth
Hub Diameter :	1.652 / 1.810
Hub Height :	1.586
Pilot Diameter :	0.945
Pilot Length :	0.662
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	6.0625
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (.875” Wide)(.365”Thk)(13 1/8”Dia)
Clutch:	Yes (Carbon Clutch)

Note: Smooth Cover

© Whatever It Takes Transmission Parts. Inc.

Acura

MDX (Continued)

Atlantic #	TC4007
Transmission :	BYFA, MYFA
Engine:	3.7L
Year(s) :	2007-09
Code :	RYE, YEA, 05
OEM Part Number :	
Overall Diameter :	11.375 / 10.1875
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, 39 Teeth
Hub Diameter :	1.613 / 1.810
Hub Height :	1.586
Pilot Diameter :	0.945
Pilot Length :	0.663
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	6.0625
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (13.125” Dia)
Clutch:	Yes

Note: Smooth Cover

Atlantic #	TC29001
Transmission :	M4TA
Engine:	3.7L
Year(s) :	2010-13
Code :	YEE, 20
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	23
Hub Style :	Stepped, Flanged, W/O-Ring, 39 Teeth
Hub Diameter :	1.613 / 2.009
Hub Height :	1.586
Pilot Diameter :	0.945
Pilot Length :	0.860
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (M6 x 1.0)
Ring Gear :	131 Teeth (13.125”Dia)
Clutch:	Yes

Note:

Atlantic #	TC29002
Transmission :	PJ7A, PJ8A
Engine:	3.5L
Year(s) :	2014-15
Code :	5B7AYT, 5J7AYT, RP7AYT, RVOAYT, 24
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	23
Hub Style :	Stepped W/O-Ring, 39 Teeth
Hub Diameter :	1.613 / 2.009
Hub Height :	1.561
Pilot Diameter :	0.945
Pilot Length :	0.717
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (13.0625”Dia)
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Acura

RDX

Atlantic #	TC4003
Transmission :	BWEA
Engine:	2.3L
Year(s) :	2007-12
Code :	JET, RJE, 01
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.125
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 39 Teeth
Hub Diameter :	1.652 / 1.810
Hub Height :	1.586
Pilot Diameter :	0.945
Pilot Length :	0.662
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	131 Teeth (7/8"Wide)(.365"Thk)(13.125"Dia)
Clutch:	Yes

Note:

Atlantic #	TC4008
Transmission :	BWEA, BT3A
Engine:	2.3L
Year(s) :	2007-12
Code :	WCLCYT, R4, RWC, 04
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, 39 Teeth
Hub Diameter :	1.613 / 1.810
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Tooth (Beveled On Engine Side)
	(7/8"Wide)(.325"Thk)(13.0625"Dia)
Clutch:	Yes (Carbon Clutch)



Note:

Atlantic #	TC29002
Transmission :	B8BA, B8CA
Engine:	3.5L
Year(s) :	2012-18
Code :	5B7AYT, 5J7AYT, RP7AYT, RVOAYT, 24
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	23
Hub Style :	Stepped W/O-Ring, 39 Teeth
Hub Diameter :	1.613 / 2.009
Hub Height :	1.561
Pilot Diameter :	0.945
Pilot Length :	0.717
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (13.0625"Dia)
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Acura

RL

Atlantic #	TC7001
Transmission :	M5DA
Engine:	3.5L
Year(s) :	1996-04
Code :	P5A, P5G, Y4, YA, 11
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	23
Hub Style :	Stepped, Flanged, W/O-Ring, 39 Teeth
Hub Diameter :	1.550
Hub Height :	1.790
Pilot Diameter :	0.945
Pilot Length :	0.810
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.9375
Mounting Style :	6 Oval Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC7002
Transmission :	M5DA
Engine:	3.5L
Year(s) :	1996-04
Code :	215, 216, A, B, AB, F16, J1-LM, J1-PLM, P56, P6T, P72, A, B, A-B, BA, y
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Tooth
Hub Diameter :	1.520
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.9375
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	109 Teeth
Clutch:	Yes

Note:

Atlantic #	TC4005
Transmission :	MJBA
Engine:	3.5L
Year(s) :	2005-08
Code :	RCJ, RJ, RJA, (Some H2)
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.0
Input Spline :	22
Hub Style :	Stepped, Flanged, 39 Teeth
Hub Diameter :	1.652 / 1.810
Hub Height :	1.577
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	6.00
Mounting Style :	Mounting Ring W8 Holes (6mm)
Ring Gear :	131 Teeth (7/8”Wide)(.365”Thk)
	(13.0625”OD)
Clutch:	Yes (Carbon Clutch)

Note:

© Whatever It Takes Transmission Parts. Inc.

Acura

RL (Continued)

Atlantic #	TC4007
Transmission :	MJBA
Engine:	3.7L
Year(s) :	2009-10
Code :	RYE, YEA, 05
OEM Part Number :	
Overall Diameter :	11.375 / 10.1875
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, 39 Teeth
Hub Diameter :	1.613 / 1.810
Hub Height :	1.586
Pilot Diameter :	0.945
Pilot Length :	0.663
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	6.0625
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (13.125” Dia)
Clutch:	Yes

Note: Smooth Cover

RSX

Atlantic #	TC16001
Transmission :	MRMA
Engine:	2.0L
Year(s) :	2002-07
Code :	HI, HQ, NA, PNA, PNC, PP, PPF, PPV, PZA, R5LCYT, RBB, RZA, R40, R40-AO, R40-A04, R40-A13, R40-A15, R40-CYT, R41CYT, R403, RAA, RAC, RAJ, ROA, RBB, RBD, RJB, RZA, RZY, PN, 27, 06, 08, 80, 90, RA, DDOSAB
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Teeth
Hub Diameter :	1.574 / 1.734
Hub Height :	1.4375
Pilot Diameter :	0.945
Pilot Length :	0.875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.375
Mounting Style :	Mounting Ring W/8 Holes (M6 x 1.0)
Ring Gear :	119 Teeth (1” Wide)(.380”Thk)(12” Dia)
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Acura

TL

Atlantic #	TC7003
Transmission :	M1WA
Engine:	2.5L
Year(s) :	1995-98
Code :	H27C, PW7, Y, 5, PL1
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	5.1875
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Teeth
Hub Diameter :	
Hub Height :	1.625
Pilot Diameter :	0.945
Pilot Length :	1.16
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.6875
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	
Clutch:	Yes

Note: No Ring Gear

Atlantic #	TC7002
Transmission :	M5HA
Engine:	3.2L
Year(s) :	1996-98
Code :	215, 216, A, B, AB, F16, J1-LM, J1-PLM,
	P56, P6T, P72, A, B, A-B, BA, y
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Tooth
Hub Diameter :	1.520
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.9375
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	109 Teeth
Clutch:	Yes

Note:

Atlantic #	TC2001
Transmission :	B7VA, M7WA, B7WA, BDGA
Engine:	3.2L
Year(s) :	1999-08
Code :	8F, P8F, PG, PGC, PGE, PGK, PGL
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	22
Hub Style :	Stepped W/O-Ring, 38 Teeth
Hub Diameter :	1.537 / 1.739
Hub Height :	1.6875
Pilot Diameter :	0.945
Pilot Length :	0.8125
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.625
Mounting Style :	Mounting Ring W/8 Holes
Ring Gear :	121 Teeth
Clutch:	Yes

Note: 32 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Acura

TL (Continued)

Atlantic #	TC4001
Transmission :	BDGA
Engine:	3.2L
Year(s) :	2004-08
Code :	PVJ, RD, RDJ, RJE, RYP, 02, RD
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Stepped W/O-Ring, 39 Teeth
Hub Diameter :	1.652/1.810
Hub Height :	1.577
Pilot Diameter :	0.945
Pilot Length :	0.663
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (7/8"Wide)(.365"Thk)(13.125"OD)
Clutch:	Yes

Note:

	TC4002
Transmission :	BDGA
Engine:	3.2L
Year(s) :	2004-08
Code :	RGMY, RWC, 04, GLA, GMA, RGL, RGLY, R4, RDJ
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 39 Teeth
Hub Diameter :	1.652/1.810
Hub Height :	1.577
Pilot Diameter :	0.945
Pilot Length :	0.663
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	131 Teeth (7/8"Wide)(.365"Thk)(13 1/8"Dia)
Clutch:	Yes

Note:

Atlantic #	TC4006
Transmission :	BK3A, BK4A
Engine:	3.5L
Year(s) :	2009-11
Code :	GLL, GLLCYT, RGL, RGLY, RGE, RGW, R70CYT, 04, 10, R4 (Some), RN1-CYT
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.125
Input Spline :	22
Hub Style :	Stepped, Flanged, W/39 Teeth
Hub Diameter :	1.613 / 1.810
Hub Height :	1.552
Pilot Diameter :	0.945
Pilot Length :	0.700
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (Beveled On Pump Side) (7/8"Wide)(.365"Thk)(13.125"Dia)
Clutch:	Yes (Carbon Clutch)

Note:

© Whatever It Takes Transmission Parts. Inc.

Acura

TL (Continued)

Atlantic #	TC4007
Transmission :	BK4A
Engine:	3.7L
Year(s) :	2009-11
Code :	RYE, YEA, 05
OEM Part Number :	
Overall Diameter :	11.375 / 10.1875
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, 39 Teeth
Hub Diameter :	1.613 / 1.810
Hub Height :	1.586
Pilot Diameter :	0.945
Pilot Length :	0.663
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	6.0625
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (13.125” Dia)
Clutch:	Yes

Note: Smooth Cover

Atlantic #	TC29001
Transmission :	MMGA
Engine:	3.5L
Year(s) :	2012-14
Code :	YEE, 20
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	23
Hub Style :	Stepped, Flanged, W/O-Ring, 39 Teeth
Hub Diameter :	1.613 / 2.009
Hub Height :	1.586
Pilot Diameter :	0.945
Pilot Length :	0.860
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (M6 x 1.0)
Ring Gear :	131 Teeth (13.125”Dia)
Clutch:	Yes

Note:

Atlantic #	TC29002
Transmission :	MMHA
Engine:	3.7L
Year(s) :	2012-14
Code :	5B7AYT, 5J7AYT, RP7AYT, RVOAYT, 24
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	23
Hub Style :	Stepped W/O-Ring, 39 Teeth
Hub Diameter :	1.613 / 2.009
Hub Height :	1.561
Pilot Diameter :	0.945
Pilot Length :	0.717
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (13.0625”Dia)
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Acura

TSX

Atlantic #	TC16001
Transmission :	MCTA, MM7A
Engine:	2.4L
Year(s) :	2004-10
Code :	HI, HQ, NA, PNA, PNC, PP, PPF, PPV, PZA, R5LCYT, RBB, RZA, R40, R40-AO, R40-A04, R40-A13, R40-A15, R40-CYT, R41CYT, R403, RAA, RAC, RAJ, ROA, RBB, RBD, RJB, RZA, RZY, PN, 27, 06, 08, 80, 90, RA, DDOSAB
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Teeth
Hub Diameter :	1.574 / 1.734
Hub Height :	1.4375
Pilot Diameter :	0.945
Pilot Length :	0.875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.375
Mounting Style :	Mounting Ring W/8 Holes (M6 x 1.0)
Ring Gear :	119 Teeth (1" Wide)(.380"Thk)(12" Dia)
Clutch:	Yes

Note:

Vigor

Atlantic #	TC7003
Transmission :	MPWA
Engine:	2.5L
Year(s) :	1992-94
Code :	H27C, PW7, Y, 5, PL1
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	5.1875
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Teeth
Hub Diameter :	
Hub Height :	1.625
Pilot Diameter :	0.945
Pilot Length :	1.16
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.6875
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	
Clutch:	Yes

Note: No Ring Gear

© Whatever It Takes Transmission Parts. Inc.

When Reliability Matters, Put It In The Hands Of The Ones You Trust The Most!

PERFORMANCE PARTS

- Diesel and Gas
- Torque Converters
- Billet Hard Parts
- Rebuild Kits

800.940.0197
wittrans.com
sales@wittrans.com

If You Have A Vehicle That Works Hard Or Plays Hard, Then Your Transmission's Performance Is Vital To The Life Of Your Vehicle. Our Multi-Tier Platform Will Provide You With The Performance Minded Components To Exceed The Needs Your Vehicles Demands.

American Motors

A727 (36RH / 37RH)(TF-8) Non Lockup (4 Speed)(RWD)

Part #	TC2241
Model :	
Engine:	304, 360, 392, 400, 401
Year(s) :	1972-77
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.870
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	5.560
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	
Clutch:	No

Note: Thick Mounting Pads

Part #	TC2242LS
Model :	
Engine:	400, Iveco Diesel
Year(s) :	1977-Up, 1989
Code :	B438, D408 Metal Stamp
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16” x 24 Threads)
Ring Gear :	
Clutch:	No

Note:

Part #	TC2242HS
Model :	
Engine:	258, 360, 400, Mitsubishi 201 Turbo Diesel
Year(s) :	1977-91, 1988
Code :	B438, D408 Metal Stamp
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16” x 24 Threads)
Ring Gear :	
Clutch:	No

Note: Thin Mounting Pads

© Whatever It Takes Transmission Parts. Inc.

American Motors

A727 (36RH / 37RH) Lockup (4 Speed)(RWD)

Part #	TC2242LULS
Model :	
Engine:	V8 360, 400
Year(s) :	1978-91
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16” x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note: Thin Mounting Pads

Part #	TC2242LUHS
Model :	
Engine:	6 Cylinder 258, V8 360, 400
Year(s) :	1978-91
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16” x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note: Thin Mounting Pads

© Whatever It Takes Transmission Parts. Inc.

American Motors

A904/A998/A999 (30RH/31RH/32RH) Non Lockup (3 Speed)(RWD/4x4)

Part #	TC1231
Model :	Post Office, D50 Pickup, Colt
Engine:	2.0L, 2.5L, 2.6L
Year(s) :	1978-Up
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	2.200
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.30
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	No



Note:

Part #	TC1241LS
Model :	
Engine:	232, 258, 304
Year(s) :	1978-84
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	2.187
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	No

Note:

Part #	TC1241HS
Model :	
Engine:	2.5L, 171, 232, 258
Year(s) :	1972-84
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	2.187
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

American Motors

A904/A998/A999 (30RH/31RH/32RH) Lockup (3 Speed)(RWD/4x4)

Part #	TC1241LULS
Model :	
Engine:	232, 258, 304
Year(s) :	1978-Up
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Square Pads
Ring Gear :	
Clutch:	No

Note:

Part #	TC1241LUHS
Model :	
Engine:	2.5L, 171, 232, 258
Year(s) :	1978-Up
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low / High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Square Pads
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Audi

AWTF60SN (09G)(09M)(6 Speed)(FWD/AWD)

Atlantic #	TC26501
Model :	
Engine:	1.8L
Year(s) :	
Code :	Ink Code: 571E, 571G, 46A040, 46A060,
	Metal Stamp: QBAA, QEAA, QFAA, QHAA
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	4.8125
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.720
Hub Height :	1.4375
Pilot Diameter :	0.825
Pilot Length :	0.750
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	135 Tooth (11.25”Diameter)
Clutch:	Yes

Note:

Atlantic #	TC26501A
Model :	TT
Engine:	Some 1.8L
Year(s) :	2003-09
Code :	571D, 46A010, 072-08122, 09G-323-571D
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	4.8125
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.720
Hub Height :	1.4375
Pilot Diameter :	0.825
Pilot Length :	0.750
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	135 Tooth (11.25”Diameter)
Clutch:	Yes

Note:

Atlantic #	TC26501B
Model :	TT
Engine:	Some 1.8L
Year(s) :	2003-09
Code :	571A, 46A110, 079-00937, 09G-323-571A
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.720
Hub Height :	1.41
Pilot Diameter :	0.825
Pilot Length :	0.725
Lockup :	Yes
Stall Speed :	Extra Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	135 Tooth (11.25”Diameter)
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Audi

AWTF60SN (09G)(09M)(6 Speed)(FWD/AWD)(Continued)

Atlantic #	TC26501E
Model :	
Engine:	
Year(s) :	
Code :	46A090, QJHA, 571J
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.720
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	135 Tooth (11.25”Diameter)
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC26501M
Model :	
Engine:	
Year(s) :	
Code :	34A020, QHJA, Some 571M
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.720
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	135 Tooth (11.25” Diameter)
Clutch:	Yes



Note: 38 Spline Stator

Atlantic #	TC26508
Model :	Q3
Engine:	2.0L
Year(s) :	2017
Code :	571F, 34A040
OEM Part Number :	
Overall Diameter :	10.52
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.724
Hub Height :	1.401
Pilot Diameter :	0.825 (Solid)
Pilot Length :	0.725
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (11.315”Diameter)(M10 x 1.2)
Ring Gear :	135 Tooth
Clutch:	Yes (Clutch Type Unit)

Note: 38 Spline Stator / Ring Gear Welded To Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Audi

VW003 (3 Speed)(Transaxle)

Atlantic #	TC16501
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	24
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	4 Tabs
Ring Gear :	130 Tooth
Clutch:	None



Note: With Cooling Shroud

Atlantic #	TC16502
Model :	Vanagon
Engine:	
Year(s) :	1987
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	0.750
Pilot Diameter :	0.825
Pilot Length :	0.530
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	3 Tabs
Ring Gear :	130 Tooth
Clutch:	None

Note: With Cooling Shroud

Atlantic #	TC16503
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	3 Tabs
Ring Gear :	130 Tooth
Clutch:	None

Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Audi

VW010 / 087 / 089 / 090 (3 Speed)(Transaxle)

Atlantic #	TC6501
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	3 Tabs
Ring Gear :	
Clutch:	None

Note: Hub Has Dust Shield / With 1.75” Wide Cooling Shroud

Atlantic #	TC6502
Model :	
Engine:	
Year(s) :	
Code :	Y Stamped On Mounting Pad
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	3 Tabs
Ring Gear :	
Clutch:	None



Note: 1.125” Wide Cooling Shroud

Atlantic #	TC6510
Model :	
Engine:	
Year(s) :	
Code :	K Stamped on Mounting Pad
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	0.700
Pilot Diameter :	0.825
Pilot Length :	0.440
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	3 Tabs
Ring Gear :	
Clutch:	None

Note: 1.75” Wide Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Audi

VW010 / 087 / 089 / 090 (3 Speed)(Transaxle)(Continued)

Atlantic #	TC6510HS
Model :	
Engine:	
Year(s) :	
Code :	G or Q Stamped On Mounting Pad
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	5.00
Mounting Style :	3 Tabs
Ring Gear :	
Clutch:	None

Note: 1.75” Wide Cooling Shroud

Atlantic #	TC6511
Model :	
Engine:	
Year(s) :	
Code :	W Stamped On Mounting Pad
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.9375
Mounting Style :	4 Tabs
Ring Gear :	
Clutch:	None



Note: 1.75” Wide Cooling Shroud

Atlantic #	TC6511N
Model :	
Engine:	
Year(s) :	
Code :	N Stamped On Mounting Pad
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	0.620
Pilot Diameter :	0.825
Pilot Length :	0.490
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.9375
Mounting Style :	4 Tabs
Ring Gear :	
Clutch:	Yes



Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Audi

VW010 / 087 / 089 / 090 (3 Speed)(Transaxle)(Continued)

Atlantic #	TC6512
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Tabs
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

VW097 (01N) (4 Speed)(FWD)

Atlantic #	TC7540
Model :	
Engine:	
Year(s) :	1990-98
Code :	LADB, LCDB, Stamped B Between Dimples
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	36
Hub Style :	Drive Ears
Hub Diameter :	2.004
Hub Height :	
Pilot Diameter :	0.629 - 0.825
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.625
Mounting Style :	3 Studs W/Shoulders Atop Bases (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Type)

Note:

© Whatever It Takes Transmission Parts. Inc.

Audi

ZF4HP18 (4 Speed)(FWD/AWD)

Atlantic #	TC7901
Model :	100 Quattro, A6 Quattro
Engine:	2.8L
Year(s) :	1992-97
Code :	F11
OEM Part Number :	
Overall Diameter :	11
Overall Height :	4.844
Input Spline :	34
Hub Style :	Slotted, Stepped
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.0)
Ring Gear :	
Clutch:	None



Note: 43 Spline Stator / 22 Spline Overdrive

ZF4HP24A (4 Speed)(RWD)

Atlantic #	TC6930
Model :	A8 Quattro
Engine:	4.2L
Year(s) :	1994-99
Code :	K, N7
OEM Part Number :	
Overall Diameter :	11.625
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.575
Hub Height :	1.500
Pilot Diameter :	0.940 - 1.040
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.656
Mounting Style :	3 Pads With 2 Threaded Holes Each (M8 x 1.25) One Pad Has Line Up Hole
Ring Gear :	
Clutch:	Yes

Note: 2 Metal Timing Sensors

© Whatever It Takes Transmission Parts. Inc.

Audi

ZF5HP19FL (01V) (5 Speed)(FWD)

Atlantic #	TC17503
Model :	A4
Engine:	2.6L
Year(s) :	1995-04
Code :	A33, B31, K28, L45, M24, M28, Q45,
	156200, (Some 156201), (Some 156202)
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.772
Hub Height :	1.250
Pilot Diameter :	0.629
Pilot Length :	0.680
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC17502HS
Model :	A4, A8
Engine:	2.8L
Year(s) :	1994-04
Code :	B15, B19, B22, B27, B31, B35, F31, K36,
	N19, N22 (Some), N28, Q45,
	Green Paint Dot, (Some 156202), 156203
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	1.250
Pilot Diameter :	0.629
Pilot Length :	0.680
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Audi

ZF5HP19FLA (5 Speed)(AWD)

Atlantic #	TC17503
Model :	A4, Avant
Engine:	1.8L
Year(s) :	1998-06
Code :	A33, K28, L45, M24, M28, Q45, 156200, (Some 156201), (Some 156202)
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.772
Hub Height :	1.250
Pilot Diameter :	0.629
Pilot Length :	0.680
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC17530
Model :	A4, Cabriolet, Quattro
Engine:	1.8L
Year(s) :	2003-06
Code :	Ink Stamp Q61X
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	4.375
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	1.750
Pilot Diameter :	0.830
Pilot Length :	1.042
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC17502
Model :	A4, A6, A6 Quattro, A6 Allroad, Cabriolet, Quattro
Engine:	2.7L, 3.0L
Year(s) :	1997-05
Code :	A9, B25, B73, F35, P56, K73, T45, Y61, (Some 156207), 156208
OEM Part Number :	
Overall Diameter :	11
Overall Height :	4.375
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	1.000
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Ring W/3 Floating Nuts (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

© Whatever It Takes Transmission Parts. Inc.

Audi

ZF5HP19FLA (5 Speed)(AWD)

Atlantic #	TC7540
Model :	
Engine:	
Year(s) :	1990-98
Code :	LADB, LCDB, Stamped B Between Dimples
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	36
Hub Style :	Drive Ears
Hub Diameter :	2.004
Hub Height :	
Pilot Diameter :	0.629 - 0.825
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.625
Mounting Style :	3 Studs W/Shoulders Atop Bases (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Type)

Note:

ZF5HP24A (5 Speed)(RWD/AWD)

Atlantic #	TC18501
Model :	A6 Quattro, A6 Allroad, A8 Quattro
Engine:	4.2L
Year(s) :	1998-04
Code :	B11, G29, Q35, P35, 157100, 157101
	Green Paint Swatch
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Triangular Pads (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC18502
Model :	S6 Avant, RS6
Engine:	4.2L
Year(s) :	1999-05
Code :	182002, 10, 47, D73, N45, 51 By Pilot
OEM Part Number :	
Overall Diameter :	12
Overall Height :	5.6875
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.575
Hub Height :	2.3125
Pilot Diameter :	0.629
Pilot Length :	0.865
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.00
Mounting Style :	6 Threaded Holes (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Mounting Plate Welded To Front Cover / Medium Stall Rib Angle

© Whatever It Takes Transmission Parts. Inc.

Audi

ZF5HP24A (5 Speed)(RWD/AWD)(Continued)

Atlantic #	TC18502LS
Model :	
Engine:	
Year(s) :	
Code :	182003, F73, Black Paint Dot
OEM Part Number :	
Overall Diameter :	12
Overall Height :	5.6875
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.575
Hub Height :	2.3125
Pilot Diameter :	0.629
Pilot Length :	0.865
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	6 Threaded Holes (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Mounting Plate Welded To Front Cover / Low Stall Rib Angle

ZF6HP19 / ZF6HP19A (6 Speed)(RWD/AWD)

Atlantic #	TC20902
Model :	A6 Quattro
Engine:	3.0L
Year(s) :	2005-11
Code :	H77, 000063
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	5.75
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	Plate W/3 Threaded Holes (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 43 Spline Stator / Mounting Plate Welded To Front Cover

Atlantic #	TC20901
Model :	A6 Quattro
Engine:	4.2L
Year(s) :	2005-11
Code :	B21, B47, F94, G96, T84, Y102, 000014, 000044, 000236, 000243
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	1.250
Lockup :	Low
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	Plate W/3 Threaded Holes (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 43 Spline Stator / Mounting Plate Welded To Front Cover

© Whatever It Takes Transmission Parts. Inc.

Audi

ZF6HP19 / ZF6HP19A (6 Speed)(RWD/AWD)(Continued)

Atlantic #	TC20903
Model :	S4, Avant, Cabriolet, RS4
Engine:	4.2L
Year(s) :	2003-08
Code :	L72, P72, 000014
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.125
Pilot Diameter :	0.629
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	Plate W/3 Threaded Holes (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 43 Spline Stator / Mounting Plate Welded To Front Cover

ZF6HP26A (09E) (6 Speed)(RWD/AWD)

Atlantic #	TC20901
Model :	A5, A5 Cabriolet
Engine:	2.0L
Year(s) :	2016-17
Code :	B21, B47, F94, G96, T84, Y102, 000014,
	000044, 000236, 000243
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	1.250
Lockup :	Low
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	Plate W/3 Threaded Holes (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 43 Spline Stator / Mounting Plate Welded To Front Cover

Atlantic #	TC20903
Model :	A8 Quattro
Engine:	Some 4.2L
Year(s) :	2005-10
Code :	L72, P72, 000014
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.125
Pilot Diameter :	0.629
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	Plate W/3 Threaded Holes (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 43 Spline Stator / Mounting Plate Welded To Front Cover

© Whatever It Takes Transmission Parts. Inc.

Audi

ZF6HP26A (09E) (6 Speed)(RWD/AWD)(Continued)

Atlantic #	TC4931
Model :	A8 Quattro
Engine:	Some 4.2L
Year(s) :	2005-10
Code :	F93, J74, 206508
OEM Part Number :	
Overall Diameter :	11.0625
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	Plate W/3 Threaded Holes (3/8” x 24)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: 38 Spline Stator / Mounting Plate With 2” Extension Welded To Front Cover

Atlantic #	TC20904
Model :	
Engine:	
Year(s) :	
Code :	D96, 000063
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	1.125
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	Plate W/3 Threaded Holes (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 43 Spline Stator / Mounting Plate Riveted To Front Cover

ZF6HP28AF (6 Speed)(RWD/AWD)

Atlantic #	TC20905
Model :	A4, A5
Engine:	2.0L
Year(s) :	2009-10
Code :	L114, (Some 000236)
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.0625
Mounting Style :	Plate W/6 Non-Threaded Holes
Ring Gear :	
Clutch:	Yes (Multi-Disc Captive Clutch)



Note: 43 Spline Stator / Cake Stand Shaped Mounting Plate

© Whatever It Takes Transmission Parts. Inc.

Audi

ZF8HP45 / ZF8HP55AF (8 Speed)(RWD)

Atlantic #	TC30901
Model :	Q5
Engine:	2.0L
Year(s) :	2010-18
Code :	Metal Stamp A138
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	32
Hub Style :	No Drive
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.063
Mounting Style :	Mounting Plate (Cake Plate Shaped)
	(11.125”Diameter)(W/6 Non-Threaded Holes)
Ring Gear :	
Clutch:	Yes (Clutch Pack)



Note: Hub Contains 53 Internal Splines

© Whatever It Takes Transmission Parts. Inc.

BMW

BW55 (4 Speed)(RWD)

Atlantic #	TC5751
Model :	2500, 3500
Engine:	
Year(s) :	1973-76
Code :	6007, 6126
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	23
Hub Style :	Drive Ears
Hub Diameter :	1.648
Hub Height :	1.270
Pilot Diameter :	0.787
Pilot Length :	1.390
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Clutch

Note:

ZF3HP12/20 (3 Speed)(RWD)

Atlantic #	TC6901
Model :	
Engine:	
Year(s) :	1960-84
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	12
Hub Style :	
Hub Diameter :	Drive Ears
Hub Height :	
Pilot Diameter :	0.787
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.250
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

Atlantic #	TC6904
Model :	
Engine:	
Year(s) :	1960-84
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	14
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.787
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.8125
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	No

Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

BMW

ZF3HP22 (3 Speed)(RWD)

Atlantic #	TC6923
Model :	Peugeot
Engine:	
Year(s) :	1976-84
Code :	K7
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.824
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads
Ring Gear :	135 Tooth (With Cooling Shroud)
Clutch:	No

Note: With Cooling Shroud

Atlantic #	TC6960
Model :	Peugeot
Engine:	
Year(s) :	1976-84
Code :	B, N, NB, T
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.824
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads (With Cooling Fins)
Ring Gear :	135 Teeth
Clutch:	No

Note: With Cooling Fins

Atlantic #	TC6924
Model :	
Engine:	
Year(s) :	1976-84
Code :	
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.824
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads (With Cooling Fins)
Ring Gear :	
Clutch:	No

Note: Without Ring Gear, With Cooling Fins

© Whatever It Takes Transmission Parts. Inc.

BMW

ZF3HP22 (3 Speed)(RWD)(Continued)

Atlantic #	TCTC6905
Model :	633ci
Engine:	
Year(s) :	1979
Code :	A, AI, S
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.824
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	No

Note: Fichtel & Sachs, With Cooling Shroud

Atlantic #	TC6902
Model :	
Engine:	
Year(s) :	
Code :	C1, G, P
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.824
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads (.509”Thk Pads)(W/Cooling Fins)
Ring Gear :	
Clutch:	No

Note: With Cooling Fins

Atlantic #	TC6903
Model :	
Engine:	
Year(s) :	
Code :	I, J, L
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.824
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.5625
Mounting Style :	4 Pads (.650”Thk Pads)(W/Cooling Shroud)
Ring Gear :	
Clutch:	No

Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

BMW

Atlantic #	TC6906
Model :	
Engine:	
Year(s) :	
Code :	NI
OEM Part Number :	
Overall Diameter :	11
Overall Height :	5.300
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.531
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	No

Note: Fichtel & Sachs, With Cooling Shroud

Atlantic #	TC6906E
Model :	
Engine:	
Year(s) :	
Code :	E
OEM Part Number :	
Overall Diameter :	10
Overall Height :	5.300
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	8.25
Mounting Style :	4 Pads W/Studs
Ring Gear :	
Clutch:	No

Note: Fichtel & Sachs, With Cooling Shroud

Atlantic #	TC6906L
Model :	
Engine:	
Year(s) :	
Code :	IV, X
OEM Part Number :	
Overall Diameter :	11
Overall Height :	5.720
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.500
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	No

Note: Fichtel & Sachs, With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

BMW

ZF3HP22 (3 Speed)(RWD)(Continued)

Atlantic #	TC6906S
Model :	
Engine:	
Year(s) :	
Code :	P
OEM Part Number :	
Overall Diameter :	10
Overall Height :	5.300
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	No

Note: Fichtel & Sachs, With Cooling Shroud

Atlantic #	TC6908
Model :	
Engine:	
Year(s) :	
Code :	Verto
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.824
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Lugs, With Cooling Shroud
Ring Gear :	
Clutch:	No

Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

BMW

ZF4HP14 / 18 (4 Speed)(FWD/AWD)

Atlantic #	TC7921
Model :	Peugeot
Engine:	
Year(s) :	1989
Code :	K8
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	29
Hub Style :	Slotted
Hub Diameter :	1.574 / 1.495
Hub Height :	
Pilot Diameter :	0.475
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (8mm)
Ring Gear :	
Clutch:	No



Note: 25 Spline Overdrive

Atlantic #	TC7942
Model :	Alpha Romeo
Engine:	
Year(s) :	1987-Up
Code :	M6
OEM Part Number :	
Overall Diameter :	11
Overall Height :	5.125
Input Spline :	34
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	1.750
Pilot Diameter :	0.629
Pilot Length :	2.1875
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	None

Note: 22 Spline Overdrive / 43 Spline Stator

ZF4HP22 / 24 (4 Speed)(RWD)

Atlantic #	TC6909
Model :	635 Series
Engine:	
Year(s) :	1984-Up
Code :	L1, N2, R1, R2, R3, S1, U1, W2
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	4.500
Mounting Style :	Mounting Ring W/3 Tapped Holes (10mm x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

ZF4HP22 / 24 (4 Speed)(RWD)(Continued)

Atlantic #	TC6910
Model :	318i, 325i
Engine:	
Year(s) :	
Code :	U2, V2, V4
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.500
Hub Height :	1.825
Pilot Diameter :	1.257
Pilot Length :	1.8125
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	4.500
Mounting Style :	3 Pads (10mm x 1.5)
Ring Gear :	
Clutch:	Yes

Note: Fichtel & Sachs

Atlantic #	TC6910HS
Model :	
Engine:	
Year(s) :	
Code :	U4
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.500
Hub Height :	1.825
Pilot Diameter :	1.257
Pilot Length :	1.8125
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.500
Mounting Style :	3 Pads (10mm x 1.5)
Ring Gear :	
Clutch:	Yes

Note: Fichtel & Sachs

Atlantic #	TC6911
Model :	
Engine:	
Year(s) :	
Code :	A3
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.500
Mounting Style :	Mounting Plate W/4 Studs
Ring Gear :	
Clutch:	Yes



Note:

© Whatever It Takes Transmission Parts. Inc.

BMW

Atlantic #	TC6911A
Model :	325E, 533
Engine:	
Year(s) :	1984-Up
Code :	A3
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.500
Mounting Style :	4 Mounting Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6918
Model :	530i
Engine:	
Year(s) :	1984-Up
Code :	A11
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.1875
Mounting Style :	3 Mounting lugs Held By A Plate
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6912
Model :	325i, 535SI, 850, 735i,
Engine:	3.4L, 3.5L
Year(s) :	1984-91
Code :	C7, R2, R7, T8, W2, P2, 087, 100, G7
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	1.257
Pilot Length :	1.770
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.500
Mounting Style :	3 Mounting Pads (10mm x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

BMW

ZF4HP22 / 24 (4 Speed)(RWD)(Continued)

Atlantic #	TC6913
Model :	535i
Engine:	
Year(s) :	1984-Up
Code :	AG, H3, K17, T7, Z1, Z6
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	1.325
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.6875
Mounting Style :	3 Mounting Pads (10mm x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6914
Model :	745i
Engine:	
Year(s) :	1985-91
Code :	A9, P1
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	1.257
Pilot Length :	1.710
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.500
Mounting Style :	3 Mounting Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6916
Model :	750iL, 735, 850I
Engine:	
Year(s) :	1985-91
Code :	07, E11
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.500 / 1.574
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	5.25
Mounting Style :	3 Mounting Pads (10mm x 1.5)
Ring Gear :	
Clutch:	Yes

Note: 3 Piece Body

© Whatever It Takes Transmission Parts. Inc.

BMW

Atlantic #	TC6912A
Model :	M3
Engine:	
Year(s) :	1997-98
Code :	B26, 149003
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Mounting Pads
Ring Gear :	
Clutch:	Yes



Note:

Atlantic #	TC6920
Model :	Peugeot 504, 505 & Diesel
Engine:	
Year(s) :	1986-88
Code :	H5, M4
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.500
Hub Height :	1.730
Pilot Diameter :	1.100
Pilot Length :	1.36
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Mounting Pads
Ring Gear :	
Clutch:	Yes



Note:

Atlantic #	TC6922
Model :	Peugeot 505
Engine:	
Year(s) :	1987
Code :	P4
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.500
Hub Height :	1.720
Pilot Diameter :	0.825
Pilot Length :	1.580
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Mounting Pads
Ring Gear :	135 Teeth
Clutch:	Yes



Note:

© Whatever It Takes Transmission Parts. Inc.

BMW

ZF4HP22 / 24 (4 Speed)(RWD)(Continued)

Atlantic #	TC6921
Model :	Peugeot 504, 506 STI
Engine:	
Year(s) :	1987
Code :	R4
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.565
Pilot Length :	1.375
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.125
Mounting Style :	4 Mounting Pads
Ring Gear :	
Clutch:	Yes

Note:

ZF5HP18 (5 Speed)(RWD)

Atlantic #	TC6918
Model :	530i
Engine:	3.0L
Year(s) :	1994-95
Code :	A11
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.1875
Mounting Style :	3 Mounting lugs Held By A Plate
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC17901
Model :	530I
Engine:	3.0L
Year(s) :	1992-95
Code :	E18, Green Paint Swatch
OEM Part Number :	
Overall Diameter :	11
Overall Height :	5.5
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	1.257
Pilot Length :	1.505
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.21875
Mounting Style :	4 Mounting Pads With Floating Nuts (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

BMW

ZF5HP18 (5 Speed)(RWD)(Continued)

Atlantic #	TC17902
Model :	M3
Engine:	3.0L
Year(s) :	1993-99
Code :	021
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.574
Hub Height :	
Pilot Diameter :	1.257 (Solid)
Pilot Length :	1.840
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Mounting Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

ZF5HP19 (5 Speed)(RWD)

Atlantic #	TC17520
Model :	3 Series
Engine:	2.5L
Year(s) :	1998-03
Code :	A2, A11, 26, 38, 47, B61, D51, N33, S28,
	S38, U38, 156203, 156208
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	4.5625
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.772
Hub Height :	1.755
Pilot Diameter :	1.257
Pilot Length :	1.465
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.531
Mounting Style :	3 Mounting Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note: Sachs

Atlantic #	TC17520A
Model :	3 Series, 325i, 325ci, 5 Series
Engine:	2.5L
Year(s) :	1997-04
Code :	C51, J28, N33, 56, S38, 156208, 156209
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	4.6875
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	1.750
Pilot Diameter :	1.257
Pilot Length :	1.625
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.531
Mounting Style :	3 Mounting Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note: Sachs

© Whatever It Takes Transmission Parts. Inc.

BMW

Atlantic #	TC17521
Model :	323i, 330i, 535i
Engine:	2.8L, 3.0L
Year(s) :	2001-06
Code :	33, 64, A25, B61, U38, 156203, 156208
OEM Part Number :	
Overall Diameter :	11
Overall Height :	4.5625
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.772
Hub Height :	1.755
Pilot Diameter :	1.257
Pilot Length :	1.465
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Mounting Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

ZF5HP24 / 24A (5 Speed)(RWD / AWD)

Atlantic #	TC18521
Model :	540i, 740i, 840ci
Engine:	4.4L
Year(s) :	1996-03
Code :	A85, D21, F38, L31, L35, N35, S32, Blue Circle, Green Dot, 157100, 157102, 157104, 31, 39, 40, 41, 51, 53, 63, 69
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.575
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	1.140
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.2187
Mounting Style :	4 Mounting Pads (Captive Nuts M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: 38 Spline Stator

Atlantic #	TC18522
Model :	X5
Engine:	4.6L
Year(s) :	2000-03
Code :	L51, 182002
OEM Part Number :	
Overall Diameter :	12
Overall Height :	5.75
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.575
Hub Height :	2.3125
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.2187
Mounting Style :	Mounting Plate Welded To Front Cover With 4 Raised Threaded Holes (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

BMW

ZF5HP30 (5 Speed)(RWD)

Atlantic #	TC17901
Model :	540i
Engine:	4.0L
Year(s) :	1994-95
Code :	E18, Green Paint Swatch
OEM Part Number :	
Overall Diameter :	11
Overall Height :	5.50
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	1.257
Pilot Length :	1.505
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.2187
Mounting Style :	4 Pads With Floating Nuts (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC15901
Model :	750iL
Engine:	V12 5.4L
Year(s) :	1995-01
Code :	73, B13, F21, R13, T26, U23, 144000, 144100
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	2.125
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	5.1875
Mounting Style :	Mounting Ring W/4 Tapped Holes (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note: 8 Holes On Mounting Ring W/4 Of The Holes Tapped

ZF6HP19 / 19X (6 Speed)(RWD / AWD)

Atlantic #	TC20922
Model :	135i, X5 3.0i, 528i, 528xi
Engine:	3.0L
Year(s) :	2006-09
Code :	62, 090, 06B, D90, Q60, Q90, V99, P116, 03677
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.772
Hub Height :	1.50
Pilot Diameter :	1.257
Pilot Length :	1.375
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Plate W/6 Threaded Nuts (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: 43 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

BMW

ZF6HP19 / 19X (6 Speed)(RWD / AWD)

Atlantic #	TC20923
Model :	525i, 525xi, 530i, 530xi
Engine:	2.5L, 3.0L
Year(s) :	2004-07
Code :	A13, A15, A24, K81, F72, G72, V81, Y81, 40, 209302, 309303
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	5.8125
Input Spline :	27
Hub Style :	Slotted, Slotted
Hub Diameter :	1.772
Hub Height :	2.125
Pilot Diameter :	1.257
Pilot Length :	1.625
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.5625
Mounting Style :	Mounting Plate W/3 Tapped Holes (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note:

Atlantic #	TC20925
Model :	335i, 335xi, 535i, 535xi, X1 xDrive 35i, X6 xDrive 35i
Engine:	3.0L
Year(s) :	2006-15
Code :	000044, 000236, A11, B1, B3, 57, G99, J99, A110, A111, B111, 08, 71
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	6.649
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.100
Pilot Diameter :	1.257
Pilot Length :	1.375
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Plate (10.125"OD) W6 Holes (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Captive Clutch W/Multiple Modulating Clutch Plates)

Note: 43 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

BMW

ZF6HP21 (6 Speed)(RWD / AWD)

Atlantic #	TC20925
Model :	335i, 335xi
Engine:	3.0L
Year(s) :	2006-12
Code :	000044, 000236, A11, B1, B3, 57, G99,
	J99, A110, A111, B111, 08, 71
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	6.649
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.100
Pilot Diameter :	1.257
Pilot Length :	1.375
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Plate (10.125”OD) W6 Holes
	(M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Captive Clutch W/Multiple Modulating
	Clutch Plates)

Note: 43 Spline Stator

ZF6HP26 / ZF6HP28 (6 Speed)(RWD / 4x4)

Atlantic #	TC20923
Model :	335i, 335xi, 530
Engine:	3.0L
Year(s) :	2006-13
Code :	A13, A15, A24, K81, F72, G72, V81, Y81,
	40, 209302, 309303
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	5.8125
Input Spline :	27
Hub Style :	Slotted, Slotted
Hub Diameter :	1.772
Hub Height :	2.125
Pilot Diameter :	1.257
Pilot Length :	1.625
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.5625
Mounting Style :	Mounting Plate W/3 Tapped Holes (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note:

© Whatever It Takes Transmission Parts. Inc.

BMW

ZF6HP26 / ZF6HP28 (6 Speed)(RWD / 4x4)(Continued)

Atlantic #	TC4953
Model :	650i
Engine:	4.8L
Year(s) :	2006-11
Code :	A104, 000193
OEM Part Number :	
Overall Diameter :	11.3125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.219
Mounting Style :	Mounting Plate
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note:

Atlantic #	TC4954
Model :	
Engine:	
Year(s) :	
Code :	03, 10, S121, 000212
OEM Part Number :	
Overall Diameter :	10.9375
Overall Height :	5.841
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.094
Pilot Diameter :	1.257
Pilot Length :	1.11
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.25
Mounting Style :	Mounting Plate Welded To Front Cover W/6 Holes
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note:

Atlantic #	TC4955
Model :	750i, 750iL, xDrive
Engine:	4.4L
Year(s) :	2009-12
Code :	J116, 000212
OEM Part Number :	
Overall Diameter :	10.9375
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.100
Pilot Diameter :	1.257
Pilot Length :	1.112
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.281
Mounting Style :	Mounting Plate W/6 Non-Threaded Angled Extended Tabs (11.375”OD)
Ring Gear :	
Clutch:	Yes (Captive Clutch)



Note: Captive Rivets Are Visible From Front Cover

© Whatever It Takes Transmission Parts. Inc.

BMW

Atlantic #	TC20921
Model :	545i, 645ci, X5 4.4i
Engine:	4.4L
Year(s) :	2004-06
Code :	20, 40, 45, 74, 88, 99, B26, L62, L65, Z74,
	Metal Stamp B73, 206, 507
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	5.8125
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.770
Hub Height :	2.125
Pilot Diameter :	1.257
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Very High
Mounting Bolt Radius :	5.2187
Mounting Style :	Mounting Plate W/4 Pads (M10 x1.5)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC20924
Model :	550i, 750i, 750Li
Engine:	4.8L
Year(s) :	2006-09
Code :	50, 82, 87, A19, B33, 06, 09, A24, A25,
	B94, G85, J85, N85, 000010, 000193
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	5.776
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.072
Pilot Diameter :	1.257
Pilot Length :	1.257
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.1875
Mounting Style :	Mounting Plate W/4 Threaded Holes
	(11.3125"OD)(M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note: Mounting Plate Riveted Or Welded To Front Cover
May or May Not Have Notches On Mounting Plate

Atlantic #	TC4951
Model :	X5 4.8i
Engine:	4.8L
Year(s) :	2004-08
Code :	5, 22, 33, 64, Green & Black Paint Swatch,
	Metal Stamp A84, B75, D82, N65, 206700
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	5.75
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.125
Pilot Diameter :	1.257
Pilot Length :	1.198
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.219
Mounting Style :	Mounting Plate Welded To Front Cover
	W/4 Threaded Holes (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

BMW

ZF8HP45 / ZF8HP45X (8 Speed)(RWD)

Atlantic #	TC31901
Model :	335i, 335xi, 535i, X3 xDrive 35i, X5 xDrive 35i
Engine:	3.0L
Year(s) :	2011-17
Code :	U137, 000464, 000334
OEM Part Number :	
Overall Diameter :	10
Overall Height :	5.50
Input Spline :	32
Hub Style :	No Drive (With Inner Splines)
Hub Diameter :	2.088
Hub Height :	1.50
Pilot Diameter :	1.257
Pilot Length :	1.1875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Plate (10.1875"OD) Riveted To Front Cover (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC31902
Model :	528i, 535i
Engine:	1.6L, 2.0L, 2.5L, 3.0L
Year(s) :	2010-17
Code :	G138, 464, 000337
OEM Part Number :	
Overall Diameter :	10
Overall Height :	5.445
Input Spline :	32
Hub Style :	No Drive (With 53 Inner Splines)
Hub Diameter :	2.088
Hub Height :	1.550
Pilot Diameter :	1.257
Pilot Length :	0.862
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Plate (10.125"OD) Riveted To Front Cover 6 Mounting Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Clutch Pack)



Note:

© Whatever It Takes Transmission Parts. Inc.

BMW

ZF8HP70 / 70X (8 Speed)(RWD / AWD)

Atlantic #	TC32903
Model :	550i, 550i GT, X6
Engine:	4.4L
Year(s) :	2010-16
Code :	138, 000323, 466, X
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	
Input Spline :	32
Hub Style :	No Drive (W53 Inner Splines)
Hub Diameter :	2.088
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.281
Mounting Style :	Mounting Plate (11.375”OD) Riveted To Front Cover
Ring Gear :	
Clutch:	Yes (Clutch Pack)



Note:

Atlantic #	TC32902
Model :	
Engine:	
Year(s) :	
Code :	H175, 000417, LD07
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	32
Hub Style :	No Drive (W/53 Inner Splines)
Hub Diameter :	2.088
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.750
Mounting Style :	Mounting Plate (10.3125”OD) Riveted To Front Cover
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC32906
Model :	
Engine:	
Year(s) :	
Code :	A168, 000324, PB40
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	32
Hub Style :	No Drive (W/53 Inner Splines)
Hub Diameter :	2.088
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.75
Mounting Style :	Mounting Plate (10.3125”OD) Riveted To Front Cover
Ring Gear :	
Clutch:	Yes (Clutch Pack)



Note:

© Whatever It Takes Transmission Parts. Inc.

BMW

4L30 (4 Speed)(RWD)

Atlantic #	TC2410
Model :	318i, 325i, 525i
Engine:	1.8L, 2.5L
Year(s) :	1991-99
Code :	SE9S, SEHS, SJHS, SJLS, 8678197, 24200322, 24200344, 24200644, 24211288, 24211289, 96041177
OEM Part Number :	24200324
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.00
Pilot Diameter :	0.825” w/1.257” Adapter Pressed On
Pilot Length :	1.154
Lockup :	Yes
Stall Speed :	1860
Mounting Bolt Radius :	4.6875
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC2410HS
Model :	318i, Z Roadster
Engine:	1.9L
Year(s) :	1991-99
Code :	SZHB, SZHS, 24200322
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.000
Pilot Diameter :	1.257
Pilot Length :	0.825 W/1.257” Adapter Pressed On
Lockup :	Yes
Stall Speed :	2760
Mounting Bolt Radius :	4.6875
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC2410LS
Model :	328i, 528i
Engine:	2.8L
Year(s) :	1996-99
Code :	SGHS, 24200343, 24210707
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.000
Pilot Diameter :	1.257
Pilot Length :	0.825 W/1.257” Adapter Pressed On
Lockup :	Yes
Stall Speed :	1525
Mounting Bolt Radius :	4.6875
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

BMW

4L30 (4 Speed)(RWD)(Continued)

Atlantic #	TC14422
Model :	323i
Engine:	2.5L
Year(s) :	1997-99
Code :	24212840, 24214840, 24219491
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.000
Pilot Diameter :	1.257
Pilot Length :	1.185
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Carbon Woven)

Note:

5L40 (5 Speed)(RWD/AWD)

Atlantic #	TC14421
Model :	323, 325i, 325ci, 325xi, 330Xi, X5
Engine:	2.5L, 3.0L
Year(s) :	2000-07
Code :	24215581, 24210280
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	5.6875
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Carbon Woven)

Note: 4 Rows Of Ribs

Atlantic #	TC14422
Model :	325i, 330i, 330Ci, X3
Engine:	2.5L
Year(s) :	2001-07
Code :	24212840, 24214840, 24219491
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.000
Pilot Diameter :	1.257
Pilot Length :	1.185
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Carbon Woven)

Note:

© Whatever It Takes Transmission Parts. Inc.

BMW

5L40 (5 Speed)(RWD/AWD)

Atlantic #	TC14423
Model :	325i, 328i, 330i, 330Ci
Engine:	2.5L, 2.8L, 3.0L
Year(s) :	1999-04
Code :	24212839
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.000
Pilot Diameter :	1.257
Pilot Length :	1.185
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	Yes (Carbon Woven)

Note:

Atlantic #	TC14420
Model :	528i
Engine:	2.8L
Year(s) :	2000
Code :	5W
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.000
Pilot Diameter :	1.257
Pilot Length :	1.150
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.500
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

BMW

6L45 (6 Speed)(RWD/4x4)

Atlantic #	TC20922A
Model :	328i, 328xi, X3 3.0i, Z4
Engine:	3.0L
Year(s) :	2006-16
Code :	04A, 04B, 06A, 06B, 07A. 07B, 08B,
	24228492, 24231685, 24234219, 24239880,
	24239881, 24243962, 24243963, 24248683
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	6.929
Input Spline :	27
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	1.828/1.838
Hub Height :	2.288
Pilot Diameter :	1.257
Pilot Length :	1.375
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Plate W/6 Threaded Nuts (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Cative Clutch W/Rivets)

Note: 27 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Honda

Accord

Atlantic #	TC6003
Transmission :	AK, AS
Engine:	1.8L
Year(s) :	1983-87
Code :	NO, ON, P4
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	4.525
Input Spline :	19
Hub Style :	Stepped W/O-Ring, W/36 Teeth
Hub Diameter :	
Hub Height :	1.500
Pilot Diameter :	0.945
Pilot Length :	0.890
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	Mounting Ring W/8 Holes
Ring Gear :	103 Teeth
Clutch:	Yes

Note: With Coast Release Valves, 29 Spline Stator

Atlantic #	TC6007
Transmission :	F4
Engine:	2.0L
Year(s) :	1987
Code :	4F, 45H, F4, FM4, P4, PH45, B, M
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	4.525
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, W/38 Teeth
Hub Diameter :	
Hub Height :	1.500
Pilot Diameter :	0.945
Pilot Length :	0.890
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.910
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	103 Teeth
Clutch:	Yes

Note: Without Coast Release Valves, 32 Spline Stator

Atlantic #	TC8001
Transmission :	PX4B
Engine:	2.2L
Year(s) :	1990
Code :	4BO. 4B6, 4BC, 7
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	4.680
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, W/38 Teeth
Hub Diameter :	
Hub Height :	1.500
Pilot Diameter :	0.945
Pilot Length :	0.900
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.125
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	114 Teeth (.355”Thk)(3/4”Wide)
Clutch:	Yes

Note: Primary Not Reduced, Without Coast Release Valves

© Whatever It Takes Transmission Parts. Inc.

Honda

Accord (Continued)

Atlantic #	TC8002
Transmission :	APX4, AOYA, BOYA, MPOA, BAXA, MAXA
Engine:	2.2L, 2.3L
Year(s) :	1991-02
Code :	5M, 8b, 8B, EA, GA, P5M, PAA, PCA, PEA
	b, CA, Y, BAXA, MAXA
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	5.048
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Splines
Hub Diameter :	1.520 / 1.732
Hub Height :	1.744
Pilot Diameter :	0.945
Pilot Length :	0.816
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.125
Mounting Style :	8 Hole Mounting Ring (6mm x 1.0)
Ring Gear :	114 Teeth (0.275”Thick)
Clutch:	Yes

Note: Without Coast Release Valves, Slightly Released Primary

Atlantic #	TC8003
Transmission :	AOYA, BOYA, MPOA
Engine:	2.2L
Year(s) :	1994-97
Code :	AAO, AYA, b
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	22
Hub Style :	Splined, Stepped W/O-Ring, 38 Splines
Hub Diameter :	1.520
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.9375
Mounting Style :	8 Hole Mounting Ring (6mm x 1.0)
Ring Gear :	114 Teeth
Clutch:	Yes

Note: 32 Spline Stator

Atlantic #	TC2002
Transmission :	MPZA, B7XA, BAYA, MAYA
Engine:	2.7L, 3.0L
Year(s) :	1995-05
Code :	CAA, PO, POG, PFW, P8A, P8C, 8A, 8C
	LJ, U, 5
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Spline
Hub Diameter :	1.520
Hub Height :	1.681
Pilot Diameter :	0.945
Pilot Length :	0.670
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.4375
Mounting Style :	Mounting Ring, 8 Holes (6mm Threads)
Ring Gear :	121 Teeth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Honda

Accord (Continued)

Atlantic #	TC16001
Transmission :	BCLA, MCLA, B90A, M91A
Engine:	2.4L
Year(s) :	2003-13
Code :	HI, HQ, NA, PNA, PNC, PP, PPF, PPV, PZA,
	R5LCYT, RBB, RZA, R40, R40-AO,
	R40-A04, R40-A13, R40-A15, R40-CYT,
	R41CYT, R403, RAA, RAC, RAJ, ROA,
	RBB, RBD, RJB, RZA, RZY, PN, 27,
	06, 08, 80, 90, RA, DDOSAB
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Teeth
Hub Diameter :	1.574 / 1.734
Hub Height :	1.4375
Pilot Diameter :	0.945
Pilot Length :	0.875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.375
Mounting Style :	Mounting Ring W/8 Holes (M6 x 1.0)
Ring Gear :	119 Teeth (1” Wide)(.380”Thk)(12” Dia)
Clutch:	Yes

Note:

Atlantic #	TC2001
Transmission :	BAYA, MAYA
Engine:	3.0L
Year(s) :	2003-08
Code :	8F, P8, P8E, P8F, PG, PGC, PGE, PGK,
	PGL, RGL, RGM
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, 38 Splines, W/O-Ring
Hub Diameter :	1.537 @ O-Ring
Hub Height :	1.6875
Pilot Diameter :	0.945
Pilot Length :	0.8125
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.625
Mounting Style :	8 Tapped Hole Ring (M6 x 1.0)
Ring Gear :	121 Teeth
Clutch:	Yes

Note: 32 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Honda

Atlantic #	TC4005
Transmission :	MURA
Engine:	3.0L
Year(s) :	2005-07
Code :	RCJ, RJ, RJA, (Some H2)
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.0
Input Spline :	22
Hub Style :	Stepped, Flanged, 39 Teeth
Hub Diameter :	1.652 / 1.810
Hub Height :	1.577
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	6.00
Mounting Style :	Mounting Ring W8 Holes (6mm)
Ring Gear :	131 Teeth (7/8”Wide)(.365”Thk)
	(13.0625”OD)
Clutch:	Yes (Carbon Clutch)

Note:

Atlantic #	TC4005A
Transmission :	MURA
Engine:	3.0L
Year(s) :	2005-07
Code :	RCJ (Some), H2, RJ (Some)
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.00
Input Spline :	22
Hub Style :	Stepped, Flanged, W/39 Teeth
Hub Diameter :	1.652 / 1.810
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	6.00
Mounting Style :	Mounting Ring W/8 Holes
Ring Gear :	131 Teeth (7/8” Wide)(13.0625”Dia)
Clutch:	Yes

Note:

Atlantic #	TC4006
Transmission :	B97A
Engine:	3.5L
Year(s) :	2008-13
Code :	GLL, GLLCYT, RGL, RGLY, RGE, RGW,
	R70CYT, 04, 10, R4 (Some), RN1-CYT
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.125
Input Spline :	22
Hub Style :	Stepped, Flanged, W/39 Teeth
Hub Diameter :	1.613 / 1.810
Hub Height :	1.552
Pilot Diameter :	0.945
Pilot Length :	0.700
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (Beveled On Pump Side)
	(7/8”Wide)(.365”Thk)(13.125”Dia)
Clutch:	Yes (Carbon Clutch)

Note:

© Whatever It Takes Transmission Parts. Inc.

Honda

Accord (Continued)

Atlantic #	TC29002
Transmission :	BB7A
Engine:	3.5L
Year(s) :	2013-15
Code :	5B7AYT, 5J7AYT, RP7AYT, RVOAYT, 24
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	23
Hub Style :	Stepped W/O-Ring, 39 Teeth
Hub Diameter :	1.613 / 2.009
Hub Height :	1.561
Pilot Diameter :	0.945
Pilot Length :	0.717
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (13.0625”Dia)
Clutch:	Yes

Note:

Atlantic #	TC27002
Transmission :	BC5A
Engine:	2.4L
Year(s) :	2012-16
Code :	5C4-005, 5C4CYT, Some 27
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	46 Teeth
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.500
Mounting Style :	Mounting Ring W/8 Holes (M6 x 1.0)
Ring Gear :	113 Teeth
Clutch:	Yes

Note:

Civic

Atlantic #	TC6008
Transmission :	AW
Engine:	1.5L
Year(s) :	1983-85
Code :	13, 15
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	19
Hub Style :	Stepped, W/O-Ring, W/36 Teeth
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.9375
Mounting Style :	Mounting Ring W/8 Holes
Ring Gear :	103 Teeth
Clutch:	Yes

Note: With Coast Release Valves, 29 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Honda

Civic (Continued)

Atlantic #	TC6005
Transmission :	CA
Engine:	1.5L
Year(s) :	1986-87
Code :	HAM, HK3, H13, H16, A, E
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	4.565
Input Spline :	19
Hub Style :	Stepped, 36 Spline, W/O-Ring
Hub Diameter :	
Hub Height :	1.500
Pilot Diameter :	0.945
Pilot Length :	0.890
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.9375
Mounting Style :	Ring With 8 Holes, W/2 Line Up Holes
Ring Gear :	103 Teeth
Clutch:	

Note: Without Coast Release Valves

Atlantic #	TC6006
Transmission :	L4, ML4A, S5, MPSA
Engine:	1.6L
Year(s) :	1988-91
Code :	L15, L16, S15, S16, A, A8, B
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	4.525
Input Spline :	19
Hub Style :	Stepped, 38 Spline, W/O-Ring
Hub Diameter :	
Hub Height :	1.500
Pilot Diameter :	0.945
Pilot Length :	0.890
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.91
Mounting Style :	Ring With 8 Holes (M6 x 1.0)
Ring Gear :	107 Teeth
Clutch:	Yes

Note: Without Coast Release Valves

Atlantic #	TC7002
Transmission :	M24A, S24A, A4RA, B4RA, B46A, M4RA, BMXA, SLXA
Engine:	1.6L, 1.7L
Year(s) :	1992-05
Code :	215, 216, A, B, AB, F16, J1-LM, J1-PLM, P56, P6T, P72, A, B, A-B, BA, y
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Tooth
Hub Diameter :	1.520
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.9375
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	109 Teeth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Honda

Civic (Continued)

Atlantic #	TC18001
Transmission :	MPCA, SPCA, BRZA, MZ2A
Engine:	1.8L
Year(s) :	2006-13
Code :	RNA, RN
OEM Part Number :	
Overall Diameter :	9.625
Overall Height :	3.750
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, W/38 Teeth
Hub Diameter :	1.573 / 1.732
Hub Height :	1.4375
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.250
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	113 Teeth (15/16"Wide)(0.365"Thk)
Clutch:	Yes

Note:

Atlantic #	TC27001
Transmission :	M3WC, JDJC (CVT)
Engine:	1.8L, 2.0L
Year(s) :	2014-19
Code :	R3W-00, R3W-004, R3, R3WCYT, 3
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	19
Hub Style :	Stepped W/45 Teeth
Hub Diameter :	1.818 / 1.969
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.250
Mounting Style :	Mounting Ring W/8 Holes (M6 x 1.0)
Ring Gear :	113 Teeth (11.4375"OD)
Clutch:	Yes



Note:

CR-V

Atlantic #	TC7002
Transmission :	M4TA, MDLA
Engine:	2.0L
Year(s) :	1997-01
Code :	215, 216, A, B, AB, F16, J1-LM, J1-PLM, P56, P6T, P72, A, B, A-B, BA, y
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Tooth
Hub Diameter :	1.520
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.9375
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	109 Teeth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Honda

Atlantic #	TC16001
Transmission :	MCVA, GPPA-3, GPPA-4, GPLA, MKYA, MKZA, BZHA, MZHABZJA, MZJA, B5RA, SA, M5LAHQ, R40
Engine:	2.4L
Year(s) :	2002-14
Code :	HI, HQ, NA, PNA, PNC, PP, PPF, PPV, PZA, R5LCYT, RBB, RZA, R40, R40-AO, R40-A04, R40-A13, R40-A15, R40-CYT, R41CYT, R403, RAA, RAC, RAJ, ROA, RBB, RBD, RJB, RZA, RZY, PN, 27, 06, 08, 80, 90, RA, DDOSAB
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Teeth
Hub Diameter :	1.574 / 1.734
Hub Height :	1.4375
Pilot Diameter :	0.945
Pilot Length :	0.875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.375
Mounting Style :	Mounting Ring W/8 Holes (M6 x 1.0)
Ring Gear :	119 Teeth (1" Wide)(.380"Thk)(12" Dia)
Clutch:	Yes

Note:

Crosstour

Atlantic #	TC4006
Transmission :	BBSA, BBTA
Engine:	3.5L
Year(s) :	2010-12
Code :	GLL, GLLCYT, RGL, RGLY, RGE, RGW, R70CYT, 04, 10, R4 (Some), RN1-CYT
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.125
Input Spline :	22
Hub Style :	Stepped, Flanged, W/39 Teeth
Hub Diameter :	1.613 / 1.810
Hub Height :	1.552
Pilot Diameter :	0.945
Pilot Length :	0.700
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (Beveled On Pump Side) (7/8"Wide)(.365"Thk)(13.125"Dia)
Clutch:	Yes (Carbon Clutch)

Note:

© Whatever It Takes Transmission Parts. Inc.

Honda

Element

Atlantic #	TC16001
Transmission :	BZKA-5, BZKA-6, MZKA-3, MZKA-4
Engine:	2.4L
Year(s) :	2003-06
Code :	HI, HQ, NA, PNA, PNC, PP, PPF, PPV, PZA,
	R5LCYT, RBB, RZA, R40, R40-AO,
	R40-A04, R40-A13, R40-A15, R40-CYT,
	R41CYT, R403, RAA, RAC, RAJ, ROA,
	RBB, RBD, RJB, RZA, RZY, PN, 27,
	06, 08, 80, 90, RA, DDOSAB
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Teeth
Hub Diameter :	1.574 / 1.734
Hub Height :	1.4375
Pilot Diameter :	0.945
Pilot Length :	0.875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.375
Mounting Style :	Mounting Ring W/8 Holes (M6 x 1.0)
Ring Gear :	119 Teeth (1” Wide)(.380”Thk)(12” Dia)
Clutch:	Yes

Note:

Fit

Atlantic #	TC18002
Transmission :	SMMA, MP5A
Engine:	1.5L
Year(s) :	2007-14
Code :	RBO, RME. Some 04, Blue Paint Dot
OEM Part Number :	
Overall Diameter :	9.906
Overall Height :	
Input Spline :	22
Hub Style :	
Hub Diameter :	Stepped, W/O-Ring, W/38 Teeth
Hub Height :	1.572 / 1.731
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.0625
Mounting Style :	Mounting Ring W/8 Holes (M6 x 1.0)
Ring Gear :	109 Teeth (11.0625”OD)(3/4”Wide)(.370”Thk)
Clutch:	Yes

Note: 32 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Honda

HR-V

Atlantic #	TC27001
Transmission:	G2AA, G2CA, G5CA, GPAA
Engine:	1.8L
Year(s) :	2014-18
Code :	R3W-00, R3W-004, R3, R3WCYT, 3
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	19
Hub Style :	Stepped W/45 Teeth
Hub Diameter :	1.818 / 1.969
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.250
Mounting Style :	Mounting Ring W/8 Holes (M6 x 1.0)
Ring Gear :	113 Teeth (11.4375”OD)
Clutch:	Yes



Note:

Odyssey

Atlantic #	TC8002
Transmission :	MPJA
Engine:	2.2L, 2.3L
Year(s) :	1995-97
Code :	5M, 8b, 8B, EA, GA, P5M, PAA, PCA, PEA
	b, CA, Y, BAXA, MAXA
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Splines
Hub Diameter :	1.520
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.125
Mounting Style :	8 Hole Mounting Ring (6mm x 1.0)
Ring Gear :	114 Teeth (0.275”Thick)
Clutch:	Yes

Note: Without Coast Release Valves, Slightly Released Primary

Atlantic #	TC2001
Transmission :	B7TA, B7YA, BGRA, BYBA
Engine:	3.5L
Year(s) :	1999-06
Code :	8F, P8, P8E, P8F, PG, PGC, PGE, PGK,
	PGL, RGL, RGM
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, 38 Splines, W/O-Ring
Hub Diameter :	1.537 @ O-Ring
Hub Height :	1.6875
Pilot Diameter :	0.945
Pilot Length :	0.8125
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.625
Mounting Style :	8 Tapped Hole Ring (M6 x 1.0)
Ring Gear :	121 Teeth
Clutch:	Yes

Note: 32 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Honda

Odyssey (Continued)

Atlantic #	TC4006
Transmission :	B36A, P36A, PV1A
Engine:	3.5L
Year(s) :	2007-13
Code :	GLL, GLLCYT, RGL, RGLY, RGE, RGW,
	R70CYT, 04, 10, R4 (Some), RN1-CYT
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.125
Input Spline :	22
Hub Style :	Stepped, Flanged, W/39 Teeth
Hub Diameter :	1.613 / 1.810
Hub Height :	1.552
Pilot Diameter :	0.945
Pilot Length :	0.700
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (Beveled On Pump Side)
	(7/8"Wide)(.365"Thk)(13.125"Dia)
Clutch:	Yes (Carbon Clutch)

Note:

	TC4002
Transmission :	B36A, P36A
Engine:	3.2L
Year(s) :	2007
Code :	RGMY, RWC, 04, GLA, GMA, RGL, RGLY,
	R4, RDJ
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 39 Teeth
Hub Diameter :	1.652/1.810
Hub Height :	1.577
Pilot Diameter :	0.945
Pilot Length :	0.663
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	131 Teeth (7/8"Wide)(.365"Thk)(13 1/8"Dia)
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Honda

Atlantic #	TC29001
Transmission :	MV2A
Engine:	3.5L
Year(s) :	2011
Code :	YEE, 20
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	23
Hub Style :	Stepped, Flanged, W/O-Ring, 39 Teeth
Hub Diameter :	1.613 / 2.009
Hub Height :	1.586
Pilot Diameter :	0.945
Pilot Length :	0.860
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (M6 x 1.0)
Ring Gear :	131 Teeth (13.125”Dia)
Clutch:	Yes

Note:

Atlantic #	TC29002
Transmission :	BYKA, PYRA
Engine:	3.5L
Year(s) :	2012-19
Code :	5B7AYT, 5J7AYT, RP7AYT, RVOAYT, 24
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	23
Hub Style :	Stepped W/O-Ring, 39 Teeth
Hub Diameter :	1.613 / 2.009
Hub Height :	1.561
Pilot Diameter :	0.945
Pilot Length :	0.717
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (13.0625”Dia)
Clutch:	Yes

Note:

Passport

Atlantic #	TC2406
Transmission :	4L30E
Engine:	L4 2.6L, V6 3.2L
Year(s) :	1994-02
Code :	24210868, 24210869, 24211228, 24211229, 24210266, 96041998
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	0.938
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	6 Pads (0.90” Tall)(10mm x 1.5)
Ring Gear :	
Clutch:	Yes

Note: Dimples Angled 20 Degress Left

© Whatever It Takes Transmission Parts. Inc.

Honda

Passport (Continued)

Atlantic #	TC2406W
Transmission :	4L30E
Engine:	L4 2.6L, V6 3.2L
Year(s) :	1994-02
Code :	24213406
OEM Part Number :	
Overall Diameter :	10
Overall Height :	5.875
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.000
Pilot Diameter :	0.825
Pilot Length :	0.938
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	6 Pads (.90”Tall)(10mm x 1.5)
Ring Gear :	
Clutch:	Yes (Woven)

Note: Dimples Angled 20 Degrees Left

Atlantic #	TC2409
Transmission :	4L30E
Engine:	L4 2.6L, V6 3.2L
Year(s) :	1994-02
Code :	SFHT, SFLT, 24200145
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.000
Pilot Diameter :	0.825
Pilot Length :	1.000
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.875
Mounting Style :	3 Pads (.925”Tall)(M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note: Non Pulse Width Modulated (PWM)

Pilot

Atlantic #	TC2001
Transmission :	BVGA, PVGA
Engine:	3.5L
Year(s) :	2003-06
Code :	8F, P8, P8E, P8F, PG, PGC, PGE, PGK, PGL, RGL, RGM
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	22
Hub Style :	Stepped, Flanged, 38 Splines, W/O-Ring
Hub Diameter :	1.537 @ O-Ring
Hub Height :	1.6875
Pilot Diameter :	0.945
Pilot Length :	0.8125
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.625
Mounting Style :	8 Tapped Hole Ring (M6 x 1.0)
Ring Gear :	121 Teeth
Clutch:	Yes

Note: 32 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Honda

Pilot (Continued)

Atlantic #	TC4003
Transmission :	BVLA, PVLA
Engine:	3.5L
Year(s) :	2003-06
Code :	JET, RJE, 01
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.125
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 39 Teeth
Hub Diameter :	1.652 / 1.810
Hub Height :	1.586
Pilot Diameter :	0.945
Pilot Length :	0.662
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	131 Teeth (7/8”Wide)(.365”Thk)(13.125”Dia)
Clutch:	Yes

Note:

Atlantic #	TC4001
Transmission :	BVLA, PVLA, P34A, P35A
Engine:	3.5L
Year(s) :	2003-08
Code :	PVJ, RD, RDJ, RJE, RYP, 02, RD
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Stepped W/O-Ring, 39 Teeth
Hub Diameter :	1.652/1.810
Hub Height :	1.577
Pilot Diameter :	0.945
Pilot Length :	0.663
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (7/8”Wide)(.365”Thk)(13.125”OD)
Clutch:	Yes

Note:

Atlantic #	TC4006
Transmission :	PN3A, PN4A
Engine:	3.5L
Year(s) :	2009-15
Code :	GLL, GLLCYT, RGL, RGLY, RGE, RGW, R70CYT, 04, 10, R4 (Some), RN1-CYT
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.125
Input Spline :	22
Hub Style :	Stepped, Flanged, W/39 Teeth
Hub Diameter :	1.613 / 1.810
Hub Height :	1.552
Pilot Diameter :	0.945
Pilot Length :	0.700
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (Beveled On Pump Side) (7/8”Wide)(.365”Thk)(13.125”Dia)
Clutch:	Yes (Carbon Clutch)

Note:

© Whatever It Takes Transmission Parts. Inc.

Honda

Atlantic #	TC29002
Transmission :	PLWA, PLXA
Engine:	3.5L
Year(s) :	2015-19
Code :	5B7AYT, 5J7AYT, RP7AYT, RVOAYT, 24
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	23
Hub Style :	Stepped W/O-Ring, 39 Teeth
Hub Diameter :	1.613 / 2.009
Hub Height :	1.561
Pilot Diameter :	0.945
Pilot Length :	0.717
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (13.0625"Dia)
Clutch:	Yes

Note:

Prelude

Atlantic #	TC6002
Transmission :	AS
Engine:	1.8L
Year(s) :	1983-86
Code :	P4, NO
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	4.525
Input Spline :	19
Hub Style :	Stepped W/O-Ring, W/36 Teeth
Hub Diameter :	
Hub Height :	1.500
Pilot Diameter :	0.945
Pilot Length :	0.890
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.910
Mounting Style :	Mounting Ring W/8 Holes
Ring Gear :	103 Teeth
Clutch:	Yes

Note:

Atlantic #	TC6003
Transmission :	AK, AS
Engine:	1.8L
Year(s) :	1983-87
Code :	NO, ON, P4
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	4.525
Input Spline :	19
Hub Style :	Stepped W/O-Ring, W/36 Teeth
Hub Diameter :	
Hub Height :	1.500
Pilot Diameter :	0.945
Pilot Length :	0.890
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	Mounting Ring W/8 Holes
Ring Gear :	103 Teeth
Clutch:	Yes

Note: With Coast Release Valves, 29 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Honda

Prelude (Continued)

Atlantic #	TC6007
Transmission :	F4
Engine:	2.0L
Year(s) :	1985-87
Code :	4F, 45H, F4, FM4, P4, PH45, B, M
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	4.525
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, W/38 Teeth
Hub Diameter :	
Hub Height :	1.500
Pilot Diameter :	0.945
Pilot Length :	0.890
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.910
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	103 Teeth
Clutch:	Yes

Note: Without Coast Release Valves, 32 Spline Stator

Atlantic #	TC6006
Transmission :	L4, ML4A, S5, MPSA
Engine:	1.6L
Year(s) :	1988-91
Code :	L15, L16, S15, S16, A, A8, B
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	4.525
Input Spline :	19
Hub Style :	Stepped, 38 Spline, W/O-Ring
Hub Diameter :	
Hub Height :	1.500
Pilot Diameter :	0.945
Pilot Length :	0.890
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.91
Mounting Style :	Ring With 8 Holes (M6 x 1.0)
Ring Gear :	107 Teeth
Clutch:	Yes

Note: Without Coast Release Valves

Atlantic #	TC6001
Transmission :	MY8A, PY8A
Engine:	2.0L, 2.1L
Year(s) :	1988-91
Code :	K1, K2, K3, K4, 3K, Y8, P, GK, M
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	4.68
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, W/38 Teeth
Hub Diameter :	
Hub Height :	1.500
Pilot Diameter :	0.945
Pilot Length :	0.890
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.125
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	107 Teeth
Clutch:	Yes

Note: Without Coast Release Valves

© Whatever It Takes Transmission Parts. Inc.

Honda

Atlantic #	TC8001
Transmission :	MP1A
Engine:	2.2L
Year(s) :	1992-96
Code :	4BO. 4B6, 4BC, 7
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	4.680
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, W/38 Teeth
Hub Diameter :	
Hub Height :	1.500
Pilot Diameter :	0.945
Pilot Length :	0.900
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.125
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	114 Teeth (.355"Thk)(3/4"Wide)
Clutch:	Yes

Note: Primary Not Reduced, Without Coast Release Valves

Atlantic #	TC8002
Transmission :	APX4, AOYA, BOYA, MPOA, BAXA, MAXA
Engine:	2.2L, 2.3L
Year(s) :	1991-02
Code :	5M, 8b, 8B, EA, GA, P5M, PAA, PCA, PEA
	b, CA, Y, BAXA, MAXA
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	5.048
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 38 Splines
Hub Diameter :	1.520 / 1.732
Hub Height :	1.744
Pilot Diameter :	0.945
Pilot Length :	0.816
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.125
Mounting Style :	8 Hole Mounting Ring (6mm x 1.0)
Ring Gear :	114 Teeth (0.275"Thick)
Clutch:	Yes

Note: Without Coast Release Valves, Slightly Released Primary

© Whatever It Takes Transmission Parts. Inc.

Honda

Ridgeline

Atlantic #	TC4003
Transmission :	BJFA, MJFA
Engine:	3.5L
Year(s) :	2006-09
Code :	JET, RJE, 01
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.125
Input Spline :	22
Hub Style :	Stepped, Flanged, W/O-Ring, 39 Teeth
Hub Diameter :	1.652 / 1.810
Hub Height :	1.586
Pilot Diameter :	0.945
Pilot Length :	0.662
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm x 1.0)
Ring Gear :	131 Teeth (7/8”Wide)(.365”Thk)(13.125”Dia)
Clutch:	Yes

Note:

Atlantic #	TC4006
Transmission :	PSFA
Engine:	3.5L
Year(s) :	2010-14
Code :	GLL, GLLCYT, RGL, RGLY, RGE, RGW,
	R70CYT, 04, 10, R4 (Some), RN1-CYT
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.125
Input Spline :	22
Hub Style :	Stepped, Flanged, W/39 Teeth
Hub Diameter :	1.613 / 1.810
Hub Height :	1.552
Pilot Diameter :	0.945
Pilot Length :	0.700
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.9687
Mounting Style :	Mounting Ring W/8 Holes (6mm)
Ring Gear :	131 Teeth (Beveled On Pump Side)
	(7/8”Wide)(.365”Thk)(13.125”Dia)
Clutch:	Yes (Carbon Clutch)

Note:

© Whatever It Takes Transmission Parts. Inc.

Hyundai

A4AF1 / A4AF2 (4 Speed)(FWD/AWD)

Atlantic #	TC4207B
Model :	Accent
Engine:	1.5L
Year(s) :	1995-01
Code :	33, (Some 52), 54, (Some 68), (Some 76), b3, b4, b5, IF, IQ, KV, V6
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.57
Pilot Diameter :	1.060
Pilot Length :	0.71
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring (M10 x 1.25)
Ring Gear :	106 Teeth
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC4207
Model :	Scoupe
Engine:	1.5L (Some)
Year(s) :	1993-95
Code :	C7, KF, KH, KJ, V6, (Some 52), 64, (Some 76)
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.57
Pilot Diameter :	1.060
Pilot Length :	0.79
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring (M10 x 1.5)
Ring Gear :	106 Teeth
Clutch:	Yes

Note:

Atlantic #	TC4213
Model :	Scoupe
Engine:	1.5L (Some)
Year(s) :	1993-95
Code :	22
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.5625
Pilot Diameter :	1.060
Pilot Length :	0.75
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	6 Hole Ring
Ring Gear :	110 Teeth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Hyundai

A4AF3 (4 Speed)(FWD/AWD)

Atlantic #	TC4220
Model :	Accent
Engine:	1.5L
Year(s) :	2000-11
Code :	WK
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats (Flanged)
Hub Diameter :	1.693
Hub Height :	1.573
Pilot Diameter :	1.060
Pilot Length :	0.741
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	3 Oval Pads (M10 x 1.25)
Ring Gear :	106 Teeth
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC4219
Model :	Accent
Engine:	1.6L
Year(s) :	2010-11
Code :	W1
OEM Part Number :	
Overall Diameter :	10.1875
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats (Flanged)
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Oval Pads (0.422”Tall)(10.125”OD)
Ring Gear :	106 Teeth
Clutch:	Yes

Note: 38 Spline Stator

A4BF1 / A4BF2 (4 Speed)(FWD/AWD)

Atlantic #	TC4207B
Model :	Elantra, Tiburon
Engine:	1.8L, 2.0L
Year(s) :	1996-02
Code :	33, (Some 52), 54, (Some 68), (Some 76), b3, b4, b5, IF, IQ, KV, V6
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.57
Pilot Diameter :	1.060
Pilot Length :	0.71
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring (M10 x 1.25)
Ring Gear :	106 Teeth
Clutch:	Yes

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Hyundai

A4CF2 (4 Speed)(FWD)

Atlantic #	TC4111
Model :	Elantra
Engine:	2.0L (Some)
Year(s) :	2006-11
Code :	G4, HB, HC
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	1.693
Hub Height :	1.455
Pilot Diameter :	1.060
Pilot Length :	0.455
Lockup :	Yes
Stall Speed :	Medium/Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads
Ring Gear :	110 Teeth (11.0625”OD)(M10 x 1.25)
Clutch:	Yes

Note:

Atlantic #	TC4116
Model :	Elantra
Engine:	2.0L (Some)
Year(s) :	2006-11
Code :	G1, HE
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	1.693
Hub Height :	1.442
Pilot Diameter :	1.060
Pilot Length :	0.631
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Teeth
Clutch:	Yes

Note:

A5CF1 / A5CF2 (5 Speed)(FWD)

Atlantic #	TC4106
Model :	Sonata
Engine:	2.4L (Some)
Year(s) :	2005-09
Code :	YC, YH, 4H
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Teeth (11”OD)
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Hyundai

A5CF1 / A5CF2 (5 Speed)(FWD)(Continued)

Atlantic #	TC4115
Model :	Sonata
Engine:	2.4L (Some)
Year(s) :	2005-09
Code :	(Some FA, FB), A5GF1
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	0.600
Lockup :	Yes
Stall Speed :	Slight High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Teeth
Clutch:	Yes

Note:

Atlantic #	TC4117
Model :	Sonata
Engine:	2.4L (Some)
Year(s) :	2005-09
Code :	(Some FA, FB), GA
OEM Part Number :	
Overall Diameter :	10
Overall Height :	Pilot - 3.978, Lugs - 4.020
Input Spline :	20
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	1.693
Hub Height :	1.462
Pilot Diameter :	1.060
Pilot Length :	0.628
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Teeth
Clutch:	Yes

Note:

A5HF1 (5 Speed)(FWD/AWD)

Atlantic #	TC4114
Model :	Azera, Sante Fe
Engine:	(Some 3.3L), 3.8L
Year(s) :	2006-10
Code :	(Some TC, TE), TG, TH
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.335 (Hollow)
Pilot Length :	0.825
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (0.406”Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Hyundai

A5HF1 (5 Speed)(FWD/AWD)(Continued)

Atlantic #	TC4114A
Model :	Sante Fe, Entourage
Engine:	(Some 3.3L), 3.8L
Year(s) :	2007-10
Code :	(Some TC, TE)
OEM Part Number :	
Overall Diameter :	11
Overall Height :	4.9375
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	2.0625
Pilot Diameter :	1.337 (Hollow)
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC4112
Model :	Sonata
Engine:	(Some 3.3L)
Year(s) :	2006-09
Code :	(Some TH)
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC4112A
Model :	Sonata
Engine:	(Some 3.3L)
Year(s) :	2006-09
Code :	(Some TH)
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Slotted Hub, Flanged, Stepped
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Hyundai

A5HF1 (5 Speed)(FWD/AWD)(Continued)

Atlantic #	TC4118
Model :	Sonata
Engine:	(Some 3.3L)
Year(s) :	2006-09
Code :	TL
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.337 (Hollow)
Pilot Length :	1.00
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

A6GF1 (6 Speed)(FWD)

Atlantic #	TC21110
Model :	Accent
Engine:	1.6L
Year(s) :	2012-17
Code :	KNC
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060 (Hollow)
Pilot Length :	0.727
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	127 Teeth (10.625”OD)
Clutch:	Yes



Note: 38 Spline Stator

Atlantic #	TC21107
Model :	Elantra
Engine:	1.8L
Year(s) :	2012
Code :	SB, SE
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.693
Hub Height :	1.352
Pilot Diameter :	1.060 (Hollow)
Pilot Length :	0.400
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Teeth (11.0625”OD)
Clutch:	Yes



Note: 38 Spline Stator/ 20 Vanes

© Whatever It Takes Transmission Parts. Inc.

Hyundai

A6GF1 (6 Speed)(FWD)(Continued)

Atlantic #	TC21111
Model :	Elantra
Engine:	1.8L
Year(s) :	2014
Code :	KMC
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	Pilot - 3.804, Lugs - 3.891
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.693
Hub Height :	1.352
Pilot Diameter :	1.060 (Hollow)
Pilot Length :	0.525
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	132 Teeth (11”OD)
Clutch:	Yes



Note: 38 Spline Stator / 20 Vanes

A6LF1 / A6LF2 / A6LF3 (6 Speed)(FWD)

Atlantic #	TC21102
Model :	Azera, Sante Fe, Sonata
Engine:	3.3L, (Some 3.5L), 2.4L
Year(s) :	2010-19
Code :	NB
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	Pilot - 3.857, Ring Gar - 3.990
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.693
Hub Height :	1.345
Pilot Diameter :	1.060
Pilot Length :	0.651
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Stepped Pads (M10 x 1.25)
Ring Gear :	110 Teeth (11.0625”OD)
Clutch:	Yes

Note: 38 Stator Splines

Atlantic #	TC4114
Model :	Sante Fe
Engine:	3.3L
Year(s) :	2012-19
Code :	(Some TC, TE), TG
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.337 (Hollow)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (0.406”Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Hyundai

A6LF1 / A6LF2 / A6LF3 (6 Speed)(FWD)(Continued)

Atlantic #	TC21104
Model :	Sante Fe
Engine:	Some 3.5L
Year(s) :	2010-19
Code :	ZA, ZD, Black Paint Swatch
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	Pilot - 3.939, Lugs - 3.827
Input Spline :	23
Hub Style :	Slotted, Flanged
Hub Diameter :	1.850
Hub Height :	1.397
Pilot Diameter :	1.337 (Hollow)
Pilot Length :	0.790
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 42 Spline Stator

Atlantic #	TC21105
Model :	Sonata
Engine:	2.0L
Year(s) :	2010-17
Code :	CA
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted, Flanged
Hub Diameter :	1.850
Hub Height :	1.436
Pilot Diameter :	1.060 (Hollow)
Pilot Length :	0.395
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	110 Teeth
Clutch:	Yes

Note: 42 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Hyundai

A6MF1 / A6MF2 (6 Speed)(FWD)

Atlantic #	TC21123
Model :	Elantra
Engine:	2.0L
Year(s) :	2015-17
Code :	KVC
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	132 Teeth (11”OD)
Clutch:	Yes



Note: 38 Spline Stator

Atlantic #	TC21103
Model :	Sonata
Engine:	2.4L
Year(s) :	2010-15
Code :	KGD
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	Pilot - 3.865, Lugs - 3.965
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.693
Hub Height :	1.345
Pilot Diameter :	1.060 (Hollow)
Pilot Length :	0.647
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Teeth (11.0625”OD)
Clutch:	Yes

Note: 38 Splines

Atlantic #	TC21120
Model :	Tuscon
Engine:	2.0L
Year(s) :	2009-19
Code :	KHL
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	132 Teeth (11”OD)
Clutch:	Yes

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Hyundai

A6MF1 / A6MF2 (6 Speed)(FWD)(Continued)

Atlantic #	TC21125
Model :	Tuscon
Engine:	2.0L
Year(s) :	2014
Code :	KHM
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	132 Teeth (11”OD)
Clutch:	Yes (Clutch Type)

Note:

Atlantic #	TC21109
Model :	Tuscon
Engine:	2.4L
Year(s) :	2010-15
Code :	KHD
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.693
Hub Height :	1.325
Pilot Diameter :	1.060 (Hollow)
Pilot Length :	0.411
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Teeth (11”OD)
Clutch:	Yes



Note: 38 Spline Stator

Atlantic #	TC21104
Model :	Sante Fe
Engine:	Some 3.5L
Year(s) :	2010-19
Code :	ZA, ZD, Black Paint Swatch
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	Pilot - 3.939, Lugs - 3.827
Input Spline :	23
Hub Style :	Slotted, Flanged
Hub Diameter :	1.850
Hub Height :	1.397
Pilot Diameter :	1.337 (Hollow)
Pilot Length :	0.790
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 42 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Hyundai

A6MF1 / A6MF2 (6 Speed)(FWD)(Continued)

Atlantic #	TC21102
Model :	Sante Fe
Engine:	(Some 3.5L)
Year(s) :	2010-19
Code :	NB
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	Pilot - 3.857, Ring Gar - 3.990
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.693
Hub Height :	1.345
Pilot Diameter :	1.060
Pilot Length :	0.651
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Stepped Pads (M10 x 1.25)
Ring Gear :	110 Teeth (11.0625”OD)
Clutch:	Yes

Note: 38 Stator Splines

A8LR1 / A8TR1 (8 Speed)(RWD)

Atlantic #	TC33101
Model :	Equus, Genesis
Engine:	5.0L
Year(s) :	2012-16
Code :	TJ
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.650
Hub Height :	
Pilot Diameter :	1.338
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.80
Mounting Style :	6 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Captive Clutch)(Multiple Friction)



Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Hyundai

F4A21 / F4A22 (4 Speed)(FWD/AWD)

Atlantic #	TC4205
Model :	Elantra, Excel, Sonata
Engine:	1.5L, 1.6L, 2.0L
Year(s) :	1989-98
Code :	51, 56, S2, S4, X4
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.57
Pilot Diameter :	1.060
Pilot Length :	0.79
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	3 Hole Ring
Ring Gear :	106 Teeth
Clutch:	Yes

Note:

Atlantic #	TC4207B
Model :	Elantra, Sonata
Engine:	1.8L, 2.4L
Year(s) :	1989-98
Code :	33, (Some 52), 54, (Some 68), (Some 76),
	b3, b4, b5, IF, IQ, KV, V6
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.57
Pilot Diameter :	1.060
Pilot Length :	0.71
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring (M10 x 1.25)
Ring Gear :	106 Teeth
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC4206
Model :	Scoupe
Engine:	1.5L
Year(s) :	1991-92
Code :	H2, P2, W2, X4, 71
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.572
Pilot Diameter :	1.060
Pilot Length :	0.76
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	106 Teeth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Hyundai

F4A33 (4 Speed)(FWD/AWD)

Atlantic #	TC4208
Model :	Sonata
Engine:	3.0L (Some)
Year(s) :	1990-98
Code :	G7
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.6875
Pilot Diameter :	1.337
Pilot Length :	0.75
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Pads
Ring Gear :	106 Tooth
Clutch:	Yes

Note:

Atlantic #	TC4208B
Model :	Sonata
Engine:	3.0L (Some)
Year(s) :	1990-98
Code :	78, V7
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.5625
Pilot Diameter :	1.337
Pilot Length :	0.75
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Pads
Ring Gear :	106 Tooth
Clutch:	Yes

Note:

Atlantic #	TC4212B
Model :	Sonata
Engine:	3.0L (Some)
Year(s) :	1990-98
Code :	3M, 3T
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Hyundai

F4A33 (4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC4212C
Model :	Sonata
Engine:	3.0L (Some)
Year(s) :	1990-98
Code :	3X
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

F4A42 (4 Speed)(FWD/AWD)

Atlantic #	TC4101
Model :	Elantra, Tiburon, Tuscon
Engine:	2.0L
Year(s) :	2001-09
Code :	3b, JB, JC
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.50
Pilot Diameter :	1.060
Pilot Length :	0.670
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Teeth
Clutch:	Yes

Note:

Atlantic #	TC4104
Model :	Sonata
Engine:	2.4L, 2.7L
Year(s) :	1999-07
Code :	4c, 4h, 4p, YB, YB-K
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.50
Pilot Diameter :	1.060
Pilot Length :	0.550
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Teeth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Hyundai

F4A51 / W4A51 (4 Speed)(FWD/AWD)

Atlantic #	TC4105
Model :	Sante Fe
Engine:	2.4L, 2.7L (Some)
Year(s) :	2001-09
Code :	YE
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats (.430" Long)
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Hole Ring (.350"Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary / 38 Spline Stator

Atlantic #	TC4102
Model :	Santa Fe
Engine:	2.7L (Some)
Year(s) :	2001-09
Code :	6d, LB, LC, LE, P9
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	0.925
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note: Middle Row Of Ribs Angled 15 Degrees

Atlantic #	TC4102B
Model :	Santa Fe
Engine:	2.7L (Some)
Year(s) :	2007-09
Code :	LB, LC, LE, LF
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.545
Pilot Diameter :	1.335
Pilot Length :	
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Hyundai

F4A51 / W4A51 (4 Speed)(FWD/AWD)

Atlantic #	TC4104
Model :	Tuscon
Engine:	2.7L
Year(s) :	2005-09
Code :	4c, 4p, YB, YB-K
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.50
Pilot Diameter :	1.060
Pilot Length :	0.550
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

F5A51 / W5A51 (5 Speed)(FWD)

Atlantic #	TC4102
Model :	Santa Fe, XG350, XG350L
Engine:	3.5L
Year(s) :	2002-06
Code :	6d, LB, LC, LE, P9
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.50
Pilot Diameter :	1.337
Pilot Length :	0.925
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note: Middle Row Of Ribs Angled 15 Degrees

© Whatever It Takes Transmission Parts. Inc.

Hyundai

KM171 / KM172 / KM175 (3 & 4 Speed)(FWD/AWD)

Atlantic #	TC4203
Model :	Excel, Sonata
Engine:	
Year(s) :	1985-91
Code :	C2, C4, D2, E4, E6, H4
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.69
Pilot Diameter :	1.060
Pilot Length :	0.82
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	3 Hole Ring
Ring Gear :	106 Tooth
Clutch:	Yes

Note:

KM176 (4 Speed)(FWD/AWD)

Atlantic #	TC4207
Model :	Sonata
Engine:	1.6L
Year(s) :	1986-96
Code :	(Some 52), 64, (Some 76), C7, KF, KH, KJ, (Some V6)
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.57
Pilot Diameter :	1.060
Pilot Length :	0.79
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring (M10 x 1.5)
Ring Gear :	106 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Hyundai

TR-60SN (6 Speed)(RWD/AWD)

Atlantic #	TC23501
Model :	Genesis
Engine:	3.8L
Year(s) :	2009-11
Code :	20A690
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.748
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	6 Pads (.507”Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

ZF6HP19 (6 Speed)(RWD/AWD)

Atlantic #	TC20922B
Model :	Genesis
Engine:	3.8L
Year(s) :	2008-11
Code :	V119
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	0.748
Pilot Length :	1.3125
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.719
Mounting Style :	Mounting Plate W/6 Threaded Nuts
	Attached (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Modulating Captive Clutch)



Note: 43 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Hyundai

ZF6HP26 (6 Speed)(FWD/AWD)

Atlantic #	TC20920
Model :	Genesis
Engine:	4.6L
Year(s) :	2009-16
Code :	Y93, (Some 000193)
OEM Part Number :	
Overall Diameter :	1.25
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.252
Pilot Diameter :	1.337
Pilot Length :	2.07
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.75
Mounting Style :	Mounting Plate Riveted To Front Cover
	With 6 Threaded Holes (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note:

© Whatever It Takes Transmission Parts. Inc.

WHATEVER IT TAKES
TRANSMISSION PARTS, INC

TRANSMISSION CONTROL MODULE

WR45420BD



6L50/6L80/6L90 Transmission Control Module
Ready to Program
Reliable, Vehicle-Compatible

- Tested in Heated Transmission Oil at 150 PSI
- Sealed in Static-Protective Plastic Bag
- Programming Erased-Must Be Reprogrammed

Compatible with a wide range of GM vehicles including:
2012-Up Silverado, Sierra, Camaro, Yukon (And many more using 6L series transmissions) . Will not fit any European vehicles. Domestic Only!
Perfect for shops, rebuilders, and transmission specialists looking for trusted performance and easy integration. In-Stock- Ready to Ship!

Give us a call today at 1-800-940-0197 or visit wittrans.com

whateverittakestransmission WITTransmission

Infinity

AW55-50SN / AW55-51SN (5 Speed)(FWD / AWD)

Atlantic #	TC2102
Model :	I35
Engine:	3.5L
Year(s) :	2003-04
Code :	43A260, 43A261, 433, Y51, 437
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.125
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.500
Pilot Diameter :	0.810
Pilot Length :	1.365
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.531
Mounting Style :	6 Pads (Stepped)(M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

RE0F09A / RE0F09B (JF010E)(CVT)(FWD/AWD)

Atlantic #	TC20301
Model :	JX35
Engine:	3.5L
Year(s) :	2013
Code :	NC, ND, White Circle On Cover, Green
	Circle On Primary
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	3.1875
Input Spline :	20
Hub Style :	Drive Ears
Hub Diameter :	1.922
Hub Height :	1.125
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.500
Mounting Style :	4 Mounting Studs (M10 x 1.25) On
	Rectangular Bases and 2 Alignment Studs
Ring Gear :	
Clutch:	Yes



Note:

© Whatever It Takes Transmission Parts. Inc.

Infinity

RE0F10E (JF017E)(CVT)(FWD)

Atlantic #	TC34301
Model :	QX60
Engine:	3.5L
Year(s) :	2014-17
Code :	25B, 25C, 25E, 25F, 25G, 25H, 25L
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	20
Hub Style :	Drive Ears, Flanged, Stepped, W/Inner Bushing
Hub Diameter :	2.010
Hub Height :	0.79/1.040
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	0.645
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.53
Mounting Style :	4 Studs On Rectangular Base (M10 x 1.25)
Ring Gear :	
Clutch:	Yes



Note: 32 Spline Stator

RE4F02A / RE4F04A / RE4F04B / RE4F04V / RL4F04A / 4F20E (4 Speed)(FWD)

Atlantic #	TC9306
Model :	I30
Engine:	3.0L
Year(s) :	1995-01
Code :	HC, HE, HH, HI
OEM Part Number :	
Overall Diameter :	10.1875
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.732
Hub Height :	1.375
Pilot Diameter :	0.785 (Solid Or Hollow)
Pilot Length :	0.750
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.1875
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 32 Spline Stator / 2 or 3 Rows Of Ribs

Atlantic #	TC9304LS
Model :	I35
Engine:	3.5L
Year(s) :	2002-04
Code :	LF, LF229
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Stepped
Hub Diameter :	1.732
Hub Height :	1.295
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	0.600
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.53
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 32 Spline Stator / 2 Or 3 Rows Of Dimples

WHATEVER IT TAKES TRANSMISSION PARTS, INC

© Whatever It Takes Transmission Parts. Inc.

Infinity

RE4FO3A / RE4FO3B / RE4FO3C / RE4FO3V / RL4FO3A / RL4FO3V (4 Speed)(FWD)

Atlantic #	TC8301
Model :	G20
Engine:	2.0L
Year(s) :	1991-2002
Code :	A, AA, FA, FF, O, P Ink Stamp A-H, 65
OEM Part Number :	
Overall Diameter :	10.1875
Overall Height :	4.035
Input Spline :	18
Hub Style :	Slotted, Stepped
Hub Diameter :	1.654
Hub Height :	1.315
Pilot Diameter :	0.785
Pilot Length :	0.600
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.1875
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC8301LS
Model :	G20
Engine:	2.0L
Year(s) :	1991-2002
Code :	01, 02, 05, 06, 018, A, B, G, H, KF, KJ, N
OEM Part Number :	
Overall Diameter :	10.1875
Overall Height :	4.245
Input Spline :	18
Hub Style :	Slotted
Hub Diameter :	1.654
Hub Height :	1.310
Pilot Diameter :	0.785
Pilot Length :	0.600
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.1875
Mounting Style :	4 Pads (M10 X 1.25)
Ring Gear :	
Clutch:	Yes

Note: May Contain 2 Or 3 Rows Of Ribs

RE4R01A / RL4R01A / R4AEL / RC4-AEL (JR405E) (4 Speed)(RWD)

Atlantic #	TC7301
Model :	J30, M30
Engine:	3.0L
Year(s) :	1990-97
Code :	A3, A4, A5, A7, A8, A10, A13, A18, A19, A22,
	A23, A25, A33, A34, A39, A40, A41, A44, A48
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, 2 Stepped
Hub Diameter :	
Hub Height :	1.880
Pilot Diameter :	0.785
Pilot Length :	0.730
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.5625
Mounting Style :	4 Lugs (Round or Square)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Infinity

Atlantic #	TC7308
Model :	J30, QX4
Engine:	3.0L, 3.3L
Year(s) :	1993-2003
Code :	A49, A52, A53, A59
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.810
Hub Height :	2.000
Pilot Diameter :	0.785
Pilot Length :	1.765
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.5625
Mounting Style :	4 Pads (M10 x 1.25)(Square Or Round Pads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC7309LA
Model :	QX4
Engine:	3.5L
Year(s) :	1997-2003
Code :	J1, J2, T1, T2
OEM Part Number :	
Overall Diameter :	11.625
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.810
Hub Height :	2.000
Pilot Diameter :	0.785
Pilot Length :	0.710
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

RE4R03A / RL4R03A (4 Speed)(RWD)

Atlantic #	TC7313
Model :	J30
Engine:	
Year(s) :	1992-96
Code :	E1, E3
OEM Part Number :	
Overall Diameter :	11.625
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.810
Hub Height :	2.000
Pilot Diameter :	0.785
Pilot Length :	0.710
Lockup :	Yes
Stall Speed :	High Stall
Mounting Bolt Radius :	4.875
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Infinity

RE5R05A (5 Speed)(RWD / AWD)

Atlantic #	TC17302
Model :	EX35, FX35, G35, M35, M35X
Engine:	3.5L
Year(s) :	2003-11
Code :	P2, F6, F10, F11
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	5.250
Input Spline :	24
Hub Style :	Milled Flats, Flanged, Stepped
Hub Diameter :	1.805 / 1.725
Hub Height :	1.690
Pilot Diameter :	0.785
Pilot Length :	0.675
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC17302A
Model :	Q45
Engine:	4.5L
Year(s) :	2002-07
Code :	064, A2, A3, AZ
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	5.75
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	0.825
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.8625
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC17305
Model :	M45, Q45
Engine:	4.5L
Year(s) :	2003
Code :	F2, F3
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	5.25
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.730
Hub Height :	
Pilot Diameter :	0.787
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

© Whatever It Takes Transmission Parts. Inc.

Infinity

Atlantic #	TC17301
Model :	QX56
Engine:	5.6L
Year(s) :	2004-10
Code :	40B, 40C, FNJ4, J4
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	5.750
Input Spline :	24
Hub Style :	Milled Flats, Flanged, Stepped
Hub Diameter :	1.808 / 1.726
Hub Height :	1.875
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	1.000
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	4 Square Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

RE7R01A / B (7 Speed)(RWD / AWD)

Atlantic #	TC28301
Model :	FX35, Q50, QX70
Engine:	3.5L, 3.7L
Year(s) :	2009-17
Code :	33A, 33C
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	5.104
Input Spline :	24
Hub Style :	Milled Flats, Stepped, Flanged
Hub Diameter :	1.810 / 1.772
Hub Height :	1.687
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	0.685
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	4 Rectangular Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)



Note:

Atlantic #	TC28302
Model :	QX56
Engine:	5.6L
Year(s) :	2011-12
Code :	41A, 41C
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	5.935
Input Spline :	24
Hub Style :	Milled Flats, Flanged, Stepped
Hub Diameter :	1.810
Hub Height :	1.810
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	1.030
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	4 Rectangular Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)



Note:

© Whatever It Takes Transmission Parts. Inc.

Infinity

RE7R01A / B (7 Speed)(RWD / AWD)(Continued)

Atlantic #	TC28303
Model :	Q50
Engine:	3.0L Turbo
Year(s) :	2017
Code :	41K
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	5.934
Input Spline :	24
Hub Style :	Milled Flats, Flanged, Stepped
Hub Diameter :	1.810 / 1.728
Hub Height :	1.695
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	1.020
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.875
Mounting Style :	4 Round Pads On Rectangular Bases
	(M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Multi Friction Clutch Pack)

Note:

Atlantic #	TC28302M
Model :	QX80
Engine:	5.6L
Year(s) :	2014-17
Code :	41J, 41M
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	5.413
Input Spline :	24
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.810
Hub Height :	1.679
Pilot Diameter :	0.785
Pilot Length :	1.025
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

© Whatever It Takes Transmission Parts. Inc.

A•Plus
SIGNS & SCREEN PRINTING LLC.

CUSTOM CREATIONS FOR YOUR BRAND

- Fair Prices
- Industry Experience
- Dedicated Support
- Superior Service

HELPING YOUR BUSINESS GROW

We specialize in custom screen printing, embroidery, vinyl signs, banners, and vehicle lettering, delivering high-quality designs that bring your vision to life. Whether you need eye-catching signage, personalized apparel, or standout branding, our team is dedicated to crafting products that exceed your expectations.

Apparel

Headwear

Business Cards

Foam Signs

Vinyl Banners

Acrylic Signs

Give us a call today at 1-800-940-0197 or visit apluskentucky.com APlusSignsAndScreenPrint

A division of WIT

Isuzu

A40 / A41 / A42D / A44DL (4 Speed)(RWD)

Atlantic #	TC5703
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.780
Pilot Diameter :	1.100
Pilot Length :	0.910
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC5706
Model :	Pickup
Engine:	2.0L
Year(s) :	1983-87
Code :	
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625” Deep)
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.100 (Cupped)
Pilot Length :	1.600
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	6 Pads (0.375” Tall)
Ring Gear :	
Clutch:	No



Note:

Atlantic #	TC5707
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625” Deep)
Hub Diameter :	1.500
Hub Height :	1.600
Pilot Diameter :	1.100 (Cupped)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (8mm Threads)(0.375” Tall)
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Isuzu

A40 / A41 / A42D / A44DL (4 Speed)(RWD)

Atlantic #	TC5708
Model :	Impulse, Pickup
Engine:	2.6L
Year(s) :	1988-94
Code :	8G, Yellow Dot
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625” Deep)
Hub Diameter :	1.500
Hub Height :	1.600
Pilot Diameter :	1.100 (Cupped)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (0.375” Tall)(8mm Threads)
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC5710
Model :	
Engine:	
Year(s) :	
Code :	Black Dot, Purple Dot
OEM Part Number :	
Overall Diameter :	9.625
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625” Deep)
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	1.100
Pilot Length :	1.08
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	3.875
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	No

Note:

A340E / A340H / A341E / AW30-40LE (4 Speed)(RWD/4X4)

Atlantic #	TC5714
Model :	Pickup, Trooper
Engine:	2.6L, 3.1L
Year(s) :	1988-95
Code :	Black Dot
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625” Deep)
Hub Diameter :	1.500
Hub Height :	1.600
Pilot Diameter :	1.100 (Solid or Hollow)
Pilot Length :	
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.781
Mounting Style :	6 Pads (0.50” Tall)(8mm Threads)
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Isuzu

A340E / A340H / A341E / AW30-40LE (4 Speed)(RWD/4x4)(Continued)

Atlantic #	TC5716
Model :	Pickup, Trooper
Engine:	2.6L
Year(s) :	1988-94
Code :	Pink Dot, Black Dot
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625" Deep)
Hub Diameter :	1.500
Hub Height :	1.600
Pilot Diameter :	1.100 (Cupped)
Pilot Length :	1.160
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.781
Mounting Style :	6 Pads (0.375" Tall)(M8 Threads)
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC9711A
Model :	Rodeo
Engine:	3.5L
Year(s) :	2003-04
Code :	Ink Code: 07, 2062
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	6 Pads (0.545" Tall)(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC9711B
Model :	Rodeo
Engine:	3.2L
Year(s) :	2003-04
Code :	Ink Code: 13, ZE22N, Green Circle, Fuschia Circle, Blue Dot
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	4.96875
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	6 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes



Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Isuzu

AS68RC / A465 (6 Speed)(RWD/4x4)

Atlantic #	TC17220
Model :	NPR, NQR, NRR Truck
Engine:	5.2L (Diesel)(Some)
Year(s) :	2005-15
Code :	Blue Paint Swatch On Both Sides, 04G20
OEM Part Number :	
Overall Diameter :	12.50
Overall Height :	
Input Spline :	24
Hub Style :	Slotted / Flanged
Hub Diameter :	1.844
Hub Height :	
Pilot Diameter :	1.569
Pilot Length :	1.875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.6875
Mounting Style :	6 Extended Pads (14.5625” Across)
	With Line Up Holes (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: Fully Splined Stator

Atlantic #	TC17221
Model :	NPR
Engine:	5.2L Diesel (Some)
Year(s) :	2013
Code :	Green Paint Swatch Both Sides, 5E11U
OEM Part Number :	
Overall Diameter :	12.50
Overall Height :	
Input Spline :	24
Hub Style :	Slotted / Flanged
Hub Diameter :	1.844
Hub Height :	
Pilot Diameter :	1.572
Pilot Length :	1.920
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.6875
Mounting Style :	6 Extended Pads W/Line Up Holes
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 14.5625” Across Mounting Pads / Partially Splined Stator

© Whatever It Takes Transmission Parts. Inc.

Isuzu

A450-43LE (4 Speed)(RWD)

Atlantic #	TC14102
Model :	NPR
Engine:	4.8L
Year(s) :	1999-04
Code :	Orange Paint Swatch (Both Sides)
OEM Part Number :	
Overall Diameter :	12.50
Overall Height :	
Input Spline :	20
Hub Style :	Slotted / Flanged
Hub Diameter :	1.652
Hub Height :	1.750
Pilot Diameter :	0.785
Pilot Length :	1.030
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	4 Pads (0.700” Thick)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 41 Spline Stator

Atlantic #	TC14106
Model :	W-40 Box Truck
Engine:	5.2L Diesel
Year(s) :	
Code :	5E11U
OEM Part Number :	
Overall Diameter :	12.50
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.654
Hub Height :	1.750
Pilot Diameter :	1.572
Pilot Length :	2.00
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.6875
Mounting Style :	6 Extended Brackets (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 2 Pilot Versions

Atlantic #	TC14107
Model :	
Engine:	
Year(s) :	
Code :	Orange Paint Spots Both Sides
OEM Part Number :	
Overall Diameter :	12.50
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	5.344
Mounting Style :	6 Pads (.490” Thick)(M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Isuzu

JF403E (4 Speed)(FWD)

Atlantic #	TC7302
Model :	Gemini, Impulse
Engine:	1.6L
Year(s) :	1990-Up
Code :	A1, A3, KF1, KF4
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.650
Hub Height :	1.305
Pilot Diameter :	0.785
Pilot Length :	0.660
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.4375
Mounting Style :	6 Lugs (M10 x 1.125 Threads)
Ring Gear :	
Clutch:	Yes

Note:

JR403E / 403H (4 Speed)(RWD)

Atlantic #	TC7303
Model :	Truck
Engine:	3.9L Turbo Diesel
Year(s) :	1987-98
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.727
Hub Height :	1.808
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	4 Lugs (0.375”Tall)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes



Note: With 13” Inertia Ring

Atlantic #	TC7305
Model :	Truck
Engine:	3.9L Turbo Diesel
Year(s) :	1987-98
Code :	A20
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.727
Hub Height :	1.808
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	6.656
Mounting Style :	6 Mounting Holes On 14.5” Mounting Plate
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Isuzu

JR403E / 403H (4 Speed)(RWD)

Atlantic #	TC7307
Model :	Truck
Engine:	3.9L Turbo Diesel
Year(s) :	1987-98
Code :	Metal Stamp: 42
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.8125
Mounting Style :	4 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Without Inertia Ring

MPJA (4 Speed)(FWD)

Atlantic #	TC8001
Model :	Oasis
Engine:	2.2L, 2.3L
Year(s) :	1996-97
Code :	Ink Code: 4B0, 4B6, 4BC
	Metal Stamp: M, 4
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	4.68
Input Spline :	22
Hub Style :	Splined (38 Teeth)(Stepped W/Oring)
Hub Diameter :	Flange On Hub 3.075
Hub Height :	1.50
Pilot Diameter :	0.975
Pilot Length :	0.90
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.125
Mounting Style :	Mounting Ring With 8 Holes
Ring Gear :	114 Teeth (0.355”Thick)(0.75” Wide)
Clutch:	Yes

Note: W/Out Coast Release Valves

© Whatever It Takes Transmission Parts. Inc.

Isuzu

MX17 (3 Speed)(FWD)

Atlantic #	TC6706
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	9.625
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.560
Pilot Diameter :	0.394
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	3.875
Mounting Style :	6 Square Pads (8mm Threads)
Ring Gear :	
Clutch:	No

Note:

4L30E (4 Speed)(RWD)

Atlantic #	TC2402
Model :	Amigo, Rodeo, Trooper
Engine:	2.2L (Some), 2.6L (Some), 2.8L, 3.2L
Year(s) :	1990-06
Code :	SE9P, SELP, SF6X, SFLP, SJ9K, SJHS, SJLP, SJLS
OEM Part Number :	8677324, 8680189
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.000
Pilot Diameter :	0.825
Pilot Length :	1.500
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.6875
Mounting Style :	3 Lugs (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC2406
Model :	Amigo, Rodeo, Trooper
Engine:	3.2L, 3.5L, 2.2L (Some), 2.6L (Some)
Year(s) :	1997-00, 1990-06
Code :	24210868, 24210869, 24211228, 24211229, 24211068, 2410266, 96041998
OEM Part Number :	
Overall Diameter :	10
Overall Height :	5.875
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.00
Pilot Diameter :	0.825
Pilot Length :	0.938
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	6 Pads (M10 x 1.50)
Ring Gear :	
Clutch:	Yes

Note: Dimples Angled 20 Degrees Left

© Whatever It Takes Transmission Parts. Inc.

Isuzu

4L30E (4 Speed)(RWD)(Continued)

Atlantic #	TC2406W
Model :	Amigo, Axiom, Rodeo, Trooper
Engine:	2.2L, 3.2L, 3.5L
Year(s) :	1999-06
Code :	24213406, 24213496, 24211229
OEM Part Number :	
Overall Diameter :	10
Overall Height :	5.875
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.00
Pilot Diameter :	0.825
Pilot Length :	0.938
Lockup :	Yes (EC3)
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	6 Lugs (M10 x 1.50)
Ring Gear :	
Clutch:	Yes (Woven Clutch)

Note: Dimples Angled 20 Degrees Left

Atlantic #	TC2407HS
Model :	Rodeo, Rodeo Sport
Engine:	2.2L, 2.6L
Year(s) :	2000-03
Code :	SJHR
OEM Part Number :	24210708, 24210713, 24210715
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.00
Pilot Diameter :	0.825
Pilot Length :	1.500
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC2409
Model :	Rodeo, Rodeo Sport, Trooper
Engine:	2.2L (Some), 3.1L, 3.2L, 3.5L
Year(s) :	1990-06
Code :	SFHE, SFHT, SFLT
OEM Part Number :	8681486, 24200145
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.00
Pilot Diameter :	0.825
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.875
Mounting Style :	3 Pads (0.925"Tall) (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Carbon Clutch)



Note:

© Whatever It Takes Transmission Parts. Inc.

Isuzu

4L60E (4 Speed)(RWD/4x4)

Atlantic #	TC7403C
Model :	Hombre, Pickup
Engine:	2.2L
Year(s) :	1997-00
Code :	HBCD, HBHD, HZHD
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.125
Pilot Diameter :	0.825
Pilot Length :	1.50
Lockup :	Yes
Stall Speed :	2350-2750
Mounting Bolt Radius :	4.875
Mounting Style :	3 Stepped Mounting Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC7415
Model :	Ascender
Engine:	4.2L (Some)
Year(s) :	2003-09
Code :	VJCX, JCXB, VJCK
OEM Part Number :	24215557, 24224075, 24228392, 24228708, 24238578, 24240603
Overall Diameter :	12.125 (280mm)
Overall Height :	6.50
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.7485
Hub Height :	2.345
Pilot Diameter :	1.703
Pilot Length :	1.13
Lockup :	Yes
Stall Speed :	1800-2000
Mounting Bolt Radius :	5.50
Mounting Style :	3 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 27 Spline Stator
Available With Billet Cover # TC7415HD

Atlantic #	TC7420
Model :	Ascender
Engine:	4.2L (Some)
Year(s) :	2003-09
Code :	
OEM Part Number :	17804499, 24241978
Overall Diameter :	10.75
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.75
Pilot Diameter :	0.825
Pilot Length :	1.4375
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.375
Mounting Style :	3 Extended Brackets (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	

Note:

© Whatever It Takes Transmission Parts. Inc.

Isuzu

4L80E (4 Speed)(RWD/4x4)

Atlantic #	TC3406
Model :	NPR Truck
Engine:	5.7L, 6.0L
Year(s) :	1987-13
Code :	
OEM Part Number :	24219330, 24217235, 24217599, 24217364, 24221719, 24227936, 12491334, 24240861, 17803871, 24210831
Overall Diameter :	13.50
Overall Height :	
Input Spline :	35
Hub Style :	Milled Flats
Hub Diameter :	1.998
Hub Height :	2.17
Pilot Diameter :	1.703
Pilot Length :	0.615
Lockup :	Yes
Stall Speed :	2200
Mounting Bolt Radius :	5.76
Mounting Style :	6 Lugs
Ring Gear :	
Clutch:	Yes

Note: Available With Billet Piston #TC3406BP
Available With Billet Cover #TC3406HD

6L90 (6 Speed)(RWD/4x4)

Atlantic #	TC4502
Model :	NPR Box Truck
Engine:	6.0L
Year(s) :	2012-15
Code :	JMBX
OEM Part Number :	24234545, 24247371
Overall Diameter :	12.50
Overall Height :	6.143-Lugs, 6.811-Pilot
Input Spline :	36
Hub Style :	Slotted
Hub Diameter :	1.833
Hub Height :	2.200
Pilot Diameter :	1.703
Pilot Length :	1.100
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.500
Mounting Style :	3 Stepped Pads (M10 x 1.50)
Ring Gear :	
Clutch:	

Note:

© Whatever It Takes Transmission Parts. Inc.

AT YOUR SERVICE DELIVERY INC.

DELIVERY YOU CAN COUNT ON

FAST, FLEXIBLE COURIER SERVICE

At Your Service offers a range of delivery services designed to meet all your delivery needs. Whether you need something delivered rapidly or are in need of recurring scheduled deliveries, we're able to provide quality, cost-efficient shipping & delivery services that improve the efficiency and productivity of your business.

COVERAGE AREA



Give us a call today at 1-800-940-0197 or visit aysdelivery.com

AYSDeliveryService

A division of WIT

Jaguar

Borg Warner (3 Band)

Atlantic #	TC13501
Model :	
Engine:	All
Year(s) :	1956-66
Code :	BD Metal Stamp
OEM Part Number :	
Overall Diameter :	11.75
Overall Height :	
Input Spline :	19/15
Hub Style :	Drive Ears
Hub Diameter :	2.125
Hub Height :	1.51
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.22
Mounting Style :	Mounting Ring
Ring Gear :	133 Tooth
Clutch:	Yes

Note: With Cooling Shroud

Borg Warner 8/12 (3 Speed)(RWD)

Atlantic #	TC10619
Model :	
Engine:	
Year(s) :	
Code :	21
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	17
Hub Style :	Drive Ears
Hub Diameter :	1.937
Hub Height :	1.650
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

Atlantic #	TC10620
Model :	XJS
Engine:	
Year(s) :	1976
Code :	67, 213
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	29
Hub Style :	Drive Ears
Hub Diameter :	1.937
Hub Height :	1.650
Pilot Diameter :	0.750
Pilot Length :	0.750
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	1.94
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Jaguar

Borg Warner 35 / 65 / 66 (3 Speed)(RWD)

Atlantic #	TC11944
Model :	
Engine:	
Year(s) :	
Code :	113, 6009
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	23
Hub Style :	Drive Ears
Hub Diameter :	1.684
Hub Height :	2.14
Pilot Diameter :	0.750
Pilot Length :	1.41
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	4 Round Lugs
Ring Gear :	
Clutch:	None

Note: No Cooling Shroud

Atlantic #	TC11944A
Model :	XJ6
Engine:	
Year(s) :	
Code :	(Some 6061), (Some 6097), 6043, 6057
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	26
Hub Style :	Drive Ears
Hub Diameter :	1.684
Hub Height :	2.18
Pilot Diameter :	0.750
Pilot Length :	1.313
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	4 Round Lugs
Ring Gear :	
Clutch:	None

Note: No Cooling Shroud

Atlantic #	TC11945
Model :	XJ6
Engine:	
Year(s) :	
Code :	(Some 6061), (Some 6097)
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	23
Hub Style :	Drive Ears
Hub Diameter :	1.684
Hub Height :	2.18
Pilot Diameter :	0.750
Pilot Length :	1.313
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	4 Round Lugs
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Jaguar

Borg Warner 35 / 65 / 66 (3 Speed)(RWD)(Continued)

Atlantic #	TC11945A
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	22
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

JF506E (5 Speed)(FWD/AWD)

Atlantic #	TC18321HS
Model :	X-Type
Engine:	2.5L
Year(s) :	2002-08
Code :	t4
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.653
Hub Height :	1.50
Pilot Diameter :	1.375
Pilot Length :	1.50
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.75
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC18321LS
Model :	X-Type
Engine:	3.0L
Year(s) :	2002-08
Code :	t3
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats, Flanged, Stepped
Hub Diameter :	1.653
Hub Height :	1.50
Pilot Diameter :	1.375
Pilot Length :	1.50
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.75
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Jaguar

ZF4HP22 / ZF4HP24 / ZF4HP24A (4 Speed)(RWD)

Atlantic #	TC6913HS
Model :	XJ6
Engine:	3.2L
Year(s) :	1988-97
Code :	H3, T7
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.495 / 1.574
Hub Height :	1.76
Pilot Diameter :	1.257
Pilot Length :	1.75
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.6875
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6913
Model :	XJ6
Engine:	4.2L
Year(s) :	1988-97
Code :	AG, K17, Z1, Z6, Stamped 7 On Pilot
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.495 / 1.575
Hub Height :	1.75
Pilot Diameter :	1.257
Pilot Length :	1.75
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.6875
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6950
Model :	XJ8
Engine:	4.0L
Year(s) :	1998-03
Code :	K7
OEM Part Number :	
Overall Diameter :	12.75
Overall Height :	6.75
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	2.0625
Pilot Diameter :	1.257
Pilot Length :	1.6875
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.625
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	Yes

Note: 3 Piece Body

© Whatever It Takes Transmission Parts. Inc.

Jaguar

ZF4HP22 / ZF4HP24 / ZF4HP24A (4 Speed)(RWD)(Continued)

Atlantic #	TC6951
Model :	
Engine:	
Year(s) :	
Code :	Green Dot, Metal Stamp Q32, (Some 157102), Ink Code K35, Q20, Q32
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.575
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	1.00
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	3 Brackets (M10 x 1.5)
Ring Gear :	
Clutch:	Clutch Pack



Note:

ZF5HP24 / ZF5HP24A (5 Speed)(RWD/4x4)

Atlantic #	TC6951
Model :	XJ8, XJ8L, XJ Sport
Engine:	4.0L
Year(s) :	1998-03
Code :	Green Dot, Metal Stamp Q32, (Some 157102), Ink Code K35, Q20, Q32
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.575
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	1.00
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	3 Brackets (M10 x 1.5)
Ring Gear :	
Clutch:	Clutch Pack

Note:

Atlantic #	TC18531
Model :	
Engine:	
Year(s) :	
Code :	Q29
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.575
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	1.00
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	5.75
Mounting Style :	3 Brackets (M10 x 1.5)
Ring Gear :	
Clutch:	Captive Clutch

Note:

© Whatever It Takes Transmission Parts. Inc.

Jaguar

ZF6HP26 / ZF6HP26A (6 Speed)(RWD/AWD)

Atlantic #	TC4920
Model :	S-Type
Engine:	4.2L
Year(s) :	2002-08
Code :	Ink Code D85, B-8, 34, 44, 57, S62, H65,
	66, 69, 74, 99, Metal Stamp Some 206503
	On Primary
OEM Part Number :	
Overall Diameter :	11
Overall Height :	5.625
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	1.085
Pilot Diameter :	1.375 (Beveled)
Pilot Length :	1.33
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.75
Mounting Style :	Triangular Mounting Plate W/3 Captive
	Nuts (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Multiple Disc Clutch Pack)

Note:

Atlantic #	TC4921
Model :	S-Type
Engine:	3.0L
Year(s) :	2002-08
Code :	Ink Code B85, F65, K76, P62
	Metal Stamp 206505, 206-205
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	1.125
Pilot Diameter :	1.375
Pilot Length :	1.8125
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.4375
Mounting Style :	Mounting Plate W/4 M10 x 1.5 Holes
Ring Gear :	
Clutch:	Multiple Disc Clutch Pack

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Jaguar

ZF6HP26 / ZF6HP26A (6 Speed)(RWD/AWD)(Continued)

Atlantic #	TC4923
Model :	XJ8
Engine:	4.2L
Year(s) :	2007
Code :	Metal Stamp 206500
OEM Part Number :	
Overall Diameter :	11.0625
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.045
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Plate W/4 Threaded Holes (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Captive Clutch



Note: 38 Spline Stator

ZF6HP28 / ZF6HP28A (6 Speed)(RWD/AWD)

Atlantic #	TC4952
Model :	XF, XFR
Engine:	5.0L
Year(s) :	2010-12
Code :	Ink Code 24, B-38, 109, B110, Green Swatch, Black Circle, Metal Stamp A110, B110, (Some 000 193)
OEM Part Number :	
Overall Diameter :	11.3125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	Mounting Plate (12.875” OD) Riveted To Front Cover W/8 Notches & 4 Bosses (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 43 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Jaguar

ZF6HP28 / ZF6HP28A (6 Speed)(RWD/AWD)(Continued)

Atlantic #	TC4922
Model :	XF
Engine:	4.2L
Year(s) :	2007-16
Code :	Ink Code 44, 74, B84, G74, J65
	Metal Stamp (Some 206700)
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	
Input Spline :	29
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.00
Pilot Diameter :	1.375 (Beveled)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.6875
Mounting Style :	Mounting Plate W/3 Threaded Holes
	(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: 38 Spline Stator

TH400 / 4L80E (4 Speed)(RWD/4x4)

Atlantic #	TC3402HSFM
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.855
Lockup :	No
Stall Speed :	High-1750
Mounting Bolt Radius :	5.75
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC3404HSFM
Model :	
Engine:	
Year(s) :	
Code :	FB
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.125
Pilot Diameter :	1.703
Pilot Length :	0.875
Lockup :	No
Stall Speed :	High-1750
Mounting Bolt Radius :	5.75
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	None

Note:

© Whatever It Takes Transmission Parts. Inc.

Jaguar

TH400 / 4L80E (4 Speed)(RWD/4x4)(Continued)

Atlantic #	TC3406J
Model :	
Engine:	
Year(s) :	
Code :	8683155, 8685080, 24217609
OEM Part Number :	
Overall Diameter :	13.5
Overall Height :	
Input Spline :	35
Hub Style :	Milled Flats, (Anti-Ballooning Plate Welded To Primary)
Hub Diameter :	2.00
Hub Height :	2.0625
Pilot Diameter :	1.703
Pilot Length :	0.615
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.75
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	Yes

Note:

5R55N (5 Speed)(RWD/4x4)

Atlantic #	TC5613
Model :	
Engine:	
Year(s) :	
Code :	XW4P-BA, XW4P-BD
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	1.61
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.375
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes (Clutch Type)



Note:

Atlantic #	TC5614
Model :	
Engine:	
Year(s) :	
Code :	1W4P-AA, 1X4P-AA, 3L2P-CA, 4L2P-BA, XW4P-AC, XW4P-AD
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	21
Hub Style :	Milled Flats
Hub Diameter :	1.61
Hub Height :	2.312
Pilot Diameter :	1.375
Pilot Length :	1.375
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.4375
Mounting Style :	8 Studs
Ring Gear :	
Clutch:	Yes (Clutch Type)

Note:

© Whatever It Takes Transmission Parts. Inc.

Jaguar

722.6 (5 Speed)(RWD/AWD)

Atlantic #	TC7802
Model :	XJ8, XJR, XK8
Engine:	4.0L
Year(s) :	1998-03
Code :	Sticker Code 72211, Metal Stamp 3870X,
	11020, 722 250 1102
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	5.6875
Input Spline :	32
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.377
Pilot Length :	1.110
Lockup :	Yes
Stall Speed :	Very High
Mounting Bolt Radius :	5.75
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Jeep

A340 (AW4)(4 Speed)(RWD/4x4)

Part #	TC9720
Model :	Cherokee, Comanche
Engine:	L4 2.5L
Year(s) :	1987-81, 1990-92
Code :	Green Circle, Red Dot
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625 Deep)
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	4 Pads (1/2” Tall)(10mm Threads)
Ring Gear :	
Clutch:	Yes

Note:

Part #	TC9721
Model :	Cherokee, Comanche
	Grand Cherokee, Wagoneer
Engine:	L6 4.0L
Year(s) :	1987-01
Code :	9A, Green Circle With Pink or White Dot
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	4.950
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	1.750
Pilot Diameter :	1.810 Stepped to 0.825
Pilot Length :	1.415
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.572
Mounting Style :	4 Square Pads (1/2” Tall)(10mm Threads)
Ring Gear :	
Clutch:	Yes

Note:

A500 (40RH / 42RE / 42RH / 44RE) Non-Lockup (4 Speed)(RWD/4x4)

Part #	TC1242
Model :	Wrangler
Engine:	L6 4.0L
Year(s) :	1993-95
Code :	877
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads (5/16” x 24 Threads)
Ring Gear :	
Clutch:	No



Note: Contains Stator Bearing

© Whatever It Takes Transmission Parts. Inc.

Jeep

A500 (40RH / 42RE / 42RH / 44RE) Non-Lockup (4 Speed)(RWD/4x4)(Continued)

Part #	TC1244
Model :	Jeep
Engine:	L6 4.0L
Year(s) :	1992-96
Code :	746, 749
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.187
Pilot Diameter :	1.810
Pilot Length :	0.870
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Square Pads
Ring Gear :	
Clutch:	No

Note: Contains Stator Bearing

Part #	TC1246
Model :	Grand Cherokee, Laredo
Engine:	L6 4.0L
Year(s) :	1994-04
Code :	783
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Milled Flats
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	
Clutch:	No

Note: 90 Degree Bolt Pattern

A500 (40RH / 42RE / 42RH / 44RE) Lockup (4 Speed)(RWD/4x4)

Part #	TC1234
Model :	D50 Pickup, Wrangler
Engine:	L4 2.5L, 3.0L
Year(s) :	1990-00
Code :	002B, 146, 311, 388 (Some)
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.250
Pilot Diameter :	1.335
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: Offset Bolt Circle

© Whatever It Takes Transmission Parts. Inc.

Jeep

A500 (40RH / 42RE / 42RH / 44RE) Lock-Up (4 Speed)(RWD/4x4)(Continued)

Part #	TC1235
Model :	Wrangler, Mighty Max
Engine:	L4 2.5L
Year(s) :	1996-05
Code :	002B, 146, 311, 388
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.250
Pilot Diameter :	1.335
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.290
Mounting Style :	4 Pads (m10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 90 Degree Bolt Pattern

Part #	TC1245
Model :	Wrangler, Grand Cherokee, Laredo
Engine:	L6 4.0L, 5.2L
Year(s) :	1996-05, 1994-04
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	
Clutch:	

Note: 90 Degree Bolt Pattern

Part #	TC1243
Model :	Grand Cherokee, Wrangler
Engine:	4.0L
Year(s) :	1993-04
Code :	703
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note: Contains Stator Bearing

© Whatever It Takes Transmission Parts. Inc.

A500 (40RH / 42RE / 42RH / 44RE) Lockup (4 Speed)(RWD/4x4) (Continued)

Part #	TC1213
Model :	Grand Cherokee
Engine:	5.2L, 5.9L
Year(s) :	1996-98
Code :	599, 792
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.495
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	130 Teeth (Wide)
Clutch:	Yes

Note: 90 Degree Bolt Pattern

Part #	TC1212
Model :	Grand Cherokee
Engine:	2.5L
Year(s) :	1996-98
Code :	549, 593, 594, 781
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	6
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	122 Teeth (Narrow)
Clutch:	Yes

Note: Contains Stator Bearing
90 Degree Bolt Pattern

A518 (46RE / 46RH / 47RE / 47RH / 48RE) Lockup (4 Speed)(RWD)

Part #	TC2219
Model :	
Engine:	5.2L, 318
Year(s) :	1993-95
Code :	514, 591, 875, 878, 879, 957
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads
Ring Gear :	130 Teeth (Wide)
Clutch:	Yes

Note: Contains Stator Bearing
No Balance Weight

© Whatever It Takes Transmission Parts. Inc.

Jeep

A518 (46RE / 46RH / 47RE / 47RH / 48RE) Lockup (4 Speed)(RWD) (Continued)

Part #	TC2221
Model :	
Engine:	5.2L, 5.9L, 6.6L
Year(s) :	1992-95
Code :	642, 643, 878
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads, Offset (5/16 x 24)
Ring Gear :	130 Teeth (Wide)
Clutch:	Yes

Note: Contains Stator Bearing
91 Gram Square Balance Weight (2 x 2 x 3/16")

Part #	TC2220
Model :	
Engine:	5.2L
Year(s) :	1996-05
Code :	595, 785
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	130 Teeth (Wide)
Clutch:	Yes

Note: 90 Degree Bolt Pattern
Contains Stator Bearing
No Balance Weight

Available With Heavy-Duty Billet Front Cover - TC2220HD

Part #	TC2220LS
Model :	
Engine:	5.9L
Year(s) :	1997-05
Code :	591, 767, 787
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads
Ring Gear :	130 Teeth (Wide)
Clutch:	Yes



Note: 90 Degree Bolt Pattern
Contains Stator Bearing
No Balance Weight

Available With Heavy-Duty Front Cover - TC2220HD

© Whatever It Takes Transmission Parts. Inc.

A518 (46RE / 46RH / 47RE / 47RH / 48RE) Lockup (4 Speed)(RWD) (Continued)

Part #	TC2221
Model :	
Engine:	5.9L
Year(s) :	1997-05
Code :	787
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	
Pilot Diameter :	1.810
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads
Ring Gear :	131 Teeth (Wide)
Clutch:	Yes

Note: 90 Degree Bolt Pattern
Contains Stator Bearing
91 Gram Square Balance Weight (2 x 2 x 3/16")

A6MF1 (6 Speed)(FWD)

Part #	TC21115
Model :	Compass, Patriot
Engine:	2.0L
Year(s) :	2013-16
Code :	XE1 Ink Code
OEM Part Number :	
Overall Diameter :	10.1875
Overall Height :	4.136
Input Spline :	20
Hub Style :	Flanged, Slotted
Hub Diameter :	1.691
Hub Height :	1.343
Pilot Diameter :	1.337
Pilot Length :	0.917
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25 Threads)
Ring Gear :	110 Teeth (11" Diameter)
Clutch:	Yes

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Jeep

A727 (36RH / 37RH) Non Lockup (4 Speed)(RWD)

Part #	TC2241
Model :	All With 11” Bolt Circle
Engine:	
Year(s) :	1968-Up
Code :	
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.870
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	5.560
Mounting Style :	4 Pads (5/16” x 24 Threads)
Ring Gear :	
Clutch:	No

Note: Thick Mounting Pads

Part #	TC2242
Model :	All With 10” Bolt Circle
Engine:	
Year(s) :	1968-Up
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16” x 24 Threads)
Ring Gear :	
Clutch:	No

Note: Thin Mounting Pads

© Whatever It Takes Transmission Parts. Inc.

Jeep

A727 (36RH / 37RH) Lockup (4 Speed)(RWD)

Part #	TC2242LULS
Model :	
Engine:	360, 400
Year(s) :	1978-Up
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note: Thin Mounting Pads

Part #	TC2242LUHS
Model :	
Engine:	360, 400
Year(s) :	1978-Up
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.873
Hub Height :	2.250
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note: Thin Mounting Pads

© Whatever It Takes Transmission Parts. Inc.

Jeep

A904 (30RH / 31RH / 32RH) Non Lockup (3 Speed)(RWD)

Part #	TC1253
Model :	Jeep, Pioneer
Engine:	4 Cylinder, 2.1L Diesel
Year(s) :	1984-86
Code :	Fichtel & Sachs
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.563
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	None

Note:

Part #	TC1244
Model :	Wrangler
Engine:	4.0L
Year(s) :	1992
Code :	746, 749
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.187
Pilot Diameter :	1.810
Pilot Length :	0.870
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Square Pads
Ring Gear :	
Clutch:	None

Note: Contains Stator Bearing

© Whatever It Takes Transmission Parts. Inc.

Jeep

A904 (30RH / 31RH / 32RH) Lockup (3 Speed)(RWD)

Part #	TC1251
Model :	Jeep
Engine:	6 Cylinder
Year(s) :	1984-87
Code :	Fichtel & Sachs
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	1.938
Pilot Diameter :	0.825
Pilot Length :	0.695
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.565
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes

Note: Ribs Are Straight

Part #	TC1252
Model :	
Engine:	4 Cylinder
Year(s) :	1984-87
Code :	Fichtel & Sachs
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	1.938
Pilot Diameter :	0.825
Pilot Length :	0.695
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	5.565
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes

Note: Ribs Are Slanted

Part #	TC1234
Model :	Cherokee
Engine:	2.5L
Year(s) :	1994-01
Code :	146, 311, 388
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.250
Pilot Diameter :	1.335
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Jeep

A904 (30RH / 31RH / 32RH) Lockup (3 Speed)(RWD) (Continued)

Part #	TC1235
Model :	Wrangler
Engine:	2.5L
Year(s) :	1987-02
Code :	388
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.250
Pilot Diameter :	1.335
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.290
Mounting Style :	4 Pads (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note: 90 Degree Bolt Pattern

Part #	TC1245
Model :	Wrangler
Engine:	4.0L
Year(s) :	1987-02
Code :	596, 783, 784, 785
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16” x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note: 90 Degree Bolt Pattern

Part #	TC1243
Model :	Wrangler
Engine:	4.0L
Year(s) :	1994-04
Code :	703
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note: Contains Stator Bearing

© Whatever It Takes Transmission Parts. Inc.

Jeep

A904 / A998 / A999 (30RH / 31RH / 32RH) Lockup (3 Speed)(RWD) (Continued)

Part #	TC1241LULS
Model :	Wrangler
Engine:	4.2L
Year(s) :	1987-90
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	2.125
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.995
Mounting Style :	4 Square Pads
Ring Gear :	
Clutch:	No

Note:

F3A21 (3 Speed)(FWD)

Atlantic #	TC4207
Model :	Summit
Engine:	1.5L
Year(s) :	1989-95
Code :	(Some 52), 64, (Some 76), C7, KF, KH, KJ, (Some V6)
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.57
Pilot Diameter :	1.060
Pilot Length :	0.79
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring (M10 x 1.5)
Ring Gear :	106 Teeth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Jeep

F4A21 (KM176-5) / F4A22 (KM175-5) / F4A23 (KM177-8) (4 Speed)(FWD/AWD)

Atlantic #	TC4207
Model :	Summit
Engine:	1.5L
Year(s) :	1989-95
Code :	(Some 52), 64, (Some 76), C7, KF, KH, KJ, (Some V6)
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.57
Pilot Diameter :	1.060
Pilot Length :	0.79
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring (M10 x 1.5)
Ring Gear :	106 Teeth
Clutch:	Yes

Note:

Atlantic #	TC4207B
Model :	Talon
Engine:	1.8L
Year(s) :	1990-94
Code :	33, (Some 52), 54, 68, (Some 76), b3, b4, b5, IF, IQ, KV, V6
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring
Ring Gear :	106 Teeth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Jeep

F4A33 / W4A33 (4 Speed)(FWD/AWD)

Atlantic #	TC4210
Model :	Talon (Turbo)
Engine:	2.0L
Year(s) :	1991-98
Code :	(Some LK)
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.69
Pilot Diameter :	1.060
Pilot Length :	0.76
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads (M10 x 1.5)
Ring Gear :	110 Teeth (3/4” Wide)
Clutch:	No

Note:

Atlantic #	TC4210B
Model :	Talon (Turbo)
Engine:	2.0L
Year(s) :	1991-98
Code :	6K
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.69
Pilot Diameter :	1.060
Pilot Length :	0.76
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Teeth (3/4” Wide)
Clutch:	No

Note:

Atlantic #	TC4212C
Model :	Talon
Engine:	2.0L
Year(s) :	1991-98
Code :	3X
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 1.25)
Ring Gear :	110 Teeth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Jeep

KM171 / KM172 / KM175 (3 & 4 Speed)(FWD/AWD)

Atlantic #	TC4206
Model :	Summit
Engine:	1.6L
Year(s) :	1989-90
Code :	71, H2, P2, W2, X4
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	106 Teeth
Clutch:	Yes

Note:

RE0F10A (JF011E) (CVT FWD/AWD)

Part #	TC21203B
Model :	Compass, Patriot
Engine:	L4 2.0L, 2.4L
Year(s) :	2007-17
Code :	22B, 22E, 22J, 22L
OEM Part Number :	
Overall Diameter :	10.4375
Overall Height :	
Input Spline :	20
Hub Style :	Flanged & Stepped W/2 Drive Ears
Hub Diameter :	0.894
Hub Height :	
Pilot Diameter :	
Pilot Length :	1.337
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.509
Mounting Style :	4 Oval Pads (M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note: Hub Has Inner Bushing
Extra Low Stall Speed Fin Angle

Part #	TC21203C
Model :	Compass, Patriot
Engine:	L4 2.0L, 2.4L
Year(s) :	2007-17
Code :	22C, 22K, 22M
OEM Part Number :	
Overall Diameter :	10.4375
Overall Height :	
Input Spline :	20
Hub Style :	Flanged & Stepped W/2 Drive Ears
Hub Diameter :	1.894
Hub Height :	0.678
Pilot Diameter :	1.338
Pilot Length :	1.338
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.501
Mounting Style :	4 Oval Pads (M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note: Hub Has Inner Bushing
Low Stall Fin Angle

© Whatever It Takes Transmission Parts. Inc.

Jeep

ZF4HP18 (4 Speed)(FWD/AWD)

Part #	TC7931
Model :	Jeep
Engine:	V6 3.0L
Year(s) :	1988-On
Code :	G7 (Ftchtel & Sachs)
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	34
Hub Style :	Slotted
Hub Diameter :	1.772 Stepped To 1.690
Hub Height :	
Pilot Diameter :	1.575
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.531
Mounting Style :	3 Pads (10mm Bolts)
Ring Gear :	
Clutch:	Yes

Note:

ZF4HP22 / ZF4HP24 (4 Speed)(RWD)

Part #	TC6915
Model :	Wrangler
Engine:	
Year(s) :	1987-Up
Code :	K2, L2
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	SLotted
Hub Diameter :	1.495 Stepped To 1.574
Hub Height :	1.719
Pilot Diameter :	1.060/1.379
Pilot Length :	1.345
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.440
Mounting Style :	4 Square Pads (0.770” Tall)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Jeep

ZF8HP45 (845RE) (8 Speed)(RWD/4x4)

Atlantic #	TC30911
Model :	Grand Cherokee
Engine:	3.6L
Year(s) :	2014
Code :	Ink Code: 36, 38, G178 Metal Stamp: 16,
	K140, 464, 000323, V05406, 000337,
	000415, XXXX336AA
OEM Part Number :	
Overall Diameter :	9.875
Overall Height :	5.973
Input Spline :	32
Hub Style :	No Drive (W/53 Internal Pump Drive Splines)
Hub Diameter :	2.088
Hub Height :	1.532
Pilot Diameter :	1.337
Pilot Length :	0.852
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.50
Mounting Style :	Mounting Plate With 3 Pads With 2
	Threaded Holes (M8 x 1.125) Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 11.375” Diameter Mounting Plate

ZF8HP70 (8 Speed)(RWD/4x4)

Part #	TC32911
Model :	Grand Cherokee SRT8
Engine:	6.4L
Year(s) :	2014-19
Code :	Ink Code P166, Metal Stamp 000323
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	
Input Spline :	32
Hub Style :	53 Internal Drive Splines
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.335
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	Mounting Plate (11 1/16”) Riveted To Cover
	With 6 Threaded Holes (M8 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

© Whatever It Takes Transmission Parts. Inc.

Jeep

ZF9HP48 (948TE) (9 Speed)(FWD/AWD)

Part #	TC33901
Model :	Cherokee
Engine:	2.4L, 3.2L
Year(s) :	2014-17
Code :	Metal Stamp 225A, 225B, 225D
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	25
Hub Style :	4 Milled Flats (Recessed/Stepped)
Hub Diameter :	
Hub Height :	1.233
Pilot Diameter :	1.335
Pilot Length :	0.939
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	3 Double Threaded Hole Pads (5/16 x 24 Threads)
Ring Gear :	
Clutch:	Yes (Modulating Friction Material)

Note: 11” Primary Reduced To 9 13/16”

42RLE (4 Speed)(RWD)

Part #	TC8201
Model :	Liberty
Engine:	3.7L
Year(s) :	2003-12
Code :	845AA, 853AA, 893AB, 893AD, 893AE
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	3.330
Pilot Diameter :	1.337
Pilot Length :	0.965
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.515
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes (Modulating Friction Material)

Note: 90 Degree Bolt Pattern

Heavy Duty Available (Part # D473B)

Part #	TC8202
Model :	Wrangler
Engine:	2.4L
Year(s) :	2003-06
Code :	235AA
OEM Part Number :	
Overall Diameter :	10
Overall Height :	6.375
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	3.330
Pilot Diameter :	1.337
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.290 (Offset)
Mounting Style :	4 Pads (Tapered)(10 x 1.5mm)
Ring Gear :	
Clutch:	Yes

Note: Smooth Primary

© Whatever It Takes Transmission Parts. Inc.

Jeep

45RFE / 5-45RFE (4 & 5 Speed)(RWD/AWD)

Part #	TC7201
Model :	Liberty 2005-06, Wrangler 2010-11
Engine:	2.8L Diesel
Model :	Cherokee 2002-14, Commander 2006-10,
	Liberty 2002-06
Engine:	3.7L
Model :	Commander 2006-11,
	Grand Cherokee 1999-04
Engine:	4.7L
Code :	394AA, 454AC, 496, 582, 582AB,
	582AD, 6349AA
OEM Part Number :	04736582, R4736582
Overall Diameter :	11.625
Overall Height :	5.75
Input Spline :	29
Hub Style :	Milled Flats With O-Ring
Hub Diameter :	1.775 / 1.836 / 1.877
Hub Height :	1.060
Pilot Diameter :	1.810
Pilot Length :	0.750
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes (Modulating Friction Material)

Note: Ribbed Primary
Hub Requires O-Ring (Not Included)

Part #	TC7201HD
Model :	Liberty 2005-06, Wrangler 2010-11
Engine:	2.8L Diesel
Model :	Cherokee 2002-14, Commander 2006-10,
	Liberty 2002-06
Engine:	3.7L
Model :	Commander 2006-11,
	Grand Cherokee 1999-04
Engine:	4.7L
Code :	394AA, 454AC, 496, 582, 582AB,
	582AD, 6349AA
OEM Part Number :	04736582, R4736582

Note: With Heavy Duty Billet Lid

© Whatever It Takes Transmission Parts. Inc.

Jeep

45RFE / 5-45RFE (4 & 5 Speed)(RWD/AWD)

Part #	TC7201LS
Model :	Commander 2006-11,
	Grand Cherokee 1999-04
Engine:	4.7L
Model :	Commander 2006-11,
	Grand Cherokee 2009-11
Engine:	5.7L
Code :	352AA, 352AB, 492AA, 492AB, 587AB,
	587AC, 600AA, 705AA
OEM Part Number :	
Overall Diameter :	11.625
Overall Height :	5.75
Input Spline :	29
Hub Style :	Milled Flats With O-Ring
Hub Diameter :	1.775 / 1.836 / 1.877
Hub Height :	1.060
Pilot Diameter :	1.810
Pilot Length :	0.765
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.060
Mounting Style :	4 Pads (5/16 x 24 Threads)
Ring Gear :	
Clutch:	Yes (Modulating Friction Material)

Note: Ribbed Primary
Hub Requires O-Ring (Not Included)

Part #	TC7201LSHD
Model :	Commander 2006-11,
	Grand Cherokee 1999-04
Engine:	4.7L
Model :	Commander 2006-11,
	Grand Cherokee 2009-11
Engine:	5.7L
Code :	352AA, 352AB, 492AA, 492AB, 587AB,
	587AC, 600AA, 705AA

Note: Ribbed Primary
Hub Requires O-Ring (Not Included)

© Whatever It Takes Transmission Parts. Inc.

Jeep

6F24 (6 Speed)(FWD)

Atlantic #	TC21108
Model :	Compass, Patriot
Engine:	2.4L
Year(s) :	2013-18
Code :	XHB
OEM Part Number :	
Overall Diameter :	10.1875
Overall Height :	
Input Spline :	
Hub Style :	Slotted, Flanged
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.337 (Hollow)
Pilot Length :	.9063
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.00
Mounting Style :	3 Pads W/2 Holes Each (5/16 x 24 Threads)
Ring Gear :	None
Clutch:	

Note: 38 Spline Stator

Part #	TC21115
Model :	Compass, Patriot
Engine:	2.0L
Year(s) :	2013-16
Code :	XE1 Ink Code
OEM Part Number :	
Overall Diameter :	10.1875
Overall Height :	4.136
Input Spline :	20
Hub Style :	Flanged, Slotted
Hub Diameter :	1.691
Hub Height :	1.343
Pilot Diameter :	1.337
Pilot Length :	0.917
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25 Threads)
Ring Gear :	110 Teeth (11” Diameter)
Clutch:	Yes

Note: 38 Spline Stator

722.6 (W5J400) (5 Speed)(RWD/AWD)

Part #	TC7804
Model :	Grand Cherokee, Laredo
Engine:	3.7L
Year(s) :	2005-11
Code :	478AA, 500AA
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.340
Pilot Length :	1.231
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.100
Mounting Style :	3 Pads (W/Two 8mm x 1.25 Threads Each)
Ring Gear :	
Clutch:	Yes (Multiple Disk Clutch Pack)

Note:

© Whatever It Takes Transmission Parts. Inc.

Jeep

Part #	TC6814
Model :	Commander, Grand Cherokee, Laredo
Engine:	3.7L, 4.0L
Year(s) :	2006-10, 2005-13
Code :	447AA, 489AA, 603AA, 795AA
OEM Part Number :	04752447AA
Overall Diameter :	11.25
Overall Height :	5.875
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.694
Hub Height :	2.00
Pilot Diameter :	1.338
Pilot Length :	1.220
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.105
Mounting Style :	3 Pads (W/Two 8mm x 1.25 Threads Each)
Ring Gear :	
Clutch:	Yes (Multiple Disk Clutch Pack)

Note: Ribs Angled 10 Degrees High
38 Spline Stator

Part #	TC28802
Model :	Grand Cherokee
Engine:	3.0L Diesel
Year(s) :	2007-11
Code :	209 250 0602, 209 250 0802 (Metal Stamp)
OEM Part Number :	
Overall Diameter :	11.3125
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.690-1.700
Hub Height :	2.00
Pilot Diameter :	1.375
Pilot Length :	1.220
Lockup :	Yes
Stall Speed :	Very High
Mounting Bolt Radius :	5.00
Mounting Style :	3 Pads (Extended & Angled)(W/2 Holes Each)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Part #	TC6817
Model :	Grand Cherokee, Laredo, Wrangler, Unlimited
Engine:	3.6L
Year(s) :	2011-14
Code :	436AA
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	8.875
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	Yes (2 Clutch)(3 Steel Plates)
Stall Speed :	High
Mounting Bolt Radius :	
Mounting Style :	3 Pads (Extended With Two 8mm Threads Each)
Ring Gear :	
Clutch:	Yes (Clutch Pack)



Note:

© Whatever It Takes Transmission Parts. Inc.

Kia

A44DE (4 Speed)(RWD)

Atlantic #	TC9711
Model :	Sorento
Engine:	3.5L
Year(s) :	2003-04
Code :	Green Circle, 2048, 3Y
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	4.875
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.750
Pilot Length :	1.150
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.25
Mounting Style :	6 Pads (0.660"Thk)(3/8 x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5713
Model :	Sportage
Engine:	2.0L
Year(s) :	1995-02
Code :	3N, Black Dot, Black Circle
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	1.75
Pilot Diameter :	0.750
Pilot Length :	1.15
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.250
Mounting Style :	6 Pads (1/2" Tall)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

A4AF3 (4 Speed)(FWD/AWD)

Atlantic #	TC4207B
Model :	Rio, Rio 5
Engine:	1.5L, 1.6L
Year(s) :	2006-11
Code :	33, (Some 52), 54, 68, (Some 76), b3, b4, b5, IF, IQ, KV, V6
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.570
Pilot Diameter :	1.060
Pilot Length :	0.71
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring (M10 x 1.25 Threads)
Ring Gear :	106 Tooth
Clutch:	Yes

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Kia

A4CF2 (4 Speed)(FWD)

Atlantic #	TC4111
Model :	Spectra, 5
Engine:	Some 2.0L
Year(s) :	2006-09
Code :	HB, HC
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	1.693
Hub Height :	1.455
Pilot Diameter :	1.060
Pilot Length :	0.455
Lockup :	Yes
Stall Speed :	Medium/Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads
Ring Gear :	110 Tooth (11.0625 Diameter)(M10 x 1.25)
Clutch:	Yes

Note:

Atlantic #	TC4116
Model :	Spectra, 5
Engine:	Some 2.0L
Year(s) :	2006-09
Code :	HE
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	1.693
Hub Height :	1.442
Pilot Diameter :	1.060
Pilot Length :	0.631
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Kia

A5GF1 (5 Speed)(FWD/AWD)

Atlantic #	TC4116
Model :	Optima
Engine:	2.4L
Year(s) :	2006-10
Code :	G1, HE
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	1.693
Hub Height :	1.442
Pilot Diameter :	1.060
Pilot Length :	0.631
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

Atlantic #	TC4117
Model :	Ronda
Engine:	2.7L
Year(s) :	2008-09
Code :	(Some FA, FB), GA
OEM Part Number :	
Overall Diameter :	10
Overall Height :	Pilot - 3.978, Lugs - 4.020
Input Spline :	20
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	1.693
Hub Height :	1.462
Pilot Diameter :	1.060
Pilot Length :	0.628
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Kia

A5HF1 (5 Speed)(FWD/AWD)

Atlantic #	TC4114
Model :	Amanti, Sedona
Engine:	Some 3.8L
Year(s) :	2006-09
Code :	(Some TC, TE), TG
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.337 (Hollow)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (0.406”Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC4114A
Model :	Sedona
Engine:	Some 3.8L
Year(s) :	2006-09
Code :	(Some TC, TE)
OEM Part Number :	
Overall Diameter :	11
Overall Height :	4.9375
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	2.0625
Pilot Diameter :	1.337 (Hollow)
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

A6GF1 (6 Speed)(FWD)

Atlantic #	TC21112
Model :	Rio, Rio 5
Engine:	1.6L
Year(s) :	2011-19
Code :	SD, SO
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	3.89
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.693
Hub Height :	1.355
Pilot Diameter :	1.060 (Hollow)
Pilot Length :	0.690
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	106 Tooth (10.625 Diameter)
Clutch:	Yes



Note: 38 Spline Stator / 20 Vanes

© Whatever It Takes Transmission Parts. Inc.

Kia

A6LF1 / A6LF2 (6 Speed)(FWD)

Atlantic #	TC21105
Model :	Optima
Engine:	2.0L
Year(s) :	2010-19
Code :	CA
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	23
Hub Style :	Slotted, Flanged
Hub Diameter :	1.850
Hub Height :	1.436
Pilot Diameter :	1.060 (Hollow)
Pilot Length :	0.395
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note: 42 Spline Stator / 22 Vanes

Atlantic #	TC21101
Model :	Sedona
Engine:	3.5L
Year(s) :	2010-12
Code :	ZB
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	
Input Spline :	23
Hub Style :	Slotted, Flanged
Hub Diameter :	1.850
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 42 Spline Stator

Atlantic #	TC21118
Model :	Sportage
Engine:	2.0L
Year(s) :	2012-17
Code :	CB
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	
Input Spline :	23
Hub Style :	Slotted, Flanged
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth (11” Diameter)
Clutch:	Yes (Clutch Pack)

Note:

© Whatever It Takes Transmission Parts. Inc.

Kia

A6LF1 / A6LF2 (6 Speed)(FWD)(Continued)

Atlantic #	TC21104
Model :	Sorento
Engine:	3.3L, 3.5L
Year(s) :	2010-19
Code :	ZA, ZD, Black Paint Swatch
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	Pilot - 3.939, Lugs - 3.827
Input Spline :	23
Hub Style :	Slotted, Flanged
Hub Diameter :	1.850
Hub Height :	1.397
Pilot Diameter :	1.337 (Hollow)
Pilot Length :	0.790
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

A6MF1 (6 Speed)(FWD)

Atlantic #	TC21103
Model :	Optima
Engine:	2.4L
Year(s) :	2011-12
Code :	KGD
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	Pilot - 3.865, Lugs - 3.965
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.693
Hub Height :	1.345
Pilot Diameter :	1.060 (Hollow)
Pilot Length :	0.647
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth (11.0625” Diameter)
Clutch:	Yes

Note: 38 Spline Stator, 28 Vanes

Atlantic #	TC21122
Model :	Sorento
Engine:	2.4L
Year(s) :	2010-17
Code :	MD, NC
OEM Part Number :	
Overall Diameter :	10.1875
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth (11” Diameter)
Clutch:	Yes

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Kia

A6MF2 (6 Speed)(FWD)

Atlantic #	TC21104
Model :	Sorento
Engine:	3.3L, 3.5L
Year(s) :	2010-19
Code :	ZA, ZD, Black Paint Swatch
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	Pilot - 3.939, Lugs - 3.827
Input Spline :	23
Hub Style :	Slotted, Flanged
Hub Diameter :	1.850
Hub Height :	1.397
Pilot Diameter :	1.337 (Hollow)
Pilot Length :	0.790
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC21102
Model :	Sedona, Sorento
Engine:	3.5L
Year(s) :	2010-17
Code :	NB
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	Pilot - 3.857, Ring Gear - 3.990
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.693
Hub Height :	1.345
Pilot Diameter :	1.060
Pilot Length :	0.651
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Stepped Pads (M10 x 1.25)
Ring Gear :	110 Tooth (11.0625” Diameter)
Clutch:	Yes



Note: 38 Stator Splines

F4A42 / W4A42 (4 Speed)(FWD/AWD)

Atlantic #	TC4116
Model :	Forte
Engine:	2.0L
Year(s) :	2010
Code :	G1, HE
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	1.693
Hub Height :	1.442
Pilot Diameter :	1.060
Pilot Length :	0.631
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Kia

F4A42 / W4A42 (4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC4104
Model :	Optima, Sportage
Engine:	Some 2.4L, 2.7L
Year(s) :	2001-10
Code :	4c, 4p, YB, YB-K
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.500
Pilot Diameter :	1.060
Pilot Length :	0.550
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

Atlantic #	TC4106
Model :	Optima
Engine:	Some 2.4L
Year(s) :	2001-05
Code :	YC, 4H, YH
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth (11” Diameter)
Clutch:	Yes

Note:

Atlantic #	TC4117
Model :	Soul
Engine:	2.0L
Year(s) :	2009-11
Code :	(Some FA, FB) GA
OEM Part Number :	
Overall Diameter :	10
Overall Height :	Pilot - 3.978, Lugs - 4.020
Input Spline :	20
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	1.693
Hub Height :	1.462
Pilot Diameter :	1.060
Pilot Length :	0.628
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Kia

F4A42 / W4A42 (4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC4101
Model :	Spectra / 5
Engine:	2.0L
Year(s) :	2004-05
Code :	3b, JB
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.500
Pilot Diameter :	1.060
Pilot Length :	0.670
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

F4A51 (4 & 5 Speed)(FWD/AWD)

Atlantic #	TC4115
Model :	Amanti, Optima
Engine:	3.5L, Some 2.7L
Year(s) :	2004-07
Code :	(Some FA, FB)
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

Atlantic #	TC4117
Model :	Optima
Engine:	2.7L
Year(s) :	2006-07
Code :	(Some FA, FB) GA
OEM Part Number :	
Overall Diameter :	10
Overall Height :	Pilot - 3.978, Lugs - 4.020
Input Spline :	20
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	1.693
Hub Height :	1.462
Pilot Diameter :	1.060
Pilot Length :	0.628
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Kia

F4A51 (4 & 5 Speed)(FWD/AWD)(Continued)

Atlantic #	TC4102
Model :	Sedona
Engine:	3.5L
Year(s) :	2002-05
Code :	6d, LB, LC, LE, P9
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.500
Pilot Diameter :	1.337
Pilot Length :	0.925
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note: Middle Row Of Ribs Angled 15 Degrees

Atlantic #	TC4101HS
Model :	Sportage
Engine:	2.0L
Year(s) :	2004-10
Code :	JC
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.50
Pilot Diameter :	1.060
Pilot Length :	0.670
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

F4A-EL (1 Pan)(4 Speed)(FWD)

Atlantic #	TC2856
Model :	Sephia, Spectra
Engine:	1.6L, 1.8L
Year(s) :	1994-04
Code :	Blue Or Green Dots On Pump & Cover
	98H24D072, 98BO40032, Yellow Dot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21 (Blue Rectangle & White Dot)
Hub Style :	No Drive (With Inner Bushing)(Stamp ZZZ)
Hub Diameter :	2.673
Hub Height :	0.600
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	Yes
Stall Speed :	Med
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary
12 Spline Pump Drive

© Whatever It Takes Transmission Parts. Inc.

Kia

F4A-EL (1 Pan)(4 Speed)(FWD)

Atlantic #	TC2803
Model :	Sephia
Engine:	1.6L, 1.8L
Year(s) :	1994-01
Code :	Q25E, Q25F, Q25G, 94A, 2 Orange Dots
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21
Hub Style :	No Drive With Inner Bushing
Hub Diameter :	2.674
Hub Height :	0.560
Pilot Diameter :	0.825
Pilot Length :	0.730
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note: Ribs Angled At 30 Degrees

Atlantic #	TC2856
Model :	Rio, Rio Cinco, Rio 5, Spectra
Engine:	1.5L, 1.8L
Year(s) :	2000-05
Code :	Blue or Green Paint Swatch
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.673
Hub Height :	0.600
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary / 12 Spline Pump Drive

© Whatever It Takes Transmission Parts. Inc.

Kia

RE5R05A (5 Speed)(RWD/AWD)

Atlantic #	TC17304
Model :	Sorento
Engine:	3.3L
Year(s) :	2007-09
Code :	(Some RE)
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.750 (Hollow)
Pilot Length :	1.295
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	6 Stepped Pads (1.172”Tall)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 38 Spline Stator

Atlantic #	TC17303
Model :	Sorento
Engine:	3.5L
Year(s) :	2005-06
Code :	RA
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.748
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Stepped Pads (0.762”Tall)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC17306
Model :	Sorento
Engine:	3.8L
Year(s) :	2007-09
Code :	RD
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.750 (Hollow)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	6 Rectangular Stepped Pads (M10 x 1.25)+8
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

© Whatever It Takes Transmission Parts. Inc.

Kia

RE5R05A (5 Speed)(RWD/AWD)

Atlantic #	TC17306B
Model :	Borrego
Engine:	3.8L
Year(s) :	2009-11
Code :	RH
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.750 (Hollow)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	6 Rectangular Stepped Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

ZF6HP26X (6 Speed)(RWD/4X4)

Atlantic #	TC20920
Model :	Borrego
Engine:	4.6L
Year(s) :	2009-11
Code :	Y93, (Some 000193)
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.252
Pilot Diameter :	1.337
Pilot Length :	2.07
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.75
Mounting Style :	Mounting Plate W/6 (M10 x 1.25) Threads
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Mounting Plate Riveted To Front Cover

© Whatever It Takes Transmission Parts. Inc.

WIT WHATEVER IT TAKES
TRANSMISSION PARTS, INC

XTREME

PERFORMANCE KITS

TIER 1 MILD

Up to 500HP.. Mild Tune, Bolt Ons, Light/Medium Towing, Oversized Wheel and Tires

TIER 2 WILD

500-1000HP..Power Adders, Highly Tuned, Street Strip, HD Diesel, Heavy Tow

TIER 3 XTREME

1000HP and Beyond...Extremely Tuned Vehicle, Primarily Sled Pull Rigs, Strip and Track Vehicles or Just Plain MONSTERS!

Unleash the *BEAST* within with our *XTREME PERFORMANCE KITS*

We at WIT Performance have worked hand in hand with some of the top manufacturers in the industry to bring you our very own XTR Performance kits. Our multi tier platform will provide you with the performance minded components to exceed the needs your monster demands. From Mild to Wild to the Extreme, we have you covered.

Give us a call today at 1-800-940-0197 or visit wittrans.com

Powered by WIT

Land Rover

AWTF80SC / AWTF81SC (6 Speed)(FWD/AWD)

Atlantic #	TC25511
Model :	
Engine:	
Year(s) :	
Code :	44A150, 12D08637
OEM Part Number :	
Overall Diameter :	11
Overall Height :	3.590
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.848
Hub Height :	1.325
Pilot Diameter :	0.825
Pilot Length :	0.780
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.6563
Mounting Style :	6 Rectangle Pads (0.455”Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC25540
Model :	
Engine:	3.2L
Year(s) :	2006-14
Code :	70A020, 70A040, 70A100, 70A130
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	3.595
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.848
Hub Height :	1.325
Pilot Diameter :	0.825
Pilot Length :	0.95
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.781
Mounting Style :	6 Square Pads (0.455”Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC25541
Model :	
Engine:	
Year(s) :	
Code :	70A210
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	3.595
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.848
Hub Height :	1.325
Pilot Diameter :	0.825
Pilot Length :	0.95
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.781
Mounting Style :	6 Square Pads (0.440”Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Land Rover

JF506E (5 Speed)(FWD/AWD)

Atlantic #	TC18322
Model :	Freelander
Engine:	2.5L
Year(s) :	2002-06
Code :	I7
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	1.65
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.719
Mounting Style :	4 Round Lugs (M10 x 1.25)
Ring Gear :	58 Tooth With 1.375” Timing Gap
Clutch:	Yes

Note:

ZF4HP22 / ZF4HP24 / ZF4HP24A (4 Speed)(RWD)

Atlantic #	TC6915
Model :	Range Rover
Engine:	
Year(s) :	
Code :	K2, Black Dot
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.495 / 1.574
Hub Height :	1.719
Pilot Diameter :	1.060
Pilot Length :	1.345
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6917
Model :	Discovery
Engine:	4.6L
Year(s) :	1994-04
Code :	B18, M19, T27 Pilot Side
OEM Part Number :	
Overall Diameter :	12.875
Overall Height :	7.0
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.335
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Land Rover

ZF4HP22 / ZF4HP24 / ZF4HP24A (4 Speed)(RWD)(Continued)

Atlantic #	TC6919
Model :	Range Rover
Engine:	4.0L
Year(s) :	1990-02
Code :	D19, J61, P27, S27, U18, U27, Metallic
	Green Paint Swatch
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.574
Hub Height :	1.6875
Pilot Diameter :	1.335
Pilot Length :	2.50
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	Bowl Shaped Mounting Ring (9.75” OD)
	With 4 (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes

Note:

ZF5HP24 / ZF5HP24A (5 Speed)(RWD/4x4)

Atlantic #	TC18521
Model :	Range Rover
Engine:	4.4L
Year(s) :	2003-05
Code :	A85, D21, F38, L31, L35, S32, Green Dot,
	Metal Stamp (Some 157102)
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.575
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	1.140
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.219
Mounting Style :	4 Pads (Captive Nuts)(M10 x 1.50)
Ring Gear :	
Clutch:	Captive Clutch



Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Land Rover

ZF6HP26 / ZF6HP26A (6 Speed)(RWD/AWD)

Atlantic #	TC4923
Model :	Discovery, LR3
Engine:	4.0L
Year(s) :	2004-16
Code :	Metal Stamp 206500
OEM Part Number :	
Overall Diameter :	11.0625
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.045
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Plate W/4 Threaded Holes (M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Captive Clutch

Note: 38 Spline Stator

Atlantic #	TC4920
Model :	Range Rover Sport
Engine:	4.4L
Year(s) :	2006-09
Code :	Ink Code D85, B-8, 34, 44, 57, S62, H65, 66, 69, 74, 99, Metal Stamp Some 206503 On Primary
OEM Part Number :	
Overall Diameter :	11
Overall Height :	5.625
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	1.085
Pilot Diameter :	1.375 (Beveled)
Pilot Length :	1.33
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.75
Mounting Style :	Triangular Mounting Plate W/3 Captive Nuts (M10 x 1.5)
Ring Gear :	
Clutch:	Yes (Multiple Disc Clutch Pack)

Note:

© Whatever It Takes Transmission Parts. Inc.

Land Rover

ZF6HP28 / ZF6HP28A (6 Speed)(RWD/AWD)

Atlantic #	TC4951
Model :	
Engine:	
Year(s) :	
Code :	5, 22, 33, 64, Green & Black Paint Swatch,
	Metal Stamp B75, (Some 206700)
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.219
Mounting Style :	Mounting Plate Welded To Front Cover
	W/4 M10 x 1.5 Threads
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC4952
Model :	Discovery, Range Rover, Sport
Engine:	5.0L
Year(s) :	2009-16
Code :	Ink Code 24, B-38, 109, B110, Green
	Swatch, Black Circle, Metal Stamp A110,
	B110, (Some 000 193)
OEM Part Number :	
Overall Diameter :	11.3125
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	Mounting Plate (12.875” OD) Riveted To
	Front Cover W/8 Notches & 4 Bosses
	(M10 x 1.5 Threads)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 43 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

ATLANTIC
TORQUE CONVERTERS

FEATURED TORQUE CONVERTERS

QUALITY DRIVEN MOVEMENT

We build OE replacement, heavy duty towing, and performance racing torque converters with the overall goal of exceeding our customer's expectations. Each torque converter is backed by hours of industry leading R+D. We strive to create and implement solutions that correct OE design flaws and failures.



Available From 49 Nationwide Locations!

BORGWARNER sonnax Raybestos POWERTRAIN TRICOMPONENT PRODUCTS CORPORATION Independent Driveline WIT ATF

Give us a call today at 1-800-940-0197 or visit atlanticconverters.com AtlanticConverters

A division of WIT

Lexus

A340 / A341 / A343 / A350 (4 Speed)(RWD)

Atlantic #	TC9702
Model :	GS300, SC300
Engine:	3.0L
Year(s) :	1992-00
Code :	31287, UE26M, 03, 20A020, 20A420, 20A560, 20A650, Green or Blue Circle & White Circle Next to Pink Dot, Green Circle & White Circle Next To Blue Dot, Green Circle Next To Orange Dot, Red Circle Around Green Dot, 02, 03, O3
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted (0.618"Deep), Flanged
Hub Diameter :	1.50
Hub Height :	1.748
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.300
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Pads (0.317"Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9705
Model :	LS400, SC400, SE400
Engine:	4.0L
Year(s) :	1990-97
Code :	001X, 51A010, 51A012, OF07P, OL, 2 Orange Paint Swatches, Stamped 7D, 9L, or F On Pilot Tip
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	Pilot - 6.107, Lugs - 5.365
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.748
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.351
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.75
Mounting Style :	6 Pads (0.430"Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Stator Splines, 20 Vanes

© Whatever It Takes Transmission Parts. Inc.

Lexus

A340 / A341 / A343 / A350 (4 Speed)(RWD)(Continued)

Atlantic #	TC9707
Model :	GS400, LS400, LX450, LX470, SC400
Engine:	4.0L, 4.5L, 4.7L
Year(s) :	1996-02
Code :	(Some 5A1), (Some 2g on Pilot), 8F04U, 50A040, 50A070, 50A100, 4D14570, 010, 5007, 5A070, 5A100
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	1.75
Input Spline :	20
Hub Style :	Slotted (0.625”Deep), Flanged
Hub Diameter :	1.500
Hub Height :	1.748
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.500
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.71875
Mounting Style :	6 Pads (0.375”Thk)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9709
Model :	LX450, LX500
Engine:	4.5L, 5.0L
Year(s) :	1996-97
Code :	010, 5E11U, 5F08P, 50A020, SM14C
OEM Part Number :	
Overall Diameter :	11.75
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.465
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.375
Mounting Style :	6 Pads (0.500”Tall)(M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9709-9
Model :	
Engine:	
Year(s) :	
Code :	50A110
OEM Part Number :	
Overall Diameter :	11.75
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.290
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.28125
Mounting Style :	6 Pads (M9 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Lexus

A540E / A541E (4 Speed)(FWD)

Atlantic #	TC8702
Model :	ES250, ES300
Engine:	2.5L, (3.0L Some)
Year(s) :	1990-01
Code :	16A, #15 Bar Code, 15B, Yellow Dots, Pink Circle Around Pilot
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.562
Pilot Diameter :	0.825 - 1.257 (Stepped)
Pilot Length :	1.06
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (7/8” x 3/4”)(9mm x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC14105
Model :	ES300
Engine:	3.0L (Some)
Year(s) :	1992-01
Code :	(Some L on Pilot Side)
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.562
Pilot Diameter :	1.257
Pilot Length :	1.100
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Lexus

A650E (5 Speed)(RWD)

Atlantic #	TC18701
Model :	GS300, IS300
Engine:	3.0L
Year(s) :	1998-06
Code :	Ink Code A121
OEM Part Number :	11.375
Overall Diameter :	
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.75
Pilot Diameter :	0.825 - 1.257 (Stepped)
Pilot Length :	1.25
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Square Pads (.405”Thk)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Slightly Reduced Primary / 38 Spline Stator

Atlantic #	TC9707
Model :	GS400, LS400, LX450, LX470, SC400
Engine:	4.0L, 4.5L, 4.7L
Year(s) :	1996-02
Code :	(Some 5A1, 2g On Pilot), 8F04U, 50A040, 50A070, 50A100, 4D14570, 010, 5007, 5A070, 5A100
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	20
Hub Style :	Slotted (0.625”Deep), Flanged
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.50
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.71875
Mounting Style :	6 Pads (0.375”Thk)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Stator Splines / 20 Vanes / Mounting Pad Depth 0.475” Due To Blind Recessed Area Below Pad

Atlantic #	TC9707B
Model :	LS430
Engine:	4.3L
Year(s) :	2001-03
Code :	A080 A, 5A1
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	20
Hub Style :	Slotted (0.625”Deep), Flanged
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.354
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.71875
Mounting Style :	6 Pads (0.375”Thk)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Stator Splines / 20 Vanes / Mounting Pad Depth 0.400” Due To No Blind Recessed Area Below Pad

© Whatever It Takes Transmission Parts. Inc.

Lexus

A650E (5 Speed)(RWD)(Continued)

Atlantic #	TC9702
Model :	GS300, IS300
Engine:	3.0L
Year(s) :	1998-05
Code :	31287, UE26M, 03, 20A020, 20A420, 20A560, 20A650, Green or Blue Circle & White Circle Next to Pink Dot, Green Circle & White Circle Next To Blue Dot, Green Circle Next To Orange Dot, Red Circle Around Green Dot, 02, 03, O3
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted (0.618”Deep), Flanged
Hub Diameter :	1.50
Hub Height :	1.748
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.300
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Pads (0.317”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Lexus

A750F (5 Speed)(RWD/4x4)

Atlantic #	TC18722
Model :	GX470, LX470
Engine:	4.7L (Some)
Year(s) :	2003-09
Code :	(Some 53A010), (Some 53A011), 51A011
	Metal Stamp 5A1 By Pilot, White Swatch
	on Primary, Yellow On Front Cover
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	5.338
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.71875
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.334
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.75
Mounting Style :	6 Pads (M9 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note: 38 Stator Splines / 20 Vanes

Atlantic #	TC18722A
Model :	GX470
Engine:	4.7L (Some)
Year(s) :	2003-09
Code :	(Some 53A010), (Some 53A011), 51A011
	Metal Stamp 5A1 By Pilot, White Swatch
	on Primary, Yellow On Front Cover
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	4.689
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.34
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (M9 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Lexus

A760E / A760H (6 Speed)(RWD/4x4)

Atlantic #	TC11702
Model :	GS300
Engine:	3.0L
Year(s) :	2005-11
Code :	42A070, Blue Paint Swatch, Metal Stamp
	B65 By Pilot, 06A09650
OEM Part Number :	
Overall Diameter :	11.1875
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.563
Pilot Diameter :	0.825 - 1.257
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (0.380”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary / 38 Spline Stator / 20 Vanes

Atlantic #	TC11703
Model :	GS350
Engine:	3.5L
Year(s) :	2005-11
Code :	20A670
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.625
Pilot Diameter :	1.257
Pilot Length :	1.1875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (0.410”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

A761E / A761F (6 Speed)(RWD/4x4)

Atlantic #	TC11701
Model :	GS430
Engine:	4.3L
Year(s) :	2006-07
Code :	53A020, White Dot On Primary, Yellow On
	Front Cover
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.575
Pilot Diameter :	0.825 - 1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (0.330”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Lexus

A761E / A761F (6 Speed)(RWD/4x4)(Continued)

Atlantic #	TC11703
Model :	IS350
Engine:	3.5L
Year(s) :	2006-14
Code :	20A670
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.625
Pilot Diameter :	1.257
Pilot Length :	1.1875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (0.410”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC11704
Model :	IS250
Engine:	2.5L
Year(s) :	2006-15
Code :	B50, 40A960
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	4.625
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.55
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Extended Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 30 Spline Stator

Atlantic #	TC11722
Model :	GX460
Engine:	4.6L
Year(s) :	2009-17
Code :	53A140, FOJ180169B, 5A1
OEM Part Number :	
Overall Diameter :	11.850
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.578
Pilot Diameter :	1.257 (Church Bell Shaped)
Pilot Length :	1.313
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.96875
Mounting Style :	6 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes



Note: 38 Spline Stator / 20 Vanes

© Whatever It Takes Transmission Parts. Inc.

Lexus

A960E (6 Speed)(RWD)

Atlantic #	TC11702
Model :	GS300
Engine:	3.0L
Year(s) :	2006
Code :	42A070, Blue Paint Swatch, Metal Stamp
	B65 By Pilot, 06A09650
OEM Part Number :	
Overall Diameter :	11.1875
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.563
Pilot Diameter :	0.825 - 1.257
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (0.380”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary / 38 Spline Stator / 20 Vanes

Atlantic #	TC11704
Model :	IS250
Engine:	2.5L
Year(s) :	2006-15
Code :	B50, 40A960
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	4.625
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.55
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Extended Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 30 Spline Stator

AA80E / AA80F (8 Speed)(RWD)

Atlantic #	TC28701
Model :	LS460
Engine:	4.6L
Year(s) :	2007-17
Code :	53A070, Yellow Paint Swatch, 07612098
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	24
Hub Style :	Slotted, Flanged
Hub Diameter :	1.772
Hub Height :	1.785
Pilot Diameter :	1.259
Pilot Length :	0.900
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.9625
Mounting Style :	6 Pads (0.708”Thk)(M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note: 43 Spline Stator / 20 Vanes

© Whatever It Takes Transmission Parts. Inc.

Lexus

AA81E (8 Speed)(RWD)

Atlantic #	TC28702
Model :	GS350, IS350, RC350
Engine:	3.5L
Year(s) :	2014-21
Code :	20A830
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	5.020
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.770
Hub Height :	1.780
Pilot Diameter :	1.258
Pilot Length :	0.590
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.812
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Single Clutch

Note:

© Whatever It Takes Transmission Parts. Inc.

Lexus

U140 / U150 / U151 (4 & 5 Speed)(FWD)

Atlantic #	TC8701
Model :	ES300, RX300
Engine:	3.0L
Year(s) :	1998-03
Code :	Some L Pilot Side, 01
OEM Part Number :	11.25
Overall Diameter :	
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	1.257
Pilot Length :	1.070
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (0.3125”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC14108
Model :	ES300, ES330, RX350, RX350
Engine:	3.0L, 3.3L, 3.5L
Year(s) :	2002-09
Code :	Ink Code 02, 04, 05 Both Sides
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	Pilot - 4.631, Lugs - 4.375
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.500
Pilot Diameter :	1.257
Pilot Length :	0.750
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC16701
Model :	RX330
Engine:	3.3L
Year(s) :	2004-06
Code :	01, Green Paint Dot
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.375
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.500
Pilot Diameter :	1.257
Pilot Length :	0.75
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (0.290”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Lexus

U660 / U661 / U760E (6 Speed)(FWD)

Atlantic #	TC27702
Model :	
Engine:	
Year(s) :	
Code :	423KA, U660E, 2 Small Green Circles, Metal Stamp P Both Sides
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted, Flanged
Hub Diameter :	1.695
Hub Height :	1.405
Pilot Diameter :	1.257
Pilot Length :	0.4375
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes (High Carbon)

Note: Pilot Shape My Vary

U881E / U881F (8 Speed)(FWD / AWD)

Atlantic #	TC27701
Model :	ES350, RX330, RX350
Engine:	3.5L
Year(s) :	2007-22
Code :	423K, A1210090269, 3200033160, U660E.
	2 Small Green Circles, Metal Stamp P
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.695
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	1.231
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mazda

A44DE (4 Speed)(RWD)

Atlantic #	TC5724
Model :	Miata / MX5
Engine:	1.8L
Year(s) :	1998-05
Code :	30A160, 30A300
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.500
Mounting Style :	6 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

AWTF-81SC (AW6A-EL) (6 Speed)(FWD / AWD)

Atlantic #	TC25502
Model :	6S
Engine:	3.0L
Year(s) :	2006-07
Code :	47A010
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	4.125
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.850
Hub Height :	1.330
Pilot Diameter :	1.375
Pilot Length :	1.750
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Studs On 0.813” Thick Oval Bases (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note: 42 Spline Stator

Atlantic #	TC25503
Model :	CX7S
Engine:	2.3L
Year(s) :	2007-12
Code :	71A090, 71A160
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	4.1875
Input Spline :	23
Hub Style :	Slotted, Flanged
Hub Diameter :	1.850
Hub Height :	1.335
Pilot Diameter :	0.825
Pilot Length :	1.8125
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs (0.75” Tall)(M10 x 1.0)
Ring Gear :	
Clutch:	Yes



Note: 42 Spline Stator / 4 Mounting Studs On 1” x 1” x 3/4” Pads on 2.5” x 1.125” Rectangular Pads

© Whatever It Takes Transmission Parts. Inc.

Mazda

AWTF-81SC (AW6A-EL) (6 Speed)(FWD / AWD)(Continued)

Atlantic #	TC25504
Model :	CX9
Engine:	3.5L
Year(s) :	2007-15
Code :	71A110, 71A130, 71A140
OEM Part Number :	
Overall Diameter :	11
Overall Height :	3.750
Input Spline :	23
Hub Style :	Slotted, Flanged
Hub Diameter :	1.850
Hub Height :	1.335
Pilot Diameter :	1.375 (Hollow)
Pilot Length :	1.375
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.800
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note: 42 Spline Stator / 4 Mounting Studs Atop Double Deck Rectangular Bases

Atlantic #	TC25505
Model :	CX9
Engine:	3.7L
Year(s) :	2007-15
Code :	71A120, 71A170, 71A180
OEM Part Number :	
Overall Diameter :	11
Overall Height :	3.75
Input Spline :	23
Hub Style :	Slotted, Flanged
Hub Diameter :	1.850
Hub Height :	1.335
Pilot Diameter :	1.375 (Hollow)
Pilot Length :	1.375
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.800
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note: 42 Spline Stator / 4 Mounting Studs Atop Double Deck Rectangular Bases

© Whatever It Takes Transmission Parts. Inc.

Mazda

CD4E (4 Speed)(FWD)

Atlantic #	TC9601
Model :	626
Engine:	2.0L
Year(s) :	1994-02
Code :	A on Tip of Pilot
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	30
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.141
Hub Height :	0.675
Pilot Diameter :	0.825
Pilot Length :	0.780
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Studs On Oval Pads (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9604
Model :	Tribute
Engine:	2.0L
Year(s) :	2000-06
Code :	5L8P-DA, H on Pilot Tip, W On Each Stud
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	30
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.140
Hub Height :	0.625
Pilot Diameter :	0.825 (Solid)
Pilot Length :	0.765
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Studs On Oval Bases (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary Welded To Inside Of Front Cover

F3A (3 Speed)(FWD)

Atlantic #	TC1801
Model :	323, 626
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	9.50
Overall Height :	
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.768
Hub Height :	0.660
Pilot Diameter :	0.785
Pilot Length :	0.850
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.125
Mounting Style :	4 Lugs (0.430”Tall)
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Mazda

F3A (3 Speed)(FWD)(Continued)

Atlantic #	TC1803
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.1875
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	No (Centrifugal Clutch Omitted)

Note:

Atlantic #	TC1804
Model :	
Engine:	
Year(s) :	
Code :	Light Blue Circle, White Dot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC1805
Model :	
Engine:	
Year(s) :	
Code :	Dark Blue Circle, White Dot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	No



Note:

© Whatever It Takes Transmission Parts. Inc.

Mazda

F3A (3 Speed)(FWD)(Continued)

Atlantic #	TC1806
Model :	
Engine:	
Year(s) :	
Code :	Blue Paint, White Dot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	3.571
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.768
Hub Height :	0.630
Pilot Diameter :	0.825
Pilot Length :	0.775
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No (Clutch Omitted)

Note:

Atlantic #	TC1806A
Model :	
Engine:	
Year(s) :	
Code :	Black Paint Swatch, W1, RM
OEM Part Number :	
Overall Diameter :	10
Overall Height :	3.985
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.765
Hub Height :	0.620
Pilot Diameter :	0.825
Pilot Length :	0.750
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	No (Clutch Omitted)

Note:

Atlantic #	TC1802
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	9.750
Overall Height :	
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.500
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Mazda

F4A-EL (1 Pan) (4 Speed)(FWD)

Atlantic #	TC2856
Model :	Protege
Engine:	1.5L
Year(s) :	1990-98
Code :	Blue or Green Paint Swatch
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	21
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	2.673
Hub Height :	0.600
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary / 12 Spline Pump Drive

FN4A-EL (4F27E) (4 Speed)(FWD)

Atlantic #	TC13860
Model :	Mazda 2
Engine:	1.5L
Year(s) :	2011-14
Code :	Ink Code F8 on Both Sides
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	1.575
Hub Height :	1.412
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC13859
Model :	Mazda 3, 323
Engine:	2.0L
Year(s) :	2000-07
Code :	K3, 6B02
OEM Part Number :	
Overall Diameter :	9.875
Overall Height :	4.031
Input Spline :	16
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.573
Hub Height :	1.400
Pilot Diameter :	0.825
Pilot Length :	1.219
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mazda

FN4A-EL (4F27E) (4 Speed)(FWD)(Continued)

Atlantic #	TC13851
Model :	Mazda 5
Engine:	2.3L
Year(s) :	2006-08
Code :	J4, FNJ4
OEM Part Number :	
Overall Diameter :	11
Overall Height :	4.031
Input Spline :	16
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.575
Hub Height :	1.400
Pilot Diameter :	0.825
Pilot Length :	1.219
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

Atlantic #	TC13858
Model :	Mazda 6i
Engine:	2.3L
Year(s) :	2003-06
Code :	K2, FNK2
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	4.031
Input Spline :	16
Hub Style :	Milled Flats
Hub Diameter :	1.752
Hub Height :	1.407
Pilot Diameter :	0.825
Pilot Length :	1.219
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary / Mounting Studs Atop Round Bases

Atlantic #	TC13854
Model :	Protege
Engine:	(Some 1.6L), 2.0L
Year(s) :	1999-03
Code :	A1, Black Dot Inside Green
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	26
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mazda

FN4A-EL (4F27E) (4 Speed)(FWD)(Continued)

Atlantic #	TC13855
Model :	Protege
Engine:	(Some 1.6L)
Year(s) :	1999-03
Code :	White Dot Inside Blue Swatch, Black Dot Inside Yellow Swatch, 6B01
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	16
Hub Style :	Milled Flats
Hub Diameter :	1.573
Hub Height :	1.400
Pilot Diameter :	0.825
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC13852
Model :	
Engine:	
Year(s) :	
Code :	White Paint Swatch, 0316C, 0320C, 0329C, 2Z09C
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	16
Hub Style :	Milled Flats
Hub Diameter :	1.573
Hub Height :	1.405
Pilot Diameter :	0.825
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC13853
Model :	
Engine:	
Year(s) :	
Code :	Light Purple/Pink Paint Swatch
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	16
Hub Style :	Milled Flats
Hub Diameter :	1.573
Hub Height :	1.405
Pilot Diameter :	0.825
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mazda

FN4A-EL (4F27E) (4 Speed)(FWD)(Continued)

Atlantic #	TC13856
Model :	
Engine:	
Year(s) :	
Code :	Black Dot Inside White Swatch, E2, FNE2, E4, S2
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	4.031
Input Spline :	16
Hub Style :	Milled Flats
Hub Diameter :	1.752
Hub Height :	1.407
Pilot Diameter :	0.825
Pilot Length :	0.985
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

FNR5 (5 Speed)(FWD)

Atlantic #	TC13857
Model :	3i, 3S, 5, CX7
Engine:	2.0L, 2.3L, 2.5L
Year(s) :	2005-14
Code :	FNE4, FNS2, FNS4, S4, S5
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	4.031
Input Spline :	16
Hub Style :	Milled Flats
Hub Diameter :	1.575
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	0.750
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.500
Mounting Style :	4 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary / Pilot Tip May or May Not Be Tapered

© Whatever It Takes Transmission Parts. Inc.

Mazda

FW6A-EL (6 Speed)(FWD / 4x4)

Atlantic #	TC23801
Model :	3i, 6, CX5
Engine:	2.0L, 2.5L
Year(s) :	2012-17
Code :	6H23, FZ21, Z21, Z22
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.730
Hub Height :	1.368
Pilot Diameter :	0.825
Pilot Length :	0.874
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.844
Mounting Style :	4 Studs Atop Round Bases (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: Smooth & Reduced Primary

JF403E (4 Speed)(FWD)

Atlantic #	TC8302
Model :	Millenia
Engine:	2.3L
Year(s) :	1995-02
Code :	Metal Stamp K2
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.500
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mazda

JF506E (JA5A-EL) (5 Speed)(FWD/AWD)

Atlantic #	TC18301
Model :	MPV Van
Engine:	3.0L
Year(s) :	2002-06
Code :	71, Stamped M & W On Pilot End
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	5.094
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	1.500
Pilot Diameter :	1.375 (Hollow)
Pilot Length :	1.542
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.5625
Mounting Style :	3 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note: Mountings Studs Are Atop Round Bases Atop Square Bases

Atlantic #	TC18301HS
Model :	6S
Engine:	3.0L
Year(s) :	2003-06
Code :	70
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	5.094
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	1.500
Pilot Diameter :	1.375 (Hollow)
Pilot Length :	1.542
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.5625
Mounting Style :	3 Studs (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note: Mountings Studs Are Atop Round Bases Atop Square Bases

JR405E (4 Speed)(RWD)

Atlantic #	TC19302
Model :	RX8
Engine:	1.3L
Year(s) :	2004-05
Code :	Turquoise Circle On Front Cover
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats, Stepped
Hub Diameter :	1.810 - 1.728
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.531
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mazda

RE4R01A / RL4R01A / R4AEL / RC4-AEL (JR405E) (4 Speed)(RWD)

Atlantic #	TC7301
Model :	MPV Van
Engine:	3.0L
Year(s) :	1989-99
Code :	A3, A4, A5, A7, A8, A10, A13, A18, A19,A22,
	A23, A25, A33, A34, A39, A40, A41, A44, A48
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Stepped
Hub Diameter :	
Hub Height :	1.880
Pilot Diameter :	0.785
Pilot Length :	0.730
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.5625
Mounting Style :	4 Lugs (Round or Square)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC7301A
Model :	Mazda B2600 Pickup
Engine:	2.6L
Year(s) :	1990-93
Code :	L1
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Stepped
Hub Diameter :	
Hub Height :	1.880
Pilot Diameter :	0.785
Pilot Length :	1.050
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.5625
Mounting Style :	4 Round Lugs
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC7308
Model :	MPV Van
Engine:	3.0L
Year(s) :	1989-99
Code :	A49, A52, A53, A59
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.810
Hub Height :	2.00
Pilot Diameter :	0.785
Pilot Length :	0.765
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.5625
Mounting Style :	4 Pads (M10 x 1.25)(Round or Square Pads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mazda

RE4R01A / RL4R01A / R4AEL / RC4-AEL (JR405E) (4 Speed)(RWD)(Continued)

Atlantic #	TC19301
Model :	929, RX7
Engine:	3.0L, 1.3L
Year(s) :	1992-95
Code :	A12, A13, A33, A47
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Stepped
Hub Diameter :	1.811
Hub Height :	1.918
Pilot Diameter :	0.785
Pilot Length :	0.625
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.063
Mounting Style :	4 Hole Mounting Ring
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC19301P
Model :	929
Engine:	3.0L
Year(s) :	1992-95
Code :	A20
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.811
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	0.937
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.063
Mounting Style :	4 Hole Mounting Ring
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mazda

3N71B / L3N71B / 4N71B / L4N71B (4 Speed)(RWD)

Atlantic #	TC5302
Model :	
Engine:	
Year(s) :	1971-82
Code :	20DG, GA, Blue Mark
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	2.105
Pilot Diameter :	0.785
Pilot Length :	1.00
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC5303
Model :	
Engine:	
Year(s) :	1971-82
Code :	
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.1875
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC5304
Model :	
Engine:	
Year(s) :	1971-82
Code :	
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	None



Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Mazda

3N71B / L3N71B / 4N71B / L4N71B (4 Speed)(RWD)(Continued)

Atlantic #	TC5305
Model :	
Engine:	
Year(s) :	1971-82
Code :	D
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.250
Mounting Style :	4 Lugs (.500” Tall)
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC5361
Model :	
Engine:	
Year(s) :	1971-82
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

Atlantic #	TC5306
Model :	929, B2200 2WD Pickup
Engine:	
Year(s) :	1986-93
Code :	GB, GF, GH, GI, GK, GL, GM, GX, GY, OH, OI, GHA, GKA, GLA, GXA, GYA
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.650
Hub Height :	1.980
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs (.450”Tall)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mazda

3N71B / L3N71B / 4N71B / L4N71B (4 Speed)(RWD)(Continued)

Atlantic #	TC5306A
Model :	929
Engine:	
Year(s) :	1986-91
Code :	ELA, EMA, EOA
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	1.980
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs (0.625”Tall)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC7307
Model :	929
Engine:	
Year(s) :	1986-91
Code :	L, ZB
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	2.875
Pilot Diameter :	0.785
Pilot Length :	0.810
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.500
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC7307HS
Model :	929 Turbo
Engine:	
Year(s) :	1986-91
Code :	G
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	2.875
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.500
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mazda

3N71B / L3N71B / 4N71B / L4N71B (4 Speed)(RWD)(Continued)

Atlantic #	TC5306B
Model :	929, MPV
Engine:	
Year(s) :	1986-94
Code :	6T, OT, OU
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.650
Hub Height :	1.980
Pilot Diameter :	0.785
Pilot Length :	0.670
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs (0.450”Tall)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5306ALS
Model :	
Engine:	
Year(s) :	
Code :	GRA
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs (0.625”Tall)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5306C
Model :	
Engine:	
Year(s) :	
Code :	NG, NGD
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs (0.450”Tall)
Ring Gear :	
Clutch:	Clutch Omitted

Note:

© Whatever It Takes Transmission Parts. Inc.

Mazda

3N71B / L3N71B / 4N71B / L4N71B (4 Speed)(RWD)(Continued)

Atlantic #	TC5306HS
Model :	
Engine:	
Year(s) :	
Code :	3C, ED, EE, EHA
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs (0.450”Tall)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9303
Model :	
Engine:	
Year(s) :	
Code :	Ink Code 05, Metal Stamp F, K
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	18
Hub Style :	Slotted, Stepped
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	0.615
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.1875
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 30 Spline Stator

Atlantic #	TC5310
Model :	
Engine:	
Year(s) :	
Code :	S2, S3, S4 Pilot Side
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.6875
Mounting Style :	4 Studs
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.0 / 722.1 (W3A040, W4B025)(3 & 4 Speed)(RWD)

Atlantic #	TC5803
Model :	350, 450 Series, 280E
Engine:	6 Cylinder (Gas)
Year(s) :	1972-80
Code :	115 250 1702
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Drive Ears
Hub Diameter :	1.730
Hub Height :	1.190
Pilot Diameter :	1.375
Pilot Length :	1.530
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	No



Note:

Atlantic #	TC5804
Model :	350, 450 Series
Engine:	
Year(s) :	1972-80
Code :	100 250 3002, 117 250 0302
OEM Part Number :	
Overall Diameter :	13
Overall Height :	
Input Spline :	22
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	6.00
Mounting Style :	3 Pads With 3 Holes Each
Ring Gear :	
Clutch:	No



Note:

Atlantic #	TC5807
Model :	300
Engine:	
Year(s) :	1972-80
Code :	
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	6.00
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.0 / 722.1 (W3A040, W4B025)(3 & 4 Speed)(RWD)(Continued)

Atlantic #	TC5808
Model :	300 Series
Engine:	
Year(s) :	1972-80
Code :	116 250 1002
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375 (Welded To Front Cover)
Pilot Length :	1.50
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	No

Note: May Only Contain 1 Row Of Ribs

Atlantic #	TC5808M
Model :	300 Series, 240D
Engine:	Turbo Diesel, 2.4L Diesel
Year(s) :	1977-83
Code :	123 250 0102
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375 (Molded To Front Cover)
Pilot Length :	1.375
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC5809
Model :	350, 450 Series
Engine:	
Year(s) :	1972-80
Code :	115 250 1702
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	22
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	6.125
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.0 / 722.1 (W3A040, W4B025)(3 & 4 Speed)(RWD)(Continued)

Atlantic #	TC6803
Model :	300 Series
Engine:	
Year(s) :	1981-90
Code :	126 250 1202, 126 250 1402
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	1.5625
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	3 Brackets With 2 Holes Each
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC5806M
Model :	300SL
Engine:	6 Cylinder
Year(s) :	1982-91
Code :	124 250 3302, 126 250 0002, 126 250 0902, 126 250 1302, 126 250 1502, 126 250 2302
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.692
Hub Height :	
Pilot Diameter :	1.375 (Molded To Front Cover)
Pilot Length :	1.375
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	No

Note:

722.2 (K4A040, K4B050, K4C025)(4 Speed)(RWD)

Atlantic #	TC5801
Model :	
Engine:	
Year(s) :	1968-72
Code :	130 250 0002, 130 250 0102
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	12
Hub Style :	2 Drive Ears
Hub Diameter :	1.100
Hub Height :	
Pilot Diameter :	1.967
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	No

Note: Spragless Unit

© Whatever It Takes Transmission Parts. Inc.

1-800-940-0197

WHATEVER IT TAKES TRANSMISSION PARTS, INC

Mercedes

722.2 (K4A040, K4B050, K4C025)(4 Speed)(RWD)

Atlantic #	TC5802
Model :	
Engine:	
Year(s) :	1968-73
Code :	115 250 0602
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	21
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.967
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC5805
Model :	
Engine:	
Year(s) :	1968-73
Code :	109 250 1602
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	21
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	No

Note:

722.3 (W4A028, W4A040)(4 Speed)(RWD)

Atlantic #	TC6802
Model :	300E
Engine:	3.0L
Year(s) :	1986
Code :	126 250 0145, 126 250 1502, 126 250 1602,
	126 250 1702, 126 250 2302
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375 (Welded To Front Cover)
Pilot Length :	1.50
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes (M8 X 1.25)
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.3 (W4A028, W4A040)(4 Speed)(RWD)(Continued)

Atlantic #	TC5806M
Model :	300D
Engine:	Turbo Diesel
Year(s) :	1985-92
Code :	124 250 3302, 126 250 0002, 126 250 0902,
	126 250 1302, 126 250 1502, 126 250 2302
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.692
Hub Height :	
Pilot Diameter :	1.375 (Molded To Front Cover)
Pilot Length :	1.375
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC6801
Model :	420SEL, 560SEL
Engine:	5.6L V8 (Gas)
Year(s) :	1986-90
Code :	126 250 1102, 126 250 3402, 140 250 0302,
	722 250 2702, 071-202-2620
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.692
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	1.200
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	5.375
Mounting Style :	3 Pads With 2 Holes Each (M8 X 1.25)
Ring Gear :	
Clutch:	No

Note: Cover May Overlap Primary

Atlantic #	TC6803
Model :	
Engine:	
Year(s) :	
Code :	126 250 1202, 126 250 1402
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	1.5625
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	3 Brackets With 2 Holes Each
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.3 (W4A028, W4A040)(4 Speed)(RWD)(Continued)

Atlantic #	TC6808
Model :	300SDL, 300SEL, 300SE, E320, S320, S500
Engine:	Turbo Diesel, 3.2L, 5.0L
Year(s) :	1987-96
Code :	124 250 0002, 124 250 0302, 124 250 0902, 124 250 1002, 124 250 1702
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.375
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	1.50
Lockup :	No
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each (M8 x 1.25)
Ring Gear :	
Clutch:	No

Note: 30 Spline Stator / Cover May Overlap Primary

Atlantic #	TC6809
Model :	400E, 400SL, 400SEL, 500SEL, S420 , S500, SL600
Engine:	5.0L
Year(s) :	1992-95
Code :	126 250 1102, 126 250 3402, 140 250 0302
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.73
Hub Height :	1.87
Pilot Diameter :	1.375
Pilot Length :	1.38
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC6812
Model :	Porsche 928, 928S
Engine:	
Year(s) :	1983-87
Code :	722 250 0602
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each (M8 x 1.25)
Ring Gear :	
Clutch:	No

Note: May Have 2 Styles Of Mounting Pads, Both Have 2 Holes Each

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.4 (W4A020)(4 Speed)(RWD)

Atlantic #	TC6804
Model :	190
Engine:	2.2L Diesel, 2.3L, 2.5L Diesel
Year(s) :	1984-93
Code :	Stamped 2002, ID Code 123 250 0202
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	19
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each (M10 x 1.25)
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC6805
Model :	190
Engine:	2.6L
Year(s) :	1987-93
Code :	201 250 0402
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	19
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each (M10 X 1.25)
Ring Gear :	
Clutch:	No

Note: 26 Spline Stator

Atlantic #	TC6806
Model :	
Engine:	
Year(s) :	
Code :	201 250 0045, 201 250 0102, 201 250 302
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	19
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each (M8 x 1.25)
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.4 (W4A020)(4 Speed)(RWD)(Continued)

Atlantic #	TC6807
Model :	190, C220, C280
Engine:	2.2L, 2.3L, 2.8L
Year(s) :	1991-93, 1994-96
Code :	202 250 0402, 202 250 0002, 202-250-0102, 202 250 0502, 202 250 2002, 210 250 1012, 210 250 2002
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	19
Hub Style :	Slotted
Hub Diameter :	1.125
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	No
Stall Speed :	Medium
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads With 2 Holes Each (M8 x 1.25)
Ring Gear :	
Clutch:	No

Note: 26 Spline Stator

722.5 (5 Speed)(RWD)

Atlantic #	TC6808
Model :	300, 300E, 300SL, S320
Engine:	3.0L, 3.2L
Year(s) :	1990-95
Code :	124 250 0002, 124 250 0302, 124 250 0902, 124 250 1002, 124 250 1702
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.375
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	1.50
Lockup :	No
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each (M8 x 1.25)
Ring Gear :	
Clutch:	No

Note: 30 Spline Stator / Cover May Overlap Primary

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.6 (5 Speed)(RWD / AWD)

Atlantic #	TC6810
Model :	C230, SLK230
Engine:	2.3L
Year(s) :	1997-05
Code :	211 250 0002, 210 250 0502, 210 250 0602, 210 250 0902, 210 250 0402, 210 250 0702, 211 250 0302, 211 250 0702, 211 250 0802
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	2.0
Pilot Diameter :	1.375
Pilot Length :	1.2
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.50
Mounting Style :	3 Pads With 2 Holes Each (8mm x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC7801
Model :	CL500, E420, S420, S500, SL600
Engine:	4.2L, 5.0L, 6.0L
Year(s) :	1996-04
Code :	140 250 0402, 140 250 0502
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	2.0
Pilot Diameter :	1.375
Pilot Length :	1.2
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.375
Mounting Style :	3 Pads With 2 Holes Each (M8 X 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.6 (5 Speed)(RWD / AWD)(Continued)

Atlantic #	TC7803
Model :	C36 AMG, CLK55 AMG, CLS55 AMG, CLK430, CLK500, E55 AMG, E430, G500, ML350, ML430, S500
Engine:	3.5L, 3.6L, 4.3L, 5.0L, 5.5L
Year(s) :	1997-06
Code :	140 250 0602, 140 250 0606, 140 250 0802, 140 250 0902, Ink Code 140 09
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	2.0
Pilot Diameter :	1.375
Pilot Length :	1.2
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC6811
Model :	C240, C280, C320, E320, E500, ML320, S430
Engine:	2.6L, 2.8L, 3.2L, 3.2L Diesel, 4.3L, 5.0L
Year(s) :	1997-07
Code :	210 07, 210 09, 211 14, 210 250 0702, 210 250 0902, 211 250 0302, 211 250 0702, 211 250 0802, 211 250 1402
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	2.0
Pilot Diameter :	1.375
Pilot Length :	1.2
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Please Verify Correct Part Number By Locating 10 Digit Identification Code Located On Side Of Unit By Body Weld

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.6 (5 Speed)(RWD / AWD)(Continued)

Atlantic #	TC6816
Model :	Sprinter Van
Engine:	3.0L Diesel
Year(s) :	2010-16
Code :	221 250 3302
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	5.5
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	1.9375
Pilot Diameter :	1.375
Pilot Length :	1.22
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.0
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 38 Spline Stator

Atlantic #	TC7805
Model :	CL65, CL600, S65 AMG, S600, SL65 AMG, SL600
Engine:	5.5L, 6.0L
Year(s) :	1998-14
Code :	240 250 0002
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads With 2 Holes Each (M8 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC6815LS
Model :	CLK320
Engine:	3.2L
Year(s) :	1998-05
Code :	221 250 0302, 221 250 0502
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	5.5
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	1.9375
Pilot Diameter :	1.375
Pilot Length :	1.22
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.0
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: Low Stall Fin Angle

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.6 (5 Speed)(RWD / AWD)(Continued)

Atlantic #	TC28802
Model :	C280, E350
Engine:	3.0L AWD, 3.5L
Year(s) :	2006-09
Code :	209 250 0602, 209 250 0702, 209 250 0802
OEM Part Number :	
Overall Diameter :	11.625
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	1.22
Lockup :	Yes
Stall Speed :	Very High
Mounting Bolt Radius :	5.0
Mounting Style :	3 Extended & Angled Pads With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC7807
Model :	Porsche 911
Engine:	
Year(s) :	2002-07
Code :	240 250 0202
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	6.00
Mounting Style :	3 Pads With 2 Holes Each (8mm Threads)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 38 Spline Stator

Atlantic #	TC7808
Model :	SL65 AMG, SLR McLaren
Engine:	6.0L (Some), 5.5L
Year(s) :	2005-14
Code :	240 250 0202
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads With 2 Holes Each (M8 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)



Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.9 (7 Speed)(RWD/4x4)

Atlantic #	TC7803
Model :	CLK500
Engine:	5.0L
Year(s) :	2005-06
Code :	140 250 0602, 140 250 0606, 140 250 0802,
	140 250 0902, Ink Code 140 09
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	2.0
Pilot Diameter :	1.375
Pilot Length :	1.2
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC6811
Model :	CL500, CLS500, R500
Engine:	5.0L
Year(s) :	2005-07
Code :	210 07, 210 09, 211 14, 210 250 0702,
	210 250 0902, 211 250 0302, 211 250 0702,
	211 250 0802, 211 250 1402
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	2.0
Pilot Diameter :	1.375
Pilot Length :	1.2
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.9 (7 Speed)(RWD/4x4)(Continued)

Atlantic #	TC28801
Model :	CLK550, CLS63 AMG, GL450, ML550 S63 AMG, S550
Engine:	4.5L, 5.5L, 6.3L
Year(s) :	2007-14
Code :	221 250 1702, 04J07
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	5.5
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	1.9375
Pilot Diameter :	1.375
Pilot Length :	1.22
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.00
Mounting Style :	3 Angled Brackets With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 39 Spline Stator

Atlantic #	TC28802
Model :	ML350, R350, SLK350
Engine:	3.0L Diesel, 3.5L
Year(s) :	2005-15
Code :	209 250 0606, 209 250 0702
OEM Part Number :	
Overall Diameter :	11.625
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	1.22
Lockup :	Yes
Stall Speed :	Very High
Mounting Bolt Radius :	5.0
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC6815LS
Model :	GL320, GL450, S550
Engine:	3.0L Diesel, 4.6L, 5.5L (Some)
Year(s) :	2007-12
Code :	221 250 0302, 221 250 0502
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	5.5
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	1.9375
Pilot Diameter :	1.375
Pilot Length :	1.22
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.0
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)



Note: Low Stall Fin Angle

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.9 (7 Speed)(RWD/4x4)(Continued)

Atlantic #	TC28802
Model :	C280, SLK280
Engine:	3.0L
Year(s) :	2006-08
Code :	209 250 0606, 209 250 0702
OEM Part Number :	
Overall Diameter :	11.625
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	1.22
Lockup :	Yes
Stall Speed :	Very High
Mounting Bolt Radius :	5.0
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC28803
Model :	C300, C350, E350, GLK350
Engine:	3.0L, 3.5L
Year(s) :	2006-15
Code :	
OEM Part Number :	221 250 1802, 221 250 2102
Overall Diameter :	11.375
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 38 Spline Stator

Atlantic #	TC28804
Model :	E350, GLK350, ML350, R350
Engine:	3.5L
Year(s) :	2012-16
Code :	221 250 3602
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.9 (7 Speed)(RWD/4x4)(Continued)

Atlantic #	TC28805
Model :	S550
Engine:	5.5L (Some)
Year(s) :	2007-10
Code :	221 250 2502
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	3 Pads With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 38 Spline Stator

Atlantic #	TC28806
Model :	ML320, R350
Engine:	3.0L Diesel
Year(s) :	2007-11
Code :	221 250 2202, Ink Code 221.22
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 38 Spline Stator

Atlantic #	TC28807
Model :	C230, CLS550
Engine:	2.5L, 5.5L
Year(s) :	2006-11
Code :	221 250 1202
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.693
Hub Height :	1.9375
Pilot Diameter :	1.375
Pilot Length :	1.22
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.00
Mounting Style :	3 Extended Brackets With 2 Holes Each
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.9 (7 Speed)(RWD/4x4)(Continued)

Atlantic #	TC28808
Model :	C250
Engine:	1.8L
Year(s) :	2012-15
Code :	
OEM Part Number :	221 250 3902, Ink Stamp: 22139
Overall Diameter :	11.3125
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	3 Extended Brackets With 2 Holes Each (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC28809
Model :	C63 AMG
Engine:	4.0L
Year(s) :	2016-19
Code :	221 250 0301
OEM Part Number :	
Overall Diameter :	8.4375
Overall Height :	
Input Spline :	
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.380 (Flanged & Hollow)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	3 Extended Mounting Tabs With 2 Holes
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC28810
Model :	Sprinter Van, Freightliner Sprinter
Engine:	2.1L Diesel, 2.2L
Year(s) :	2006-18
Code :	222 250 0502, Ink Stamp: 222.05
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	18 Plus 3 Gaps
Hub Style :	Slotted
Hub Diameter :	1.688
Hub Height :	
Pilot Diameter :	1.375
Pilot Length :	1.377
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.0625
Mounting Style :	Mounting Plate (10.9375”OD) 4 Angled Tabs
Ring Gear :	
Clutch:	Yes (Captive Clutch Pack)(Centrifugal Pendulum Damper Plates)

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Mercedes

722.9 (7 Speed)(RWD/4x4)(Continued)

Atlantic #	TC28811
Model :	Metris
Engine:	2.0L
Year(s) :	2016
Code :	231 250 0502, 230 341BL2
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	18 Plus 3 Gaps
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.380
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.0625
Mounting Style :	Mounting Plate With 4 Angled Tabs
Ring Gear :	
Clutch:	Yes (Captive Clutch Pack)(Centrifugal Pendulum Damper Plates)

Note: 38 Spline Stator / Mounting Plate 10.9375”OD

Atlantic #	TC28812
Model :	GL450, S550
Engine:	4.6L
Year(s) :	2012-14
Code :	231 250 0002, 231 250 0402
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	21
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.380
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.0625
Mounting Style :	Mounting Plate With 4 Angled Tabs
Ring Gear :	
Clutch:	Yes (Captive Clutch Pack)(Centrifugal Pendulum Damper Plates)

Note: 38 Spline Stator / Mounting Plate 10.9375”OD

© Whatever It Takes Transmission Parts. Inc.

Mini Cooper

AWTF60SN (6 Speed)(FWD)

Atlantic #	TC26502
Model :	S-Type
Engine:	1.6L Supercharged
Year(s) :	2005-15
Code :	46A100, 04Y00505
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.722
Hub Height :	1.400
Pilot Diameter :	1.337
Pilot Length :	0.82
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (3/8” x 24 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC26502A
Model :	Turbo
Engine:	1.6L, 2.0L
Year(s) :	
Code :	46A140
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.722
Hub Height :	
Pilot Diameter :	0.625
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (3/8” x 24 Threads)
Ring Gear :	
Clutch:	Yes (Clutch Type)

Note:

Atlantic #	TC26502B
Model :	
Engine:	
Year(s) :	
Code :	46A220
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	1.263
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Clutch Type)

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Mini Cooper

AWTF60SN (6 Speed)(FWD)(Continued)

Atlantic #	TC26503
Model :	
Engine:	1.6L, 1.8L
Year(s) :	2002-09
Code :	46A130, QAHE 095 323 571
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	4.460
Input Spline :	20
Hub Style :	Flanged & Slotted
Hub Diameter :	2.032
Hub Height :	2.000
Pilot Diameter :	0.825
Pilot Length :	0.810
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Clutch Type)

Note: 38 Spline Stator

Atlantic #	TC26507
Model :	
Engine:	
Year(s) :	
Code :	46A210
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.722
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0 Threads)
Ring Gear :	
Clutch:	Yes (Clutch Type)

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

A340F (4 Speed)(RWD/4x4)

Atlantic #	TC6707BL
Model :	Montero
Engine:	3.5L
Year(s) :	1994-00
Code :	2 Green Circles W/Black Or Blue Dot
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.25
Mounting Style :	6 Pads (0.4375”Tall)(3/8” x 24)
Ring Gear :	
Clutch:	Yes

Note:

A43DE (4 Speed)(RWD)

Atlantic #	TC5709
Model :	Raider
Engine:	3.0L
Year(s) :	1989
Code :	Black Dot, Blue Dot, White Dot
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625” Deep)
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	1.257 (Dished)
Pilot Length :	0.770
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (0.375”Tall)(M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

A44DL (4 Speed)(RWD)

Atlantic #	TC5715LS
Model :	Montero
Engine:	3.0L
Year(s) :	1990-94
Code :	Blue Circle Green Dot, 2g, 2N, 4c, 4G
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.498
Hub Height :	1.75
Pilot Diameter :	0.750
Pilot Length :	1.15
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	6 Pads (0.4375”Tall)(3/8” x 24)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

AS68RC (4 Speed)(RWD)

Atlantic #	TC17201
Model :	Fuso FE
Engine:	L4 2.0L, 4.9L
Year(s) :	2005-11
Code :	06L11A, Green Stripe Across Pilot
OEM Part Number :	
Overall Diameter :	13.5
Overall Height :	
Input Spline :	24
Hub Style :	Slotted, Flanged
Hub Diameter :	1.84
Hub Height :	2.02
Pilot Diameter :	2.120
Pilot Length :	1.415
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.094
Mounting Style :	6 Stepped Pads
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 48 Stator Splines

Atlantic #	TC17220
Model :	Fuso FE
Engine:	L4 2.0L, 4.9L
Year(s) :	2005-11
Code :	Blue Paint Swatch On Both Sides
OEM Part Number :	
Overall Diameter :	12.5
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.844
Hub Height :	
Pilot Diameter :	1.572
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.6875
Mounting Style :	6 Extended Pads W/Line Up Holes
	(14.5625” Diameter)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: Fully Splined Stator

Atlantic #	TC17221
Model :	Fuso FE
Engine:	L4 2.0L, 4.9L
Year(s) :	2005-11
Code :	Green Paint Swatch Both Sides
OEM Part Number :	
Overall Diameter :	12.5
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.844
Hub Height :	
Pilot Diameter :	1.572
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	6.6875
Mounting Style :	6 Extended Pads W/Line Up Holes
	(14.5625”Diameter)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: Partially Splined Stator

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

A904 (3 Speed)(RWD/4x4)

Atlantic #	TC1235
Model :	Mighty Max
Engine:	2.5L
Year(s) :	1996-00
Code :	(Some 388)
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Milled Flats
Hub Diameter :	1.500
Hub Height :	2.200
Pilot Diameter :	1.337
Pilot Length :	0.94
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note: 90 Degree Bolt Pattern

AW450-43LE (4 Speed)(RWD)

Atlantic #	TC14102
Model :	Fuso FE
Engine:	L4 2.0L, 3.9L, 4.9L
Year(s) :	1998-2004
Code :	Orange Paint Swatch On Both Sides
OEM Part Number :	
Overall Diameter :	12.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.652
Hub Height :	1.75
Pilot Diameter :	0.785
Pilot Length :	1.062
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	4 Pads (0.700”Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC14107
Model :	
Engine:	
Year(s) :	
Code :	Orange Paint Spots (Both Sides)
OEM Part Number :	
Overall Diameter :	12.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	0.760
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.344
Mounting Style :	6 Pads (0.490”Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

F1C1A (CVT)(FWD)

Atlantic #	TC17303D
Model :	Lancer
Engine:	2.0L
Year(s) :	2001-17
Code :	22D, 22H
OEM Part Number :	
Overall Diameter :	10.4375
Overall Height :	
Input Spline :	20
Hub Style :	2 Drive Ears, Flanged, Stepped (Inner Bsh)
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes



Note:

F4A21 (KM176-5)(4 Speed)(FWD/AWD)

Atlantic #	TC4206
Model :	Mirage
Engine:	(Some 1.5L)
Year(s) :	1990-97
Code :	71, H2, P2, W2, X4
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.572
Pilot Diameter :	1.060
Pilot Length :	0.76
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	106 Tooth
Clutch:	Yes

Note:

Atlantic #	TC4211
Model :	Mirage
Engine:	(Some 1.5L)
Year(s) :	1990-97
Code :	41, P1
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.5625
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	106 Tooth
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

F4A22 (KM175-5)(4 Speed)(FWD/AWD)

Atlantic #	TC4207
Model :	Eclipse
Engine:	1.8L
Year(s) :	1990-94
Code :	(Some 52), 64, (Some 76), C7, KF, KH, KJ, (Some V6)
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.570
Pilot Diameter :	1.060
Pilot Length :	0.79
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring (M10 x 1.5)
Ring Gear :	106 Tooth
Clutch:	Yes

Note:

Atlantic #	TC4207B
Model :	Eclipse, Expo LRV, Mirage
Engine:	2.0L. (Some 1.8L), 1.5L, 2.4L
Year(s) :	1990-98
Code :	33, (Some 52), 54, 56, (Some 68), (Some 76), b3, b4, b5, F2, HQ, IF, IQ, KV, RM, V6
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.57
Pilot Diameter :	1.060
Pilot Length :	0.7.0
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring (M10 x 1.25)
Ring Gear :	106 Teeth
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC4101
Model :	Mirage
Engine:	(Some 1.8L)
Year(s) :	1994-97
Code :	3b, JB, JC
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.500
Pilot Diameter :	1.335
Pilot Length :	0.670
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

F4A23 (KM177-8)(4 Speed)(FWD/AWD)

Atlantic #	TC4102
Model :	Eclipse
Engine:	2.4L
Year(s) :	1969-98
Code :	6d, LB, LC, LE, P9
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.50
Pilot Diameter :	1.335
Pilot Length :	0.925
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note: Middle Row of Ribs Angled at 15 Degrees

Atlantic #	TC4207B
Model :	Expo
Engine:	2.4L
Year(s) :	1992-94
Code :	33, (Some 52), 54, (Some 68), (Some 76),
	b3, b4, b5, IF, IQ, KV, V6
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.57
Pilot Diameter :	1.060
Pilot Length :	0.71
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring (M10 x 1.25)
Ring Gear :	106 Teeth
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC4222
Model :	Galant
Engine:	Some 2.4L
Year(s) :	1994-98
Code :	NR
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.5625
Pilot Diameter :	1.060
Pilot Length :	1.1875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

F4A23 (KM177-8)(4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC4209
Model :	Galant
Engine:	Some 2.4L
Year(s) :	1994-98
Code :	(Some 2c), 2C, Stamped 7 On Pilot Tip
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.491
Pilot Diameter :	1.060
Pilot Length :	0.6875
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads
Ring Gear :	No
Clutch:	Yes

Note: Unit May Contain 1/2” or 1” Long Dimples

F4A33-1 / W4A32-1 (4 Speed)(FWD/AWD)

Atlantic #	TC4212
Model :	3000GT, Diamante
Engine:	(Some 3.0L)
Year(s) :	1991-01
Code :	MM, MT
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.590
Pilot Diameter :	1.337
Pilot Length :	0.99
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.5)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

Atlantic #	TC4212B
Model :	3000GT, Diamante
Engine:	(Some 3.0L)
Year(s) :	1991-01
Code :	3M, 3T, 3Y
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes



Note:

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

F4A33-1 / W4A32-1 (4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC4212C
Model :	Eclipse
Engine:	2.0L Turbo
Year(s) :	1991-99
Code :	3X
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

F4A41 (F4A4B) (4 & 5 Speed)(FWD/AWD)

Atlantic #	TC4108
Model :	Mirage
Engine:	1.5L
Year(s) :	1998-02
Code :	2d
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	0.718
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

F4A42 (4 & 5 Speed)(FWD/AWD)

Atlantic #	TC4209B
Model :	Mirage, Galant
Engine:	(Some 1.8L), (Some 2.4L)
Year(s) :	1998-12
Code :	2a, 2A, (Some 2c), 2C
OEM Part Number :	
Overall Diameter :	10.1875
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.500
Pilot Diameter :	1.335
Pilot Length :	1.180
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	No
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC4103
Model :	Mirage
Engine:	Some 1.8L
Year(s) :	1998-02
Code :	3g, 3G, 38
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.491
Pilot Diameter :	1.337
Pilot Length :	1.125
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

Atlantic #	TC4104
Model :	Outlander
Engine:	2.4L
Year(s) :	2003-06
Code :	4c, 4p, 4h, YB, YB-K, YC
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.693
Hub Height :	1.50
Pilot Diameter :	1.060
Pilot Length :	0.550
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

F4A42 (4 & 5 Speed)(FWD/AWD)(Continued)

Atlantic #	TC4209
Model :	Eclipse
Engine:	Some 2.4L
Year(s) :	1997-2012
Code :	(Some 2c), 2C, Stamped 7 On Pilot Tip
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.491
Pilot Diameter :	1.060
Pilot Length :	0.6875
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads
Ring Gear :	No
Clutch:	Yes

Note: Unit May Contain 1/2” or 1” Long Dimples

Atlantic #	TC4110
Model :	Eclipse, Galant
Engine:	Some 2.4L
Year(s) :	1997-12
Code :	2d, 2D, 7C
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.475
Pilot Diameter :	1.060
Pilot Length :	0.65
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (0.400”Tall)(M10 x 1.25)
Ring Gear :	110 Tooth (11” Diameter)
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC4107
Model :	Lancer
Engine:	2.0L
Year(s) :	2000-07
Code :	2g
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.500
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

F4A42 (4 & 5 Speed)(FWD/AWD)(Continued)

Atlantic #	TC4106
Model :	Lancer
Engine:	2.4L
Year(s) :	2004-07
Code :	YC, 4H, YH
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth (11” Diameter)
Clutch:	Yes

Note:

F4A51 / W4A51 (4 & 5 Speed)(FWD/AWD)

Atlantic #	TC4102
Model :	Diamante, Eclipse, Galant
Engine:	Some 3.5L, 3.0L
Year(s) :	1996-05
Code :	6d, 6X, LB, LC, LE, P9
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.500
Pilot Diameter :	1.335
Pilot Length :	0.925
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note: Middle Row of Ribs Angled 15 Degrees

Atlantic #	TC4102LS
Model :	Diamante, Galant
Engine:	Some 3.5L, Some 3.0L
Year(s) :	1997-05
Code :	6X
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.500
Pilot Diameter :	1.337
Pilot Length :	0.925
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

F4A51 / W4A51 (4 & 5 Speed)(FWD/AWD)(Continued)

Atlantic #	TC4113
Model :	Eclipse, Galant
Engine:	3.8L
Year(s) :	2004-12
Code :	6L, 6M, W9
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	4.8125
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.490
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

Atlantic #	TC4109
Model :	Endeavor
Engine:	3.8L
Year(s) :	2004-11
Code :	6g, 6L
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	Medium/High
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

JF015E (CVT)(FWD)

Atlantic #	TC32311
Model :	Mirage
Engine:	1.2L
Year(s) :	2014-19
Code :	16A
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	18
Hub Style :	Slotted, Stepped
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 9.5” Primary Reduced To 8.5” / No Visible Weld On Hub
30 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

JF613E / F6A5A (6 Speed)(FWD/AWD)

Atlantic #	TC29301
Model :	Outlander
Engine:	3.0L
Year(s) :	2007-17
Code :	32A
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	22
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	
Hub Height :	1.379
Pilot Diameter :	1.337
Pilot Length :	0.985
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.656
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	114 Tooth (11.482” Diameter)
Clutch:	Yes

Note: 36 Spline Stator

KM170 (3 & 4 Speed)(FWD/AWD)

Atlantic #	TC4204
Model :	Cordia, Tredia
Engine:	
Year(s) :	1982-88
Code :	Green Paint Swatch
OEM Part Number :	
Overall Diameter :	10
Overall Height :	4.330
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.060
Pilot Length :	
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	3 Hole Ring
Ring Gear :	106 Tooth
Clutch:	None

Note:

KM171 / KM172 / KM175 (3 & 4 Speed)(FWD/AWD)

Atlantic #	TC4203
Model :	Galant
Engine:	
Year(s) :	1985-91
Code :	C2, C4, D2, E4, E6, H4
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.690
Pilot Diameter :	1.060
Pilot Length :	0.820
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Hole Ring
Ring Gear :	106 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

KM175 / KM177 (3 & 4 Speed)(FWD/AWD)

Atlantic #	TC4208
Model :	Sigma
Engine:	3.0L
Year(s) :	1988-92
Code :	G7
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.6875
Pilot Diameter :	1.337
Pilot Length :	0.750
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	3 Pads
Ring Gear :	106 Tooth
Clutch:	Yes

Note:

Atlantic #	TC4208B
Model :	Sigma
Engine:	3.0L
Year(s) :	1988-92
Code :	78, V7
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.337
Pilot Length :	1.5625
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.3.75
Mounting Style :	3 Pads
Ring Gear :	106 Tooth
Clutch:	Yes

Note:

RE0F10A (CVT)(FWD)

Atlantic #	TC21203C
Model :	Outlander
Engine:	2.0L
Year(s) :	2011-15
Code :	22C, 22K, 22M
OEM Part Number :	
Overall Diameter :	10.4375
Overall Height :	
Input Spline :	20
Hub Style :	2 Drive Ears, Flanged, Stepped, With Inner Bushing
Hub Diameter :	
Hub Height :	0.678
Pilot Diameter :	1.337
Pilot Length :	1.338
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	4 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

RG4R01A / JR403E, 403H (4 Speed)(RWD)

Atlantic #	TC7304
Model :	Fuso Truck
Engine:	4 Cylinder Turbo Diesel
Year(s) :	1993
Code :	4 Black Dots, 925, 737, B623
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	1.90
Pilot Diameter :	0.785
Pilot Length :	0.82
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.8125
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 36 Spline Stator

Atlantic #	TC7307
Model :	Iveco
Engine:	
Year(s) :	1987-Up
Code :	42
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.8125
Mounting Style :	4 Lugs (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

V4A51 / R4A51 (4 Speed)(RWD/4x4)

Atlantic #	TC14201
Model :	Montero
Engine:	Some 3.0L
Year(s) :	1999-02
Code :	RA, RG
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.500
Pilot Diameter :	1.335
Pilot Length :	1.040
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	No
Clutch:	Yes

Note:

Atlantic #	TC14201LS
Model :	Montero
Engine:	Some 3.0L, Some 3.5L
Year(s) :	1999-02
Code :	(Some RE), RF
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.50
Pilot Diameter :	1.337
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	6 Oval Pads
Ring Gear :	No
Clutch:	Yes

Note:

Atlantic #	TC4109
Model :	Montero
Engine:	Some 3.5L
Year(s) :	1999-02
Code :	6g, 6G, 6L, 6M, W9
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.335
Pilot Length :	1.000
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	110 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

V5A51 / R5A51 (5 Speed)(RWD/4x4)

Atlantic #	TC14202
Model :	Montero
Engine:	Some 3.5L
Year(s) :	2001-02
Code :	RA, RE, RF, RH
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.335
Pilot Length :	1.040
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC14202HS
Model :	Montero
Engine:	Some 3.5L
Year(s) :	2001-02
Code :	RG
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.693
Hub Height :	
Pilot Diameter :	1.335
Pilot Length :	1.040
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.75
Mounting Style :	6 Oval Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC14201
Model :	Montero
Engine:	Some 3.8L
Year(s) :	2003-07
Code :	RA
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.500
Pilot Diameter :	1.337
Pilot Length :	1.000
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.375
Mounting Style :	6 Oval Pads
Ring Gear :	No
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

V5A51 / R5A51 (5 Speed)(RWD/4x4)(Continued)

Atlantic #	TC14201LS
Model :	Montero
Engine:	Some 3.8L
Year(s) :	2003-07
Code :	(Some RE), RF
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.693
Hub Height :	1.500
Pilot Diameter :	1.337
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	6 Oval Pads
Ring Gear :	No
Clutch:	Yes

Note:

42RLE (4 Speed)(RWD)

Atlantic #	TC8201
Model :	Raider
Engine:	3.7L
Year(s) :	2006-08
Code :	845AA, 853AA, 893AB, 893AD, 893AE
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	22
Input Spline :	
Hub Style :	Milled Flats
Hub Diameter :	1.498
Hub Height :	3.330
Pilot Diameter :	1.337
Pilot Length :	0.965
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.531
Mounting Style :	4 Pads, 90 Degree Bolt Pattern
Ring Gear :	
Clutch:	Yes (Modulating Friction Material)



Note: Smooth Or Ribbed Primary

Heavy Duty Billet Cover With Dual Bolt Pattern- TC9206HD

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

5-45RFE (5 Speed)(RWD/AWD)

Atlantic #	TC7201
Model :	Raider
Engine:	4.7L
Year(s) :	2006-07
Code :	394AA, 454AC, 496, 582, 582AB, 582AD,
	6349AA, 4963511, 582 0322, 582 0672,
	582 1030, 582 2000, 582 2500, 582 2921,
	582 3130
OEM Part Number :	04736582, R4736582
Overall Diameter :	11.5
Overall Height :	5.75
Input Spline :	29
Hub Style :	Milled Flats With O-Ring
Hub Diameter :	1.775 / 1.836 / 1.877
Hub Height :	1.060
Pilot Diameter :	1.810
Pilot Length :	0.750
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads
Ring Gear :	No
Clutch:	Yes (Modulating Friction Material)

Note: Ribbed Primary

Available With Heavy-Duty Billet Cover - TC7201HD

© Whatever It Takes Transmission Parts. Inc.

Mitsubishi

727 Non Lock-Up (4 Speed)(RWD)

Atlantic #	TC2242LS
Model :	Iveco
Engine:	Diesel
Year(s) :	1989
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads (5/16” x 24)
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC2242HS
Model :	Mitsubishi 201
Engine:	Turbo Diesel
Year(s) :	1988
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.375
Pilot Diameter :	1.810
Pilot Length :	0.795
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	4 Pads (5/16” x 24)
Ring Gear :	
Clutch:	None

Note:

© Whatever It Takes Transmission Parts. Inc.

Nissan

A43 (4 Speed)(RWD)

Atlantic #	TC5703
Model :	Pickup
Engine:	4 Cylinder
Year(s) :	1985
Code :	
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.780
Pilot Diameter :	1.100
Pilot Length :	0.910
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	No

Note:

A450-43LE (4 Speed)(RWD)

Atlantic #	TC14107
Model :	UD Truck
Engine:	4 Cylinder Diesel
Year(s) :	1999-00
Code :	Orange Paint Spots
OEM Part Number :	
Overall Diameter :	12.5
Overall Height :	
Input Spline :	20
Hub Style :	1.654
Hub Diameter :	Slotted
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	0.760
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.344
Mounting Style :	6 Pads (.490"Thk) (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

AW55-50SN / AW55-51SN (5 Speed)(FWD/AWD)

Atlantic #	TC2102
Model :	Altima, Maxima, Quest
Engine:	3.5L
Year(s) :	2003-09
Code :	43A260, 43A261, 433, Y51, 437
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.125
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.500
Pilot Diameter :	0.810
Pilot Length :	1.365
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.531
Mounting Style :	6 Pads (Stepped)(M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Nissan

Borg Warner 35 (3 Speed)(RWD)

Atlantic #	TC11901
Model :	Datsun
Engine:	
Year(s) :	1967-71
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.250
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	None

Note: With Cooling Fins

RE0F08A / RE0F08B (JF009E)(CVT)(FWD)

Atlantic #	TC24301
Model :	Cube, Versa
Engine:	1.8L
Year(s) :	2007-19
Code :	Ink Code: E16, Metal Stamp: TE
OEM Part Number :	
Overall Diameter :	9.4375
Overall Height :	3.181
Input Spline :	18
Hub Style :	2 Drive Ears
Hub Diameter :	1.808
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.500
Mounting Style :	4 Mounting Studs (M10 x 1.25), 2 Alignment Studs, Slightly Extended Bases
Ring Gear :	
Clutch:	Yes



Note: 30 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Nissan

RE0F09A / RE0F09B (JF010E)(CVT)(FWD/AWD)

Atlantic #	TC20301
Model :	Altima, Maxima, Murano, Quest
Engine:	3.5L
Year(s) :	2003-15
Code :	NC, ND, White Circle On Cover, Green Circle On Primary
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	3.1875
Input Spline :	20
Hub Style :	Drive Ears
Hub Diameter :	1.922
Hub Height :	1.125
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.500
Mounting Style :	4 Mounting Studs (M10 x 1.25) On Rectangular Bases and 2 Alignment Studs
Ring Gear :	
Clutch:	Yes

Note:

RE0F10A / RE0F10B (JF011E)(CVT)(FWD)

Atlantic #	TC21202
Model :	Altima
Engine:	2.5L (Some)
Year(s) :	2007-13
Code :	21C, 21G, 21H, 21L
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	3.953 - Pilot, 3.628 - Pads
Input Spline :	20
Hub Style :	Drive Ears, Flanged, Stepped W/Inner Bushing
Hub Diameter :	2.007
Hub Height :	1.019
Pilot Diameter :	.785
Pilot Length :	1.25
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	4 Oval Pads (0.460"Tall)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC33301
Model :	Altima
Engine:	2.5L (Some)
Year(s) :	2007-16
Code :	26A, 26B, 26E, 26J, 26L
OEM Part Number :	
Overall Diameter :	10.4375
Overall Height :	
Input Spline :	20
Hub Style :	Drive Ears, Flanged, Stepped, Inner Bushing
Hub Diameter :	2.008
Hub Height :	1.020
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	1.035
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Nissan

RE0F10A / RE0F10B (JF011E)(CVT)(FWD)(Continued)

Atlantic #	TC33302
Model :	Rogue (With Towing Package)
Engine:	2.5L
Year(s) :	2008-13
Code :	21E, 21F
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	20
Hub Style :	Drive Ears, Flanged W/Inner Bushing
Hub Diameter :	2.005
Hub Height :	1.020
Pilot Diameter :	0.785
Pilot Length :	1.035
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.25
Mounting Style :	4 Studs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: May Or May Not Have two Alignment Studs

Atlantic #	TC21201
Model :	Sentra
Engine:	2.0L (Some)
Year(s) :	2007-12
Code :	21B
OEM Part Number :	
Overall Diameter :	10.4375
Overall Height :	
Input Spline :	20
Hub Style :	Drive Ears W/Inner Bushing
Hub Diameter :	2.008
Hub Height :	
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	0.875
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs & 2 Alignment Studs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC21201A
Model :	Sentra, Rogue W/O Towing
Engine:	2.0L (Some), 2.5L
Year(s) :	2007-15
Code :	21A
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	20
Hub Style :	Drive Ears, Flanged, Stepped W/Inner Bushing
Hub Diameter :	2.005
Hub Height :	1.015
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	0.900
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs & 2 Alignment Studs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 32 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Nissan

RE0F10A / RE0F10B (JF011E)(CVT)(FWD)(Continued)

Atlantic #	TC21201B
Model :	Juke
Engine:	1.6L
Year(s) :	2011-16
Code :	21N
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	20
Hub Style :	Drive Ears, Flanged, Stepped, W/Inner Bushing
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs, 2 Alignment Studs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC21207
Model :	Rogue
Engine:	2.5L
Year(s) :	2008-13
Code :	21D
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	20
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	1.00
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs & 2 Alignment Studs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 32 Spline Stator

RE0F10D (JF016E)(CVT)(FWD)

Atlantic #	TC33301
Model :	Altima, Rogue
Engine:	2.5L
Year(s) :	2013-17
Code :	26A, 26B, 26E, 26J, 26L
OEM Part Number :	
Overall Diameter :	10.4375
Overall Height :	
Input Spline :	20
Hub Style :	Drive Ears, Flanged, Stepped, Inner Bushing
Hub Diameter :	2.008
Hub Height :	1.020
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	1.035
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Nissan

RE0F10E (JF017E)(CVT)(FWD)

Atlantic #	TC34301
Model :	Altima, Pathfinder, Quest
Engine:	3.5L
Year(s) :	2013-15
Code :	25B, 25C, 25E, 25F, 25G, 25H, 25L
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	20
Hub Style :	Drive Ears, Flanged, Stepped, W/Inner Bushing
Hub Diameter :	2.010
Hub Height :	0.79/1.040
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	0.645
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.53
Mounting Style :	4 Studs On Rectangular Base (M10 x 1.25)
Ring Gear :	
Clutch:	Yes



Note: 32 Spline Stator

RE0F11A (JF015E)(CVT)(FWD)

Atlantic #	TC32302
Model :	Sentra
Engine:	1.8L
Year(s) :	2013-17
Code :	08B, 08C, 08D
OEM Part Number :	
Overall Diameter :	9.50
Overall Height :	
Input Spline :	18
Hub Style :	Slotted, Flanged, Stepped, Inner Bushing
Hub Diameter :	1.810
Hub Height :	1.415
Pilot Diameter :	0.785
Pilot Length :	0.51
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	4 Studs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 30 Stator Splines

Atlantic #	TC32301
Model :	Versa
Engine:	1.6L
Year(s) :	2009-17
Code :	07C, 07D, 07F, 07G
OEM Part Number :	
Overall Diameter :	9.625
Overall Height :	
Input Spline :	18
Hub Style :	Slotted, Stepped
Hub Diameter :	
Hub Height :	1.415
Pilot Diameter :	0.785
Pilot Length :	0.51
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.156
Mounting Style :	4 Studs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 30 Stator Splines / Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Nissan

RE4F02A / RE4F04A / RE4F04B / RE4F04V / RL4F04A / 4F20E (4 Speed)(FWD)

Atlantic #	TC9303
Model :	Altima
Engine:	2.4L
Year(s) :	1992-99
Code :	05, F, K
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	18
Hub Style :	Slotted, Stepped
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	0.615
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.1875
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 30 Spline Stator

Atlantic #	TC9306
Model :	Altima
Engine:	2.4L
Year(s) :	1992-99
Code :	HC, HE, HH, HI
OEM Part Number :	
Overall Diameter :	10.1875
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.732
Hub Height :	1.375
Pilot Diameter :	0.785 (Solid Or Hollow)
Pilot Length :	0.750
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.1875
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 32 Spline Stator / 2 or 3 Rows Of Ribs

Atlantic #	TC9304
Model :	Altima
Engine:	2.4L
Year(s) :	1992-99
Code :	GB, GD, GE, GF, QV01B, TR01B, TR02B, TR029, TRN45
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Stepped
Hub Diameter :	
Hub Height :	1.295
Pilot Diameter :	0.787 (Solid Or Hollow)
Pilot Length :	0.785
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.53
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes



Note: May Have 2 or 3 Rows Of Dimples

© Whatever It Takes Transmission Parts. Inc.

Nissan

RE4F02A / RE4F04A / RE4F04B / RE4F04V / RL4F04A / 4F20E (4 Speed)(FWD)

Atlantic #	TC9304
Model :	Altima, Sentra
Engine:	2.5L
Year(s) :	2000-06
Model :	Maxima
Engine:	3.0L
Year(s) :	1990-01
Model :	Quest
Engine:	3.0L, 3.3L
Year(s) :	1993-02
Model :	Villager
Engine:	3.0L
Year(s) :	1993-02
Code :	GB, GD, GE, GF, QV01B, TR01B, TR02B, TR029, TRN45
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Stepped
Hub Diameter :	
Hub Height :	1.295
Pilot Diameter :	0.787 (Solid Or Hollow)
Pilot Length :	0.785
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.53
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes



Note: May Have 2 or 3 Rows Of Dimples

Atlantic #	TC9304LS
Model :	Altima, Maxima, Quest
Engine:	3.5L
Year(s) :	2000-06
Code :	LF, LF229
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Stepped
Hub Diameter :	1.732
Hub Height :	1.295
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	0.600
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.53
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 32 Spline Stator / 2 Or 3 Rows Of Dimples

© Whatever It Takes Transmission Parts. Inc.

Nissan

RE4FO3A / RE4FO3B / RE4FO3C / RE4FO3V / RL4FO3A / RL4FO3V (4 Speed)(FWD)

Atlantic #	TC8301
Model :	200SX, NX, Sentra
Engine:	1.6L, 2.0L
Year(s) :	1991-2012
Code :	A, AA, FA, FF, O, P Ink Stamp A-H, 65
OEM Part Number :	
Overall Diameter :	10.1875
Overall Height :	4.035
Input Spline :	18
Hub Style :	Slotted, Stepped
Hub Diameter :	1.654
Hub Height :	1.315
Pilot Diameter :	0.785
Pilot Length :	0.600
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.1875
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC8301LS
Model :	Sentra
Engine:	2.0L
Year(s) :	1992-99
Code :	01, 02, 05, 06, 018, A, B, G, H, KF, KJ, N
OEM Part Number :	
Overall Diameter :	10.1875
Overall Height :	4.245
Input Spline :	18
Hub Style :	Slotted
Hub Diameter :	1.654
Hub Height :	1.310
Pilot Diameter :	0.785
Pilot Length :	0.600
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.1875
Mounting Style :	4 Pads (M10 X 1.25)
Ring Gear :	
Clutch:	Yes

Note: May Contain 2 Or 3 Rows Of Ribs

Atlantic #	TC8301M
Model :	Sentra
Engine:	1.8L
Year(s) :	2000-06
Code :	K, F, KJ
OEM Part Number :	
Overall Diameter :	10.0625
Overall Height :	
Input Spline :	18
Hub Style :	Slotted, Stepped
Hub Diameter :	1.654
Hub Height :	1.315
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	0.600
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.1875
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Nissan

Atlantic #	TC8304
Model :	Versa
Engine:	1.5L
Year(s) :	2013-17
Code :	06B
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	18
Hub Style :	Slotted, Stepped
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.785 (Slotted)
Pilot Length :	0.518”
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.469
Mounting Style :	4 Studs On Round Bases
Ring Gear :	
Clutch:	Yes

Note: 30 Spline Stator

Atlantic #	TC8303
Model :	Versa
Engine:	1.6L, 1.8L
Year(s) :	2007-17
Code :	KO
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	4.375
Input Spline :	18
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	
Hub Height :	1.400
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	0.625
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	4 Pads Semi-Round Atop Rectangular Bases(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 30 Spline Stator

RE4R01A / RL4R01A / R4AEL / RC4-AEL (JR405E) (4 Speed)(RWD)

Atlantic #	TC7301
Model :	Pickup, 300ZX, Pathfinder
Engine:	2.4L, 3.0L
Year(s) :	1988-97
Code :	A3, A4, A5, A7, A8, A10, A13, A18, A19, A22, A23, A25, A33, A34, A39, A40, A41, A44, A48
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, 2 Stepped
Hub Diameter :	
Hub Height :	1.880
Pilot Diameter :	0.785
Pilot Length :	0.730
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.5625
Mounting Style :	4 Lugs (Round or Square)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Nissan

RE4R01A / RL4R01A / R4AEL / RC4-AEL (JR405E) (4 Speed)(RWD)(Continued)

Atlantic #	TC7308
Model :	Frontier, Pathfinder, XTerra SE
Engine:	2.4L, 3.3L
Year(s) :	1996-04
Code :	A49, A52, A53, A59
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.810
Hub Height :	2.000
Pilot Diameter :	0.785
Pilot Length :	1.765
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.5625
Mounting Style :	4 Pads (M10 x 1.25)(Square Or Round Pads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC7309LA
Model :	Frontier, Pathfinder, XTerra SE
Engine:	3.3L, 3.5L
Year(s) :	2000-04
Code :	J1, J2, T1, T2
OEM Part Number :	
Overall Diameter :	11.625
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.810
Hub Height :	2.000
Pilot Diameter :	0.785
Pilot Length :	0.710
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

Atlantic #	TC7306
Model :	XTerra SE
Engine:	3.3L
Year(s) :	2000-04
Code :	Y13
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats, Stepped
Hub Diameter :	
Hub Height :	2.025
Pilot Diameter :	0.785
Pilot Length :	0.710
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.5625
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 34 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Nissan

RE4R03A / RL4R03A (4 Speed)(RWD)

Atlantic #	TC7312
Model :	300ZX
Engine:	3.0L
Year(s) :	1990-97
Code :	B4, B7, B9, B14, B17
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC7313
Model :	300ZX
Engine:	3.0L
Year(s) :	1990-97
Code :	E1, E3
OEM Part Number :	
Overall Diameter :	11.625
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats
Hub Diameter :	1.810
Hub Height :	2.000
Pilot Diameter :	0.785
Pilot Length :	0.710
Lockup :	Yes
Stall Speed :	High Stall
Mounting Bolt Radius :	4.875
Mounting Style :	4 Lugs (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Nissan

RE5R05A (5 Speed)(RWD / AWD)

Atlantic #	TC17301
Model :	Armada, Pathfinder, Titan
Engine:	5.6L
Year(s) :	2004-17
Code :	40B, 40C, FNJ4, J4
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	5.750
Input Spline :	24
Hub Style :	Milled Flats, Flanged, Stepped
Hub Diameter :	1.808 / 1.726
Hub Height :	1.875
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	1.000
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	4 Square Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC17302
Model :	Z, 350Z
Engine:	3.5L
Year(s) :	2003-09
Code :	P2, F6, F10, F11
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	5.250
Input Spline :	24
Hub Style :	Milled Flats, Flanged, Stepped
Hub Diameter :	1.805 / 1.725
Hub Height :	1.690
Pilot Diameter :	0.785
Pilot Length :	0.675
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC17302LS
Model :	Frontier, Pathfinder, XTerra, XE
Engine:	4.0L
Year(s) :	2005-17
Code :	F11
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	5.250
Input Spline :	24
Hub Style :	Milled Flats, Flanged, Stepped
Hub Diameter :	1.805 / 1.725
Hub Height :	1.690
Pilot Diameter :	0.785
Pilot Length :	0.675
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

© Whatever It Takes Transmission Parts. Inc.

Nissan

Atlantic #	TC17302HS
Model :	Frontier
Engine:	2.5L
Year(s) :	2005-17
Code :	F14, J14
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	24
Hub Style :	Milled Flats, Flange, Stepped
Hub Diameter :	
Hub Height :	1.690
Pilot Diameter :	0.785
Pilot Length :	0.675
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.875
Mounting Style :	4 RectangularPads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

RE7R01A / B (7 Speed)(RWD / AWD)

Atlantic #	TC28302M
Model :	Titan
Engine:	5.6L
Year(s) :	2017
Code :	41J, 41M
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	5.413
Input Spline :	24
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.810
Hub Height :	1.679
Pilot Diameter :	0.785
Pilot Length :	1.025
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC28301
Model :	370Z
Engine:	3.7L
Year(s) :	2009-17
Code :	33A, 33C
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	5.104
Input Spline :	24
Hub Style :	Milled Flats, Stepped, Flanged
Hub Diameter :	1.810 / 1.772
Hub Height :	1.687
Pilot Diameter :	0.785 (Hollow)
Pilot Length :	0.685
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	4 Rectangular Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)



Note:

© Whatever It Takes Transmission Parts. Inc.

Nissan

RL3F01A / RN3F01A (3 Speed)(FWD)

Atlantic #	TC4301
Model :	Pulsar, Sentra, Stanza 210, 310
Engine:	1.9L
Year(s) :	1983-90
Code :	1/2 Circle On Tip Of Pilot, E, B, S, LE, 76, 84
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.880
Hub Height :	0.580
Pilot Diameter :	0.785
Pilot Length :	0.660
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.25
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC4302
Model :	Pulsar, Sentra, Stanza 210, 310
Engine:	1.9L
Year(s) :	1983-90
Code :	1/4 Circle On Tip Of Pilot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	No Drive (With Inner Bushing)
Hub Diameter :	1.880
Hub Height :	0.580
Pilot Diameter :	0.785
Pilot Length :	0.660
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.25
Mounting Style :	3 Square Pads
Ring Gear :	
Clutch:	Yes

Note:

RL4F02A / RE4F02A (4 Speed)(FWD)

Atlantic #	TC9301
Model :	Maxima, Pulsar, 310
Engine:	
Year(s) :	1988-90
Code :	D, DA, DB, DC, E, E1, F
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Stepped
Hub Diameter :	1.808 / 1.727
Hub Height :	1.360
Pilot Diameter :	0.785
Pilot Length :	0.770
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Nissan

Atlantic #	TC9302
Model :	Stanza, Pulsar, Axxes
Engine:	
Year(s) :	1988-90
Code :	EB, EC, EF, D, F, FF, G, P, Q, T, U, UV
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Slotted, Stepped
Hub Diameter :	
Hub Height :	1.360
Pilot Diameter :	0.785
Pilot Length :	0.680
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.1875
Mounting Style :	3 Pads
Ring Gear :	
Clutch:	Yes

Note: Dimples Angle 30 Degrees Right

3N71B , L3N71B, 4N71B, L4N71B (4 Speed)(RWD)

Atlantic #	TC5302
Model :	
Engine:	
Year(s) :	1971-82
Code :	20DG, GA, Blue Mark
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	2.105
Pilot Diameter :	0.785
Pilot Length :	1.00
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC5303
Model :	
Engine:	
Year(s) :	1971-82
Code :	
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.1875
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	None

Note:

© Whatever It Takes Transmission Parts. Inc.

Nissan

3N71B , L3N71B, 4N71B, L4N71B (4 Speed)(RWD)(Contined)

Atlantic #	TC5304
Model :	
Engine:	
Year(s) :	1971-82
Code :	
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

Atlantic #	TC5305
Model :	
Engine:	
Year(s) :	1971-82
Code :	D
OEM Part Number :	
Overall Diameter :	9.5
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.250
Mounting Style :	4 Lugs (.500” Tall)
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC5361
Model :	
Engine:	
Year(s) :	1971-82
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Nissan

3N71B , L3N71B, 4N71B, L4N71B (4 Speed)(RWD)(Continued)

Atlantic #	TC5306
Model :	300ZX
Engine:	
Year(s) :	1986-93
Code :	GB, GF, GH, GI, GK, GL, GM, GX, GY, OH, OI, GHA, GKA, GLA, GXA, GYA
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.650
Hub Height :	1.980
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs (.450”Tall)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5306A
Model :	300ZX
Engine:	
Year(s) :	1986-91
Code :	ELA, EMA, EOA
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	1.980
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs (0.625”Tall)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5306C
Model :	300ZX
Engine:	
Year(s) :	
Code :	NG, NGD
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs (0.450”Tall)
Ring Gear :	
Clutch:	Clutch Omitted

Note:

© Whatever It Takes Transmission Parts. Inc.

Nissan

3N71B , L3N71B, 4N71B, L4N71B (4 Speed)(RWD)(Continued)

Atlantic #	TC5306ALS
Model :	200SX
Engine:	
Year(s) :	
Code :	GRA
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.785
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs (0.625”Tall)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC7307
Model :	300ZX, 300ZX Turbo
Engine:	
Year(s) :	1986-91
Code :	L, ZB
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.654
Hub Height :	2.875
Pilot Diameter :	0.785
Pilot Length :	0.810
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.500
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5306B
Model :	300ZX
Engine:	
Year(s) :	1986-94
Code :	6T, OT, OU
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.650
Hub Height :	1.980
Pilot Diameter :	0.785
Pilot Length :	0.670
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.4375
Mounting Style :	4 Lugs (0.450”Tall)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

ROADMASTER



10R80

FEATURED REMANUFACTURED TRANSMISSION UNITS


6R80

6L80

6R140

6ZTE

6SRFE

6HRFE

6F35

6T70

8L90


10L1000

CRAFTSMANSHIP IN MOTION

Roadmaster remanufactures premium OE replacement, heavy duty, and performance automatic transmissions. The pursuit of excellence drives our remanufacturing process. Each unit is built with solutions to prevent common failures.

WARRANTY OPTIONS

2 Year/24,000 Mile
3 Year/Unlimited Mileage
3 Year/100,000 Mile "Commercial Vehicle"



Available From 49 Nationwide Locations!

BORGWARNER · TRANSTEC · SONNAX · ATLANTIC TORQUE CONVERTERS · DYNAMIC · RAYBESTOS POWERTRAIN · ACDELCO

SUNCOAST · HPTUNERS · SUPERIOR TRANSMISSION PARTS, INC. THE SIMPLE SOLUTION · DURA-BOND SINCE 1947 · REVMAX · TRANSGO · PRECISION INTERNATIONAL · ALTO MADE IN USA

Give us a call today at 1-800-940-0197 or visit roadmasterpowertrain.com

WITRoadmasterPowertrain

A division of WIT

Saab

AW50-40LE / AW50-42LE (4 Speed)(FWD/AWD)

Atlantic #	TC8902
Model :	
Engine:	
Year(s) :	
Code :	40A030
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	1.145
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	4.656
Mounting Style :	6 Pads (.210” Tall)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC8902B
Model :	9-3
Engine:	2.0L
Year(s) :	1999-03
Code :	40A600, Green Dot By Each Mounting Pad
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.656
Mounting Style :	6 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC8908
Model :	900, 900S
Engine:	2.3L
Year(s) :	1994-98
Code :	40A010, C8K19, VK09N
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	26
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	1.785
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.500
Mounting Style :	6 Pads (1” Tall)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Saab

AW50-40LE / AW50-42LE (4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC8941A
Model :	9-5
Engine:	2.3L
Year(s) :	1997-01
Code :	42A050, 16U, HO6, Q2
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	1.300
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

AW55-50SN / AW55-51SN (5 Speed)(FWD/AWD)

Atlantic #	TC2103
Model :	
Engine:	
Year(s) :	
Code :	43A012, 43A030, 43A220, 43A240, Blue
	Dot On Primary, Metal Stamp 431, 433, Y51
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	3.875
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.500
Pilot Diameter :	0.825
Pilot Length :	1.385
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (.310”Thk)(M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC2104
Model :	9-3, 9-5
Engine:	2.0L, 2.3L, 3.0L
Year(s) :	2002-12
Code :	43A080, 43A090, Metal Stamp Y51, 433
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Saab

AWTF80SC (AF40-6) (6 Speed)(FWD/AWD)

Atlantic #	TC25521
Model :	9-3
Engine:	2.8L
Year(s) :	2006-12
Code :	71A060 Ink Code
OEM Part Number :	
Overall Diameter :	11.0625
Overall Height :	
Input Spline :	23
Hub Style :	Slotted, Flanged
Hub Diameter :	1.848
Hub Height :	
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	6 Stepped Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC25522
Model :	9-5
Engine:	2.0L Turbo
Year(s) :	2010-12
Code :	44A130, 44A160
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Flanged
Hub Diameter :	1.850
Hub Height :	1.337
Pilot Diameter :	0.825
Pilot Length :	0.779
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.656
Mounting Style :	6 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

Borg Warner 35 (T35) (3 Speed)(RWD)

Atlantic #	TC11921
Model :	
Engine:	
Year(s) :	1972-80
Code :	3711, 3713
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	23
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	1.500
Pilot Diameter :	0.750
Pilot Length :	0.375
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	8 Hole Ring
Ring Gear :	
Clutch:	None

Note:

© Whatever It Takes Transmission Parts. Inc.

Saab

Borg Warner 37 (T37) (3 Speed)(FWD)

Atlantic #	TC11920
Model :	
Engine:	
Year(s) :	1981-93
Code :	B, 75, 133
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Drive Ears
Hub Diameter :	1.684
Hub Height :	2.18
Pilot Diameter :	0.750
Pilot Length :	0.89
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Hole Ring
Ring Gear :	
Clutch:	None

Note:

ZF4HP14 (4 Speed)(FWD/AWD)

Atlantic #	TC7921
Model :	9000S
Engine:	2.3L
Year(s) :	1990-98
Code :	K8
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	29
Hub Style :	Slotted
Hub Diameter :	1.574 - 1.495
Hub Height :	
Pilot Diameter :	0.475
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (8mm Threads)
Ring Gear :	
Clutch:	None



Note: 25 Spline Overdrive

© Whatever It Takes Transmission Parts. Inc.

Saab

ZF4HP18 / ZF4HP18Q (4 Speed)(FWD/AWD)

Atlantic #	TC7941
Model :	9000S
Engine:	2.3L Turbo
Year(s) :	1994-98
Code :	C6, D6
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	34
Hub Style :	Slotted, 2 Step
Hub Diameter :	
Hub Height :	1.76
Pilot Diameter :	1.100
Pilot Length :	1.03
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	None

Note: 22 Spline Overdrive

Atlantic #	TC7942
Model :	9000
Engine:	2.3L Turbo
Year(s) :	1987-89
Code :	M6
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	34
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	None

Note: 22 Spline Overdrive / 43 Spline Stator

Atlantic #	TC7943
Model :	900
Engine:	2.3L Non-Turbo
Year(s) :	1987-96
Code :	Q15
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	34
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.824
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.75
Mounting Style :	3 Pads (0.875"Long)(M10 x 1.5)
Ring Gear :	
Clutch:	None

Note: 22 Spline Overdrive / 43 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Saab

4L60E / 4L70E (4 Speed)(RWD/4x4)

Atlantic #	TC7415
Model :	
Engine:	
Year(s) :	
Code :	LTQK, VJCX
OEM Part Number :	24215557, 24224075, 24228392, 24228708
Overall Diameter :	12.125 (280mm)
Overall Height :	6.5
Input Spline :	30
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.345
Pilot Diameter :	1.703
Pilot Length :	1.13
Lockup :	Yes
Stall Speed :	1800-2000
Mounting Bolt Radius :	5.50
Mounting Style :	3 Pads (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note: 27 Spline Stator

Atlantic #	TC7420
Model :	
Engine:	
Year(s) :	
Code :	17804499, 24241978
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	5.3125
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.750
Hub Height :	2.75
Pilot Diameter :	0.825
Pilot Length :	1.4375
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.375
Mounting Style :	3 Ext. Brackets (M10 x 1.5)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Scion

U241E (4 Speed)(FWD)

Atlantic #	TC16702
Model :	Scion xB, tC
Engine:	2.4L
Year(s) :	2005-16
Code :	14, 22, 4076, 1B14V, (Some 40A970), Blue Paint Circle, Stamp 16U By Pilot
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	1.257
Pilot Length :	0.680
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Pilots May Vary In Shape

Atlantic #	TC16703
Model :	Scion tC, xB
Engine:	2.4L
Year(s) :	2005-15
Code :	16, 16A, (Some 40A970), Purple Ring Around Pilot
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	1.257
Pilot Length :	1.070
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Pilots May Vary In Shape

U660 / U760 (6 Speed)(FWD)

Atlantic #	TC27703
Model :	Scion tC
Engine:	2.5L
Year(s) :	2011-15
Code :	P, U760E, 33140, 33141
OEM Part Number :	
Overall Diameter :	9.875
Overall Height :	Pilot - 3.928, Lugs - 3.702
Input Spline :	22
Hub Style :	Slotted, Flanged
Hub Diameter :	1.695
Hub Height :	1.39
Pilot Diameter :	1.257
Pilot Length :	0.525
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Extended Pads (0.385"Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 34 Stator Spline

© Whatever It Takes Transmission Parts. Inc.

Scion

U340 (4 Speed)(FWD)

Atlantic #	TC6708LS
Model :	Scion xA, xB
Engine:	1.5L
Year(s) :	2004-07
Code :	05, 13, J08, 202, (Some 30A070, 30A360,
	Blue Circle Around Pink Dot, Blue Dot
	With Yellow Dot, Yellow Paint Line, Blue
	Circle With White Dot, Fuchsia Circle
	Around Yellow Dot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500 (Solid Or Hollow)
Hub Height :	1.5625
Pilot Diameter :	1.100
Pilot Length :	0.973
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads (0.372” Depth)(M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

U341 (4 Speed)(FWD)

Atlantic #	TC12702
Model :	Scion xD
Engine:	1.8L
Year(s) :	2008-14
Code :	40, 41, Metal Stamp R, R Next to Pilot
	070926
OEM Part Number :	
Overall Diameter :	9.875
Overall Height :	
Input Spline :	26
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.40
Pilot Diameter :	1.100
Pilot Length :	0.42
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads (0.545”Tall)(M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Subaru

M41A (3 Speed)(FWD/AWD)

Atlantic #	TC1301
Model :	1600, 1800
Engine:	
Year(s) :	1975-79
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	18
Hub Style :	No Drive
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.75
Mounting Style :	4 Lugs
Ring Gear :	105 Tooth
Clutch:	None

Note: Smooth or Ribbed Primary

Atlantic #	TC1302
Model :	1600, 1800
Engine:	
Year(s) :	1980-Up
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	18
Hub Style :	No Drive
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.125
Mounting Style :	4 Hole Ring
Ring Gear :	115 Tooth
Clutch:	None

Note:

Atlantic #	TC1304
Model :	1600, 1800
Engine:	4WD Turbo
Year(s) :	1983-Up
Code :	Pink Paint Dot/Swatch
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	18
Hub Style :	No Drive
Hub Diameter :	1.651
Hub Height :	1.59
Pilot Diameter :	0.630
Pilot Length :	1.43
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	4 Hole Ring
Ring Gear :	115 Tooth
Clutch:	Centrifugal Clutch Omitted

Note:

© Whatever It Takes Transmission Parts. Inc.

Subaru

M41A (3 Speed)(FWD/AWD)(Continued)

Atlantic #	TC1308
Model :	1600, 1800
Engine:	
Year(s) :	1985-Up
Code :	Pink Paint Dot/Swatch
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	4.305
Input Spline :	18
Hub Style :	No Drive
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	4 Hole Ring
Ring Gear :	115 Tooth
Clutch:	Centrifugal Clutch Omitted

Note:

Atlantic #	TC1305
Model :	4WD Wagon
Engine:	
Year(s) :	1983-85
Code :	White or Green Dot
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	18
Hub Style :	No Drive
Hub Diameter :	1.651
Hub Height :	1.59
Pilot Diameter :	0.630
Pilot Length :	1.43
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	4 Hole Ring
Ring Gear :	115 Tooth
Clutch:	Centrifugal Clutch Omitted

Note:

Atlantic #	TC1307
Model :	DL Wagon
Engine:	
Year(s) :	1985-Up
Code :	Light Blue or Green Dot
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	18
Hub Style :	No Drive
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	4 Hole Ring
Ring Gear :	115 Tooth
Clutch:	Centrifugal Clutch Omitted

Note:

© Whatever It Takes Transmission Parts. Inc.

Subaru

M41A (3 Speed)(FWD/AWD)(Continued)

Atlantic #	TC1309
Model :	GL 4WD
Engine:	
Year(s) :	1986
Code :	Yellow Paint Dot/Swatch
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	18
Hub Style :	No Drive
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	4 Hole Ring
Ring Gear :	115 Tooth
Clutch:	Centrifugal Clutch Omitted

Note:

TR580 (CVT)(FWD/AWD)

Atlantic #	TC16303
Model :	Impreza, XV Crosstrek
Engine:	2.0L
Year(s) :	2011-19
Code :	240, 290, 291
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	23
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.609
Mounting Style :	4 Hole Mounting Ring (M8 x 1.25)
Ring Gear :	115 Tooth (11.625” Diameter)
Clutch:	Yes

Note: Ring Gear Welded To Reduced Primary / 33 Spline Stator

Atlantic #	TC16302
Model :	Legacy, Outback
Engine:	2.5L
Year(s) :	2009-18
Code :	270, 271
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	23
Hub Style :	Milled Flats, Flanged, Stepped
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.594
Mounting Style :	4 Tapped Hole Mounting Ring (M8 x 1.25)
Ring Gear :	115 Tooth (11.4375” Diameter)
Clutch:	Yes

Note: Ring Gear Welded To Reduced Primary / 33 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Subaru

TR580 (CVT)(FWD/AWD)(Continued)

Atlantic #	TC35301
Model :	Legacy
Engine:	2.5L
Year(s) :	2015-17
Code :	350, 351, 352, 5Y050270
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	23
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.609
Mounting Style :	4 Hole Mounting Ring (M8 x 1.25)
Ring Gear :	115 Tooth (11.4375”Diameter)
Clutch:	Yes

Note: Ring Gear Welded To Reduced Primary / 33 Spline Stator

Atlantic #	TC12306
Model :	Outback
Engine:	Some 2.5L, Some 2.5L Turbo
Year(s) :	2005-12
Code :	120, 121, 6F19
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	24
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.875
Mounting Style :	4 Tapped Hole Mounting Ring (12.25” Diameter)(M8 x 1.25)
Ring Gear :	115 Tooth (11.485” Diameter)
Clutch:	Yes

Note: 32 Spline Stator

Atlantic #	TC16304
Model :	Impreza
Engine:	2.0L
Year(s) :	2015-21
Code :	390, 6K60
OEM Part Number :	
Overall Diameter :	12
Overall Height :	Pilot - 5.476, Mounting Plate - 4.332
Input Spline :	23
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.867
Hub Height :	1.538
Pilot Diameter :	0.629
Pilot Length :	1.185
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	5.875
Mounting Style :	4 Hole Ring (M8 x 1.25)(12.25” Diameter)
Ring Gear :	115 Tooth (11.4375”Diameter)
Clutch:	Yes

Note: Ring Gear Welded To Reduced Primary / 33 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Subaru

TR690 (CVT)(FWD/AWD)

Atlantic #	TC16303
Model :	Impreza
Engine:	2.0L
Year(s) :	2010-19
Code :	240, 290, 291
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	23
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.609
Mounting Style :	4 Hole Mounting Ring (M8 x 1.25)
Ring Gear :	115 Tooth (11.625” Diameter)
Clutch:	Yes

Note: Ring Gear Welded To Reduced Primary / 33 Spline Stator

Atlantic #	TC16301
Model :	Legacy, Outback
Engine:	2.5L, 3.6L
Year(s) :	2009-19
Code :	170, 172
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	23
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.87
Hub Height :	1.52
Pilot Diameter :	0.630
Pilot Length :	1.196
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.594
Mounting Style :	4 Hole Ring (M8 x 1.25)(11.4375” Diameter)
Ring Gear :	115 Tooth
Clutch:	Yes

Note: 33 Spline Stator

Atlantic #	TC35301
Model :	Outback
Engine:	2.5L, 3.5L
Year(s) :	2016-18
Code :	350, 351, 352, 5Y050270
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	23
Hub Style :	Milled Flats
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.609
Mounting Style :	4 Hole Mounting Ring (M8 x 1.25)
Ring Gear :	115 Tooth (11.4375”Diameter)
Clutch:	Yes

Note: Ring Gear Welded To Reduced Primary / 33 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

1-800-940-0197

WHATEVER IT TAKES TRANSMISSION PARTS, INC

Subaru

TR690 (CVT)(FWD/AWD)(Continued)

Atlantic #	TC35302
Model :	WRX Limited
Engine:	2.0L
Year(s) :	
Code :	Ink Code 310, 311, Metal Stamp 6H80
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	23
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.867
Hub Height :	1.738
Pilot Diameter :	0.629
Pilot Length :	0.737
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.875
Mounting Style :	4 Hole Ring (M8 x 1.25)(12.25” Diameter)
Ring Gear :	115 Tooth (11.4375” Diameter)
Clutch:	Yes

Note: Ring Gear Welded To Reduced Primary / 33 Spline Stator

4EAT (R4AX-EL)(4 Speed)(FWD/AWD)

Atlantic #	TC2307
Model :	Baja, Forester, Impreza, Legacy, Outback
Engine:	2.5L
Year(s) :	1990-11
Code :	Metal Stamp 56, 58 Ink Code 06, 90, 91, 060,
	090, 100, 110, 150, 160, 841, 850, 860, 901
OEM Part Number :	
Overall Diameter :	11
Overall Height :	5.625
Input Spline :	23
Hub Style :	Slotted, Stepped W/Snap Ring Groove
Hub Diameter :	
Hub Height :	3.125
Pilot Diameter :	0.630
Pilot Length :	1.125
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	5.875
Mounting Style :	4 Tapped Hole Ring (12.25” Diameter)
	(M8 x 1.25)
Ring Gear :	115 Tooth
Clutch:	Yes

Note: Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Subaru

4EAT (R4AX-EL)(4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC2301
Model :	Impreza, Legacy, XT, GL
Engine:	2.2L, Some 2.5L, 1.8L
Year(s) :	1987-09
Code :	
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	5.5
Input Spline :	22
Hub Style :	Slotted, 2 Step
Hub Diameter :	1.910
Hub Height :	2.600
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	5.4375
Mounting Style :	4 Pads
Ring Gear :	115 Tooth
Clutch:	Yes

Note:

Atlantic #	TC2302
Model :	Legacy
Engine:	2.2L
Year(s) :	1983-89
Code :	Green Paint Dot/Swatch
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.6875
Mounting Style :	4 Pads
Ring Gear :	115 Tooth
Clutch:	Yes

Note:

Atlantic #	TC2304
Model :	Legacy
Engine:	Some 2.2L
Year(s) :	1990-09
Code :	Green Paint Dot/Swatch
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	18
Hub Style :	No Drive
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.50
Mounting Style :	4 Hole Mounting Ring W/2 Line-Up Holes
Ring Gear :	115 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Subaru

4EAT (R4AX-EL)(4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC2305
Model :	Legacy, Outback
Engine:	Some 2.2L, Some 2.5L
Year(s) :	1990-09
Code :	74
OEM Part Number :	
Overall Diameter :	10
Overall Height :	5.53125
Input Spline :	23
Hub Style :	Slotted, 2 Step
Hub Diameter :	
Hub Height :	3.125
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.469
Mounting Style :	4 Pads (M8 x 1.25)
Ring Gear :	115 Tooth
Clutch:	Yes

Note:

Atlantic #	TC2309
Model :	Forester, Legacy, Outback
Engine:	Some 2.5L
Year(s) :	1990-14
Code :	77, 79
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	23
Hub Style :	Slotted, 2 Step
Hub Diameter :	
Hub Height :	3.25
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.875
Mounting Style :	4 Pads (M8 x 1.25)
Ring Gear :	115 Tooth
Clutch:	Yes



Note: 33 Spline Stator

Atlantic #	TC2310
Model :	Legacy, Outback
Engine:	Some 2.2L
Year(s) :	1990-09
Code :	95 Ink Code
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	5.5
Input Spline :	23
Hub Style :	Slotted (.500”Deep), Flanged, Flared
Hub Diameter :	
Hub Height :	2.875
Pilot Diameter :	0.630 (Solid)
Pilot Length :	1.22
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.4375
Mounting Style :	4 Hole Ring (11.5” Diameter)(M8 x 1.25)
Ring Gear :	115 Tooth
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Subaru

4EAT (R4AX-EL)(4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC2308
Model :	Outback
Engine:	3.0L
Year(s) :	2000-10
Code :	(Some 850), 970, Metal Stamp 58
OEM Part Number :	
Overall Diameter :	12.25
Overall Height :	5.625
Input Spline :	23
Hub Style :	Slotted, Flanged
Hub Diameter :	
Hub Height :	3.170
Pilot Diameter :	0.630
Pilot Length :	1.665
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.845
Mounting Style :	4 Hole Ring (M8 x 1.25)
Ring Gear :	115 Tooth
Clutch:	Yes

Note: 33 Spline Stator

Atlantic #	TC2303
Model :	SVX
Engine:	3.3L
Year(s) :	1992-97
Code :	Orange or Yellow Swatch, 96
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.910
Hub Height :	2.5625
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	5.875
Mounting Style :	4 Pads
Ring Gear :	115 Tooth
Clutch:	Yes



Note: Low Stall Fin Angle

Atlantic #	TC2303HS
Model :	
Engine:	
Year(s) :	
Code :	Blue Paint Dot
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.910
Hub Height :	2.5625
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	5.875
Mounting Style :	4 Pads
Ring Gear :	115 Tooth
Clutch:	Yes



Note: High Stall Fin Angle

© Whatever It Takes Transmission Parts. Inc.

Subaru

4EAT (R4AX-EL)(4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC1310
Model :	GL Wagon 4WD
Engine:	
Year(s) :	1987
Code :	Yellow Paint Dot/Swatch
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	18
Hub Style :	No Drive
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.4375
Mounting Style :	4 Hole Ring
Ring Gear :	115 Tooth
Clutch:	Centrifugal Clutch Omitted

Note:

Atlantic #	TC1306
Model :	Loyale Wagon 4WD
Engine:	
Year(s) :	1983-Up
Code :	Orange On Primary & Yellow On Lid
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	18
Hub Style :	No Drive
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	4 Hole Ring
Ring Gear :	115 Tooth
Clutch:	Centrifugal Clutch Omitted

Note:

Atlantic #	TC1307
Model :	Loyale
Engine:	1.8L Turbo
Year(s) :	1985-Up
Code :	Light Blue or Green Dot
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	18
Hub Style :	No Drive
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	4 Hole Ring
Ring Gear :	115 Tooth
Clutch:	Centrifugal Clutch Omitted

Note:

© Whatever It Takes Transmission Parts. Inc.

Subaru

4EAT (R4AX-EL)(4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC2306
Model :	Loyale
Engine:	1.8L
Year(s) :	1985-Up
Code :	Pink Paint Dot/Swatch
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	18
Hub Style :	No Drive
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.4375
Mounting Style :	4 Pads (M8 x 1.25)
Ring Gear :	115 Tooth
Clutch:	None

Note:

© Whatever It Takes Transmission Parts. Inc.

Subaru

5EAT (5 Speed)(FWD/AWD)

Atlantic #	TC12301
Model :	Legacy, Outback
Engine:	Some 2.5L Turbo, Some 3.0L
Year(s) :	2000-09
Code :	Ink Code A,B, Metal Stamp 72
OEM Part Number :	
Overall Diameter :	10.1875
Overall Height :	
Input Spline :	24
Hub Style :	Slotted (0.4375” Deep), Flanged
Hub Diameter :	1.969
Hub Height :	2.00
Pilot Diameter :	0.6300
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.875
Mounting Style :	4 Pads
Ring Gear :	115 Tooth (11.5” Diameter)(M8 x 1.25)
Clutch:	Clutch Pack

Note: 32 Spline Stator

Atlantic #	TC12306
Model :	Legacy
Engine:	Some 2.5L Turbo
Year(s) :	2005-12
Code :	120, 121, 6F19
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	24
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.875
Mounting Style :	4 Tapped Hole Mounting Ring (12.25” Diameter)(M8 x 1.25)
Ring Gear :	115 Tooth (11.485” Diameter)
Clutch:	Yes

Note: 32 Spline Stator

Atlantic #	TC12302
Model :	Legacy, Tribeca
Engine:	3.6L
Year(s) :	2006-14
Code :	140, 142
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	24
Hub Style :	Slotted, Stepped
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.875
Mounting Style :	4 Hole Ring (M8 x 1.25)(12.25” Diameter)
Ring Gear :	115 Tooth (11.50” Diameter)
Clutch:	Yes

Note: Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Subaru

5EAT (5 Speed)(FWD/AWD)(Continued)

Atlantic #	TC12303
Model :	Outback
Engine:	2.5L Turbo
Year(s) :	2005-09
Code :	Ink Code 122
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	23
Hub Style :	Slotted, Stepped
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.630
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Hole Ring (M8 x 1.25)(12.50” Diameter)
Ring Gear :	115 Tooth (11.4375” Diameter)
Clutch:	Yes

Note:

Atlantic #	TC12305
Model :	Outback
Engine:	Some 3.0L
Year(s) :	2008-09
Code :	130, 132, 6F20
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	24
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.875
Mounting Style :	4 Hole Ring (M8 x 1.25)(12.25” Diameter)
Ring Gear :	115 Tooth (11.478” Diameter)
Clutch:	Yes

Note: Ring Gear Welded To Reduced Primary / 32 Spline Stator

Atlantic #	TC12307
Model :	Tribeca
Engine:	Some 3.6L
Year(s) :	2006-14
Code :	Ink Code 141, 6F38
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	24
Hub Style :	Slotted, Flanged, Stepped
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.875
Mounting Style :	4 Tapped Hole Ring (M8 x 1.25)
Ring Gear :	115 Tooth (12.375” Diameter)
Clutch:	Yes

Note: Ring Gear Welded To Reduced Primary / 32 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

WIT WAREHOUSING / DISTRIBUTION & CROSS DOCKING

YOUR TRUSTED DISTRIBUTION PARTNER

WAREHOUSING LOGISTICAL SERVICES & LOCATIONS

Streamline your supply chain with Whatever It Takes' custom logistical solutions & strategically located warehouses for worldwide distribution. Our warehouses are strategically placed near ports and intermodal centers in 49 locations across the United States.
Se Habla Español.

- Importing & Exporting
- Cross Docking
- Container Drayage
- Short Term Storage
- Long Term Storage



Give us a call today at 1-800-940-0197 or visit witwarehousing.com

A division of WIT

Suzuki

A440F (4 Speed)(RWD)

Atlantic #	TC14103
Model :	Samurai
Engine:	
Year(s) :	1986
Code :	Purple Dot
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.654
Hub Height :	1.887
Pilot Diameter :	1.650
Pilot Length :	1.205
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.3125
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 35 Spline Stator

A44DE (4 Speed)(RWD)

Atlantic #	TC5718
Model :	
Engine:	
Year(s) :	
Code :	Red Circle W/Blue Dot, Black Dot Inside
	Red Circle
OEM Part Number :	
Overall Diameter :	9.75
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.650
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.1875
Mounting Style :	3 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5720
Model :	Sidekick
Engine:	1.6L
Year(s) :	1989-98
Code :	Yellow Dot Inside Yellow Circle
OEM Part Number :	
Overall Diameter :	9.75
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625”Deep)
Hub Diameter :	1.500
Hub Height :	1.600
Pilot Diameter :	0.650 - 0.825
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.250
Mounting Style :	3 Pads (0.5625”Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Suzuki

A44DE (4 Speed)(RWD)(Continued)

Atlantic #	TC5722
Model :	
Engine:	
Year(s) :	
Code :	G9G08, WG06D, Green Dot, 6C, 40A570, 40A571, V9K13, 09K04, H9K11, U8K14
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	220
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	6 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5722HS
Model :	
Engine:	
Year(s) :	
Code :	40A710, Green Dot By Each Pad
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	4.719
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.75
Pilot Diameter :	0.825
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.156
Mounting Style :	6 Pads (0.510”Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5723
Model :	Sidekick, Swift
Engine:	1.4L, 1.8L
Year(s) :	1989-98
Code :	Yellow Circle, Red Dot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.650 - 0.825
Pilot Length :	1.3125
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.1875
Mounting Style :	6 Pads (0.50” Tall)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Suzuki

A44DE (4 Speed)(RWD)(Continued)

Atlantic #	TC9708
Model :	Vitara, Grand Vitara, XL-7
Engine:	2.5L, Some 2.7L
Year(s) :	1999-05
Code :	40A100, 40A230, 40A610, WA13N, 09611
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	4 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC11721
Model :	XL-7
Engine:	Some 2.7L
Year(s) :	2001-03
Code :	15, 20A630, Green Paint Dot, Green Circle
OEM Part Number :	
Overall Diameter :	11.625
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	1.375
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.500
Mounting Style :	4 Pads (0.50"Thk)(3/8 x 24)
Ring Gear :	
Clutch:	Yes

Note:

A750E / A750F (5 Speed)(RWD/4x4)

Atlantic #	TC11721
Model :	Vitara, Grand Vitara, XL-7
Engine:	2.7L
Year(s) :	2004-08
Code :	15, 20A630, Green Paint Dot, Green Circle
OEM Part Number :	
Overall Diameter :	11.625
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	1.375
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.500
Mounting Style :	4 Pads (0.50"Thk)(3/8 x 24)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Suzuki

AW50-40LE / AW50-42LE (4 Speed)(FWD/AWD)

Atlantic #	TC8901
Model :	Aerio SX
Engine:	2.3L
Year(s) :	2004-07
Code :	40A930, 16U By Pilot, 10Z
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	4.25
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.500
Pilot Diameter :	0.825
Pilot Length :	0.8125
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.1875
Mounting Style :	6 Pads (0.370”Thk)(M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

AW55-50SN (AF33) (5 Speed)(FWD/AWD)

Atlantic #	TC2105
Model :	XL-7
Engine:	3.6L
Year(s) :	2007-08
Code :	43A360, 433, Y51 By Pilot, 43A30
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	3.875
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.500
Pilot Diameter :	0.825
Pilot Length :	1.1875
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	6 Pads (3/8 x 24)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Suzuki

AW60-40LE (4 Speed)(FWD)

Atlantic #	TC12111
Model :	Aerio
Engine:	2.0L
Year(s) :	2002-03
Code :	30A200, 30A260, 30A340
OEM Part Number :	
Overall Diameter :	9.625
Overall Height :	
Input Spline :	16
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825 (Solid)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.1875
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes



Note:

Atlantic #	TC12111A
Model :	Esteem
Engine:	1.6L, 1.8L
Year(s) :	1995-02
Code :	60A080, Q8F17
OEM Part Number :	
Overall Diameter :	9.625
Overall Height :	
Input Spline :	16
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825 (Solid)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.1875
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

AW81-40LS (4 Speed)(FWD)

Atlantic #	TC8901HS
Model :	SX4
Engine:	2.0L
Year(s) :	2007-08
Code :	40B060
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted, Flanged
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825 (Solid)
Pilot Length :	0.8125
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.1875
Mounting Style :	6 Pads (0.343"Thk)(M8 x 1.25)
Ring Gear :	
Clutch:	Yes



Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Suzuki

MX17 (3 Speed)(FWD)

Atlantic #	TC5710
Model :	Swift
Engine:	
Year(s) :	1992-01
Code :	
OEM Part Number :	
Overall Diameter :	9.625
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625” Deep)
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	1.100 (Cupped)
Pilot Length :	1.08
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	3.875
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC6703
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	9.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.425”Deep)
Hub Diameter :	1.498
Hub Height :	1.5625
Pilot Diameter :	1.100 (Cupped)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	3.875
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Dimples Angle 45 Degrees To The Right

Atlantic #	TC6704
Model :	
Engine:	
Year(s) :	
Code :	Blue Dot
OEM Part Number :	
Overall Diameter :	9.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.4375” Deep)
Hub Diameter :	1.498
Hub Height :	1.5625
Pilot Diameter :	1.100 (Cupped)
Pilot Length :	0.980
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	3.875
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	None

Note:

© Whatever It Takes Transmission Parts. Inc.

Suzuki

MX17 (3 Speed)(FWD)(Continued)

Atlantic #	TC6705
Model :	
Engine:	
Year(s) :	
Code :	Orange Dot
OEM Part Number :	
Overall Diameter :	9.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.562
Pilot Diameter :	1.100 (Cupped)
Pilot Length :	0.980
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	3.875
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	None

Note: Reduced Primary / Dimples Angled 45 Degrees To The Right

Atlantic #	TC6706
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	9.625
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.560
Pilot Diameter :	0.394
Pilot Length :	
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	3.875
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	None

Note:

RE0F10A (JF011E) (CVT)(FWD)

Atlantic #	TC21205
Model :	SX4
Engine:	2.0L
Year(s) :	2011-13
Code :	23C
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	Pilot - 3.745, Lugs - 3.529
Input Spline :	20
Hub Style :	Drive Ears, Flanged, Stepped (W/Bushing)
Hub Diameter :	2.007
Hub Height :	0.668
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	0.995
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.469
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes



Note: 32 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Suzuki

RE0F10A (JF011E) (CVT)(FWD)

Atlantic #	TC21206
Model :	Kizashi
Engine:	2.4L
Year(s) :	2009-15
Code :	23D
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	Pilot - 3.745, Lugs - 3.529
Input Spline :	20
Hub Style :	Drive Ears, Flanged, Stepped (W/Bushing)
Hub Diameter :	2.007
Hub Height :	0.668
Pilot Diameter :	0.825 (Hollow)
Pilot Length :	0.995
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.469
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 32 Spline Stator

ZF4HP16 (4 Speed)(FWD)

Atlantic #	TC14501
Model :	Forenza, Reno
Engine:	2.0L
Year(s) :	2004-08
Code :	Stamped A or 90A Between Each Dimple
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.575
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC14501LS
Model :	Verona
Engine:	2.5L
Year(s) :	2000-06
Code :	Stamped C Between Each Dimple
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.575
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Suzuki

180C / 3L30E (3 Speed)(RWD)

Atlantic #	TC2408
Model :	
Engine:	
Year(s) :	
Code :	8682088, 96012117, 96012140, SP1U
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.7485
Hub Height :	2.00
Pilot Diameter :	0.825
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.00
Mounting Style :	3 Pads (0.710"Tall)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Dimples Angle 30 Degree To The Right

Atlantic #	TC2409
Model :	
Engine:	
Year(s) :	
Code :	SFHT, SFLT
OEM Part Number :	24200145, 8681486
Overall Diameter :	10
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.875
Hub Height :	2.00
Pilot Diameter :	0.825
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	3 Pads (0.75"Tall)(M10 X 1.5)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

ATLANTIC
TORQUE CONVERTERS

TC3661HD

Converter 1500 to 1700 stall
6R60
Includes Billet Lid

TC33401

8L90
Billet Converter
GM

TC4901

Converter
6R80



wittrans.com *800-940-0197* *powered by* WIT

Toyota

A10 (2 Speed)(RWD)

Atlantic #	TC14801
Model :	Corona, Crown
Engine:	
Year(s) :	1965-70
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	19
Hub Style :	4 Internal Drive Slots With Bushing
Hub Diameter :	1.970
Hub Height :	1.490
Pilot Diameter :	1.257
Pilot Length :	0.56
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.420
Mounting Style :	Mounting Ring With 6 Holes
Ring Gear :	
Clutch:	No

Note:

A20 (2 Speed)(RWD)

Atlantic #	TC15801
Model :	Corona, Crown
Engine:	
Year(s) :	1968-74
Code :	
OEM Part Number :	
Overall Diameter :	9
Overall Height :	
Input Spline :	18
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.100
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	Mounting Ring With 6 Holes
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A30 (3 Speed)(RWD)

Atlantic #	TC14901
Model :	Corolla
Engine:	
Year(s) :	1968-73
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	23
Hub Style :	Drive Ears
Hub Diameter :	1.772
Hub Height :	1.170
Pilot Diameter :	1.100
Pilot Length :	0.920
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.37
Mounting Style :	Mounting Ring With 6 Holes
Ring Gear :	
Clutch:	No

Note: Alignment Pin Hole In Mounting Ring

Atlantic #	TC14902
Model :	Corona, Crown, Mark II
Engine:	
Year(s) :	1963-73
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	23
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	Mounting Ring With 6 Holes
Ring Gear :	
Clutch:	No

Note: Alignment Pin Hole In Mounting Ring

Atlantic #	TC14903
Model :	Corona, Crown, Mark II
Engine:	
Year(s) :	1967-73
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	23
Hub Style :	Drive Ears
Hub Diameter :	1.772
Hub Height :	1.170
Pilot Diameter :	1.257
Pilot Length :	0.92
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.37
Mounting Style :	Mounting Ring With 6 Holes
Ring Gear :	
Clutch:	No

Note: Front Cover Is Smooth

© Whatever It Takes Transmission Parts. Inc.

Toyota

A30 (3 Speed)(RWD)(Continued)

Atlantic #	TC14904
Model :	Corona
Engine:	
Year(s) :	1973-78
Code :	
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	23
Hub Style :	Drive Ears
Hub Diameter :	1.772
Hub Height :	1.120
Pilot Diameter :	1.100
Pilot Length :	0.950
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.460
Mounting Style :	Extended Mounting Ring With 6 Holes
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC14905
Model :	Celica, Pickup
Engine:	
Year(s) :	1973-78
Code :	
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	23
Hub Style :	Drive Ears
Hub Diameter :	1.772
Hub Height :	1.120
Pilot Diameter :	1.257
Pilot Length :	0.950
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.460
Mounting Style :	Extended Mounting Ring With 6 Holes
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A40 / A40D / A41 / A43D (3 & 4 Speed)(RWD)

Atlantic #	TC5701
Model :	Celica, Corolla, Corona
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.60
Pilot Diameter :	1.257
Pilot Length :	0.90
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.440
Mounting Style :	Extended Mounting Ring With 6 Holes
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC5702
Model :	Celica, Corolla, Corona
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.770
Pilot Diameter :	1.100
Pilot Length :	1.00
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.40
Mounting Style :	Extended Mounting Ring With 6 Holes
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC5703
Model :	Celica
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.780
Pilot Diameter :	1.100
Pilot Length :	0.910
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A40 / A40D / A41 / A43D (3 & 4 Speed)(RWD)(Continued)

Atlantic #	TC5704
Model :	Celica, Corona, Cressida, Pickup
Engine:	
Year(s) :	
Code :	Metal Stamp: Large S
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.850
Pilot Diameter :	1.257
Pilot Length :	0.790
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	No

Note: 12 Boss Front Cover

Atlantic #	TC5705
Model :	Celica, Corona, Cressida
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.770
Pilot Diameter :	1.257
Pilot Length :	0.840
Lockup :	No
Stall Speed :	High
Mounting Bolt Radius :	4.500
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	No

Note:

Atlantic #	TC5710
Model :	Corolla
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	9.625
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625” Deep)
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	1.100
Pilot Length :	1.08
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	3.875
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	No

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A42D / A43DL (4 Speed)(RWD)

Atlantic #	TC5706
Model :	Celica, Corolla, Starlet
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.100
Pilot Diameter :	1.100 (Cupped)
Pilot Length :	0.741
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	No



Note: 12 Boss Front Cover

Atlantic #	TC5711
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	9.625
Overall Height :	
Input Spline :	26 (Top Of Splines Are Beveled)
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.755
Pilot Diameter :	1.100 (Cupped)
Pilot Length :	0.980
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	No



Note:

Atlantic #	TC5725
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	9.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.750 (Solid)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.3125
Mounting Style :	Mounting Ring With 6 Holes
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A43DE / A43DL / A44DE / A44DL (4 Speed)(RWD)

Atlantic #	TC5709
Model :	Celica, Cressida, Vans
Engine:	
Year(s) :	1982-Up
Code :	Black Dot, Blue Dot, White Dot
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625” Deep)
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	1.257 (Dished)
Pilot Length :	0.770
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (0.375”Tall)(M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5709AH
Model :	Supra
Engine:	
Year(s) :	1982-Up
Code :	Green Dot, Stamped OG On Pilot
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625”Deep)
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.257 (Dished)
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.500
Mounting Style :	6 Pads (0.375” Tall)(M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5719
Model :	Kia Sportage 4x4
Engine:	1.6L, 2.0L
Year(s) :	1996-98, 2002
Code :	Blue Circle, White Circle, Pink Dot Ink Code 04, or Blue Circle, Green Circle, White Dot Ink Code 09
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.75
Pilot Diameter :	0.825 - 1.375
Pilot Length :	Yes
Lockup :	Low
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (M10 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A43DE / A43DL / A44DE / A44DL (4 Speed)(RWD)(Continued)

Atlantic #	TC5721
Model :	Tacoma
Engine:	2.4L
Year(s) :	1995-06
Code :	7P, Green Circle Next To Yellow Dot
	Stamped On Pilot Tip C, 5F or 9K
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	1.257 (Dished)
Pilot Length :	0.750
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Pads (M9 x 1.25 Threads)
Ring Gear :	
Clutch:	No

Note:

A46DE (4 Speed)(RWD)

Atlantic #	TC5717
Model :	Previa
Engine:	2.4L
Year(s) :	1991-97
Code :	019N, 023K Pilot Side
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.466
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.160
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A55 / A55F (4 Speed)(RWD)

Atlantic #	TC15701
Model :	Tercel
Engine:	
Year(s) :	1979-Up
Code :	
OEM Part Number :	
Overall Diameter :	9
Overall Height :	
Input Spline :	15
Hub Style :	Slotted
Hub Diameter :	1.50
Hub Height :	2.160
Pilot Diameter :	1.100
Pilot Length :	1.050
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	3.97
Mounting Style :	Mounting Ring With 12 Holes
Ring Gear :	
Clutch:	No

Note:

A130 / A131L / A140 / A240 / A241 / A242 / A244 / A245 / A246 / A247 (3 & 4 Speed)(FWD)

Atlantic #	TC6701
Model :	Camry, Celica, Corolla
Engine:	
Year(s) :	1983-92
Code :	Black Dot
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	1.257
Pilot Length :	1.160
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.470
Mounting Style :	6 Pads (0.3125” Tall)(M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6701D
Model :	Camry
Engine:	3.0L
Year(s) :	1987-90
Code :	Blue Circle Around Pilot
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.580
Pilot Diameter :	1.257
Pilot Length :	1.140
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (0.3125” Tall)(M9 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A130 / A131L / A140 / A240 / A241 / A242 / A244 / A245 / A246 / A247 (3 & 4 Speed)(FWD)(Continued)

Atlantic #	TC6702
Model :	Corolla, MR2
Engine:	
Year(s) :	1983-87, 1991-95
Code :	L
OEM Part Number :	
Overall Diameter :	9.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.4375” Deep)
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	1.100
Pilot Length :	0.980
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6708
Model :	Celica, ST, Corolla, MR2, Prism, Tercel, Vibe
Engine:	1.5L, 1.8L
Year(s) :	1984-91, 1990-99
Code :	7, 30A010, 30A030, 30A070 (Some),30A080, 30A108, 30A180, 30A290, Stamped R Pilot Side
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.400
Pilot Diameter :	1.100 (Solid or Hollow)
Pilot Length :	0.420
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads (0.372” Tall)(M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6708LS
Model :	Corolla, Matrix, MR2, Prism, Vibe
Engine:	1.8L
Year(s) :	1984-91, 1993-08
Code :	05, 13, J08, 202, 30A070 (Some), 30A360,Blue Circle Around Pink Dot, Blue Dot W/Yellow Dot, Yellow Paint Line, Blue Circle W/White Dot, Fuchia Circle Around Yellow Dot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.5626
Pilot Diameter :	1.100 (Solid or Hollow)
Pilot Length :	0.973
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads (0.380” Tall)(M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A130 / A131L / A140 / A240 / A241 / A242 / A244 / A245 / A246 / A247 (3 & 4 Speed)(FWD)(Continued)

Atlantic #	TC6709
Model :	Celica GTS
Engine:	
Year(s) :	1987-92
Code :	White Ring W/Purple Dot
OEM Part Number :	
Overall Diameter :	9.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.425" Deep)
Hub Diameter :	1.500
Hub Height :	1.400
Pilot Diameter :	1.257 (Dished)
Pilot Length :	
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.50
Mounting Style :	Mounting Ring With 6 Holes
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6710
Model :	Camry, Celica, Celica GT, MR2
Engine:	2.2L
Year(s) :	1984-01
Code :	White Ring Around Pilot, 2 White Lines On Cover
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.562
Pilot Diameter :	1.257
Pilot Length :	1.06
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6711
Model :	Celica, ST, Corolla, MR2, Paseo
Engine:	1.5L, 1.6L, 2.2L
Year(s) :	1987-99
Code :	Green Circle
OEM Part Number :	
Overall Diameter :	9.75
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.570
Pilot Diameter :	1.100 (Cupped)
Pilot Length :	1.020
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note: Dimples Slightly To The Left

© Whatever It Takes Transmission Parts. Inc.

Toyota

A130 / A131L / A140 / A240 / A241 / A242 / A244 / A245 / A246 / A247 (3 & 4 Speed)(FWD)(Continued)

Atlantic #	TC6711A
Model :	MR2
Engine:	1.6L SC
Year(s) :	1988
Code :	
OEM Part Number :	
Overall Diameter :	9.875
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.100 (Cupped)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.094
Mounting Style :	6 Pads (M9 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes



Note: Dimples Slightly To Right

Atlantic #	TC6740
Model :	Camry 4WD, CELICA
Engine:	
Year(s) :	1987-92
Code :	16U, 011P, 016Y, 017V, 018S, Q2
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825 - 1.257
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A340E (4 Speed)(RWD)

Atlantic #	TC9701
Model :	4 Runner, Cresida, Pickup, Supra
Engine:	2.4L, 2.8L, 3.0L
Year(s) :	1987-95
Code :	5M, 7D, H8, Black Or Blue Dot
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	1.257
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (0.500” Tall)(M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9702
Model :	4 Runner, Pickup, Previa
Engine:	2.4L, 2.4L SC, 3.4L
Year(s) :	1994-02
Code :	03, 1F, 20A020, 20A420, 20A560, 20A650,
	31287, UE26M, Green or Blue Circle &
	White Circle Next To Pink Dot, Green Circle
	& White Circle Next to Blue Dot, Green
	Circle Next to Orange Dot, Red Circle
	Around Green Dot
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted (0.618”Deep)
Hub Diameter :	1.500
Hub Height :	1.748
Pilot Diameter :	0.825 - 1.257 (Solid or Hollow)
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Pads (0.317” Tall)(M9 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A340E (4 Speed)(RWD)(Continued)

Atlantic #	TC9703
Model :	4 Runner
Engine:	2.4L
Year(s) :	1988-04
Code :	9R, Green Circle, Blue Dot
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.75
Pilot Diameter :	0.825 - 1.257 (Stepped)
Pilot Length :	1.220
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.4845
Mounting Style :	6 Pads (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9704
Model :	4 Runner, Pickup, Supra
Engine:	2.4L (Some), 3.0L
Year(s) :	1989-98
Code :	10X, 93C, Pink Circle Around Blue/Green Dot
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625” Deep)
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.240
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Pads (0.325”Tall)(M9 x 1.25 Threads)
Ring Gear :	Yes
Clutch:	

Note:

Atlantic #	TC9704LS
Model :	4 Runner, Cressida, Pickup
Engine:	2.7L, 3.0L (Some)
Year(s) :	1989-95
Code :	2N, KF27N, Green Circle Around White Dot, Blue Circle Around Red Dot
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625”Deep)
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.240
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Pads (0.325”Tall)(M9 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A340E (4 Speed)(RWD)(Continued)

Atlantic #	TC9706
Model :	4 Runner
Engine:	3.0L
Year(s) :	1992-05
Code :	8U, RL03D, Red Circle Around Pink Dot
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625”Deep)
Hub Diameter :	1.500
Hub Height :	1.75
Pilot Diameter :	0.825-1.257
Pilot Length :	1.24
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9707
Model :	Sequoia
Engine:	4.7L
Year(s) :	2001-06
Code :	(Some 5A1), (Some 2G on Pilot), 8F04U, 50A040, 50A070, 50A100, 4D14570
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, (0.625”Deep) Flanged
Hub Diameter :	1.500
Hub Height :	1.75
Pilot Diameter :	0.825-1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.719
Mounting Style :	6 Pads (0.375”Thk)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

A340F (4 Speed)(4x4)

Atlantic #	TC9702
Model :	Previa, Tacoma, Tundra
Engine:	2.4L SC, 2.7L, 3.4L, 4.7L
Year(s) :	1995-17
Code :	03, 1F
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	20
Hub Style :	Slotted (0.618”Deep)
Hub Diameter :	1.500
Hub Height :	1.748
Pilot Diameter :	0.825 - 1.257 (Solid or Hollow)
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Pads (0.317” Tall)(M9 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A340F (4 Speed)(4x4)(Continued)

Atlantic #	TC9703
Model :	Pickup
Engine:	2.4L
Year(s) :	1990-95
Code :	9R, Green Circle Blue Dot
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted, Stepped
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.220
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.485
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9706
Model :	Pickup
Engine:	3.0L
Year(s) :	1990-91
Code :	8U, RL03D, Red Circle Around Pink Dot
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625” Deep)
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.24
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9707
Model :	Tundra
Engine:	3.4L, 4.7L
Year(s) :	2000-04
Code :	8F04U, 50A040, 50A070, 50A100,
	2J00045, 2G
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, (0.625”Deep) Flanged
Hub Diameter :	1.500
Hub Height :	1.75
Pilot Diameter :	0.825-1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.719
Mounting Style :	6 Pads (0.375”Thk)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A340H (4 Speed)(4x4)

Atlantic #	TC9702
Model :	4 Runner, Pickup
Engine:	3.4L, 2.4L
Year(s) :	1994-02
Code :	03, 1F, 20A020, 20A420, 20A560, 20A650
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted (0.618"Deep)
Hub Diameter :	1.500
Hub Height :	1.748
Pilot Diameter :	0.825 - 1.257 (Solid or Hollow)
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Pads (0.317" Tall)(M9 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9701
Model :	Pickup
Engine:	2.4L
Year(s) :	1989-95
Code :	5M, 7D, H8, Black Or Blue Dot
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	1.257
Pilot Length :	0.940
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (0.500" Tall)(M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9704
Model :	Pickup
Engine:	2.4L
Year(s) :	1989-95
Code :	10X, 93C, Pink Circle Around Blue/Green Dot
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625" Deep)
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.240
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Pads (0.325"Tall)(M9 x 1.25 Threads)
Ring Gear :	Yes
Clutch:	

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A340H (4 Speed)(4x4)(Continued)

Atlantic #	TC9704LS
Model :	4 Runner
Engine:	3.0L
Year(s) :	1992-95
Code :	2N, KF27N, Green Circle Around White Dot
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625”Deep)
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.240
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Pads (0.325”Tall)(M9 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9706
Model :	Pickup
Engine:	3.0L
Year(s) :	1992-95
Code :	8U, RL03D
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted (0.625” Deep)
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.24
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.5625
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

A342 (4 Speed)(RWD)

Atlantic #	TC9703
Model :	Cressida
Engine:	3.0L
Year(s) :	1987-92
Code :	9R, Green Circle Blue Dot
OEM Part Number :	
Overall Diameter :	11.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted, Stepped
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.220
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.485
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A343F (4 Speed)(RWD/4x4)

Atlantic #	TC9707
Model :	Landcruiser
Engine:	4.7L
Year(s) :	1995-02
Code :	8F04U, 50A040, 50A070, 50A100, 2J00045, 2G
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, (0.625”Deep) Flanged
Hub Diameter :	1.500
Hub Height :	1.75
Pilot Diameter :	0.825-1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.719
Mounting Style :	6 Pads (0.375”Thk)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC9709
Model :	Landcruiser
Engine:	4.5L
Year(s) :	1995-02
Code :	50A020, 5E11U, 5F08P, 010, SM14C
OEM Part Number :	
Overall Diameter :	11.75
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Stepped
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.465
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.375
Mounting Style :	6 Pads (.500”Thk) (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

A440 / A442 (4 Speed)(RWD)

Atlantic #	TC14101
Model :	Landcruiser
Engine:	
Year(s) :	
Code :	2M, White Dot, Purple Dot
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.654
Hub Height :	1.887
Pilot Diameter :	1.375
Pilot Length :	1.205
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	5.375
Mounting Style :	6 Square Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Stator Has 35 Splines, 13 Vanes

© Whatever It Takes Transmission Parts. Inc.

Toyota

A440 / A442 (4 Speed)(RWD)(Continued)

Atlantic #	TC14103
Model :	Landcruiser
Engine:	
Year(s) :	
Code :	Purple Dot
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.654
Hub Height :	1.887
Pilot Diameter :	1.650
Pilot Length :	1.205
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	5.3125
Mounting Style :	6 Square Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Stator 35 Splines, 13 Vanes

Atlantic #	TC14104
Model :	Landcruiser
Engine:	4.5L
Year(s) :	1993-95
Code :	51, 5L
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.654
Hub Height :	2.205
Pilot Diameter :	1.257 (Cupped)
Pilot Length :	1.05
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.375
Mounting Style :	6 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Stator 35 Splines

A465 / AS68RC (6 Speed)(RWD)

Atlantic #	TC17222
Model :	Hino Model 195
Engine:	5.0L
Year(s) :	2013-15
Code :	Black Paint Swatch On Pump
OEM Part Number :	
Overall Diameter :	12.5
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.844
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	6.6875
Mounting Style :	6 Extended Pads (14.5625 Across) With Line Up Holes
Ring Gear :	
Clutch:	Clutch Pack



Note: Partially Splined Stator

© Whatever It Takes Transmission Parts. Inc.

Toyota

A540E (4 Speed)(FWD)

Atlantic #	TC6701D
Model :	Camry
Engine:	3.0L
Year(s) :	1987-90
Code :	Blue Circle Around Pilot
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	1.257
Pilot Length :	1.14
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.49
Mounting Style :	6 Pads (0.3125 Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC8702
Model :	Camry
Engine:	3.0L
Year(s) :	1992-93
Code :	Pink Circle Around Pilot
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.562
Pilot Diameter :	0.825 - 1.257 (Stepped)
Pilot Length :	1.06
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (0.875 x 0.75)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC14105
Model :	Sienna
Engine:	3.0L
Year(s) :	1998-00
Code :	L (Pilot Side)
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.562
Pilot Diameter :	1.257
Pilot Length :	1.10
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Toyota

A540H (4 Speed)(4x4)

Atlantic #	TC6710
Model :	RAV4
Engine:	2.0L
Year(s) :	1996-99
Code :	White Circle Around Pilot, 2 White Lines
	On Front Cover
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.562
Pilot Diameter :	1.257
Pilot Length :	1.06
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (0.875 x 0.75) (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

A541E (4 Speed)(FWD)

Atlantic #	TC8701
Model :	Avalon, Sienna
Engine:	3.0L
Year(s) :	1995-04
Code :	L Pilot Side
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.562
Pilot Diameter :	1.257
Pilot Length :	1.070
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (0.3125 Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Non-Reduced Primary / 38 Spline Stator

Atlantic #	TC14105
Model :	Avalon, Camry
Engine:	3.0L
Year(s) :	1994-04
Code :	L Pilot Side
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.562
Pilot Diameter :	1.257
Pilot Length :	1.10
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A541E (4 Speed)(FWD)(Continued)

Atlantic #	TC14108
Model :	Camry Solara, Sienna
Engine:	3.0L
Year(s) :	1999-03
Code :	02, 04, 05, G7B141452
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	0.750
Lockup :	
Stall Speed :	Very Low Rib Angle
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

A650E (5 Speed)(RWD)

Atlantic #	TC9707B
Model :	Landcruiser
Engine:	3.6L
Year(s) :	2000-02
Code :	A080 A
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted (0.625” Deep), Flanged
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825 - 1.257 Stepped
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.75
Mounting Style :	6 Pads (0.375”Thk)(.400” Deep)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A750E (5 Speed)(RWD)

Atlantic #	TC18721
Model :	4 Runner
Engine:	4.0L (Some)
Year(s) :	2003-15
Code :	A7G, A7K, 53A040, Peach Paint Dot By Pilot
OEM Part Number :	
Overall Diameter :	11.75
Overall Height :	5.8125
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	0.825 - 1.257
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.25
Mounting Style :	6 Stepped Pads (0.465”Thk)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Slightly Reduced Primary / 38 Spline Stator / 2 Pilot Versions

Atlantic #	TC9709-9
Model :	4 Runner
Engine:	4.0L (Some)
Year(s) :	2003-15
Code :	50A110
OEM Part Number :	
Overall Diameter :	11.75
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825 - 1.257
Pilot Length :	1.290
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.28125
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC18722
Model :	4 Runner
Engine:	4.7L (Some)
Year(s) :	2003-09
Code :	Some 53A010, 53A011, 51A011, Metal Stamp 5A1 By Pilot, White Paint Swatch on Primary, Yellow On Front Cover
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	5.338
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.71875
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.75
Mounting Style :	6 Pads (M9 x1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Toyota

A750E (5 Speed)(RWD)(Continued)

Atlantic #	TC18722A
Model :	4 Runner
Engine:	4.7L (Some)
Year(s) :	2003-09
Code :	Some 53A010, 53A011, Metal Stamp 5A1
	By Pilot, White Paint Swatch On Primary, Yellow On Front Cover
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	4.689
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.75
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

A750F (5 Speed)(4x4)(TB-50LS)

Atlantic #	TC18721
Model :	4 Runner, FJ Cruiser, Tacoma
Engine:	4.0L
Year(s) :	2003-19
Code :	A7G, A7K, 53A040, Peach Paint Dot By Pilot
OEM Part Number :	
Overall Diameter :	11.75
Overall Height :	5.8125
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	0.825 - 1.257
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.25
Mounting Style :	6 Stepped Pads (0.465"Thk)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Slightly Reduced Primary / 38 Spline Stator / 2 Pilot Versions

© Whatever It Takes Transmission Parts. Inc.

Toyota

A750F (5 Speed)(4x4)(TB-50LS)(Continued)

Atlantic #	TC18720
Model :	Tundra
Engine:	4.7L
Year(s) :	2005-08
Code :	B78130064, B5F250648, B5H291054, B6L200038, Blue Swatch By Pilot
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.580
Pilot Diameter :	1.257 (Cupped)
Pilot Length :	0.785
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.71875
Mounting Style :	6 Square Pads (.400”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC18722
Model :	4 Runner, Landcruiser
Engine:	4.7L (Some)
Year(s) :	2003-09
Code :	Some 53A010, 53A011, Metal Stamp 5A1 By Pilot, White Paint Swatch On Primary, Yellow On Front Cover
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	4.689
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.75
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

A750F (5 Speed)(4x4)(TB-50LS)(Continued)

Atlantic #	TC18722A
Model :	4 Runner, Landcruiser
Engine:	4.7L (Some)
Year(s) :	2003-09
Code :	Some 53A010, 53A011, Metal Stamp 5A1
	By Pilot, White Paint Swatch On Primary, Yellow On Front Cover
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	4.689
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.75
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

A761E/F (6 Speed)(RWD/4x4)

Atlantic #	TC11722
Model :	Tundra
Engine:	4.6L
Year(s) :	2009-17
Code :	53A140, FOJ180169B
OEM Part Number :	
Overall Diameter :	11.850
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.578
Pilot Diameter :	1.257 (Church Bell Shaped)
Pilot Length :	1.313
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.96875
Mounting Style :	6 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes



Note: 38 Spline Stator / 20 Vanes

© Whatever It Takes Transmission Parts. Inc.

Toyota

AB60E (6 Speed)(RWD) / AB60F (6 Speed)(4x4)

Atlantic #	TC7701
Model :	Landcruiser, Tundra
Engine:	5.7L
Year(s) :	2007-17
Code :	Metal Stamp : L, B On Front Cover
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	5.4375
Input Spline :	24
Hub Style :	Slotted, Flanged
Hub Diameter :	1.772
Hub Height :	1.75
Pilot Diameter :	1.257
Pilot Length :	0.625
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.28125
Mounting Style :	6 Pads (0.707”Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

AC60E (6 Speed)(2WD) / AC60F (6 Speed)(4WD)

Atlantic #	TC29701
Model :	Tacoma
Engine:	3.5L
Year(s) :	2016-18
Code :	58A100
OEM Part Number :	
Overall Diameter :	11.75
Overall Height :	Pilot - 5.824 Lugs - 5.169
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.689
Pilot Diameter :	1.255 (Button Shaped)
Pilot Length :	1.335
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.25
Mounting Style :	6 Pads (M9 x 1.0)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator / 20 Vanes

© Whatever It Takes Transmission Parts. Inc.

Toyota

AS68RC (6 Speed)(RWD / 4x4)

Atlantic #	TC17222
Model :	Hino Model 195
Engine:	5.0L
Year(s) :	2015
Code :	Black Paint Swatch On Pump
OEM Part Number :	
Overall Diameter :	12.5
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.844
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	6.6875
Mounting Style :	6 Extended Pads (14.5625 Across) With Line Up Holes
Ring Gear :	
Clutch:	Clutch Pack

Note:

AW450-43LE (4 Speed)(RWD)

Atlantic #	TC14107
Model :	Hino Truck
Engine:	
Year(s) :	2005-07
Code :	Orange Paint Spots
OEM Part Number :	
Overall Diameter :	12.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.654
Hub Height :	
Pilot Diameter :	0.760 - 1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.34375
Mounting Style :	6 Extended Pads (0.490”Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

AWF8F35 (8 Speed)(FWD/AWD) / U880E/A80E/F

Atlantic #	TC28502
Model :	Camry, Highlander, Sienna
Engine:	3.5L
Year(s) :	2016-20
Code :	37A010
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	Pilot - 4.420 Lugs - 4.111
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	2.034
Hub Height :	1.307
Pilot Diameter :	1.257
Pilot Length :	0.866
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.797
Mounting Style :	6 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)(4 Plates)



Note: 34 Spline Stator / 29 Vanes

Atlantic #	TC28502A
Model :	Camry
Engine:	2.5L
Year(s) :	2018-22
Code :	37A020, 1777, 16024, N3, 38A040H
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	2.035
Hub Height :	1.300
Pilot Diameter :	1.258
Pilot Length :	0.804
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.797
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes (Clutch Pack)



Note:

K313 (CVT)(FWD)

Atlantic #	TC34701
Model :	Corolla
Engine:	1.8L
Year(s) :	2014-17
Code :	Ink Stamp: 32000-12490
	Metal Stamp: K313, P By Pilot
OEM Part Number :	
Overall Diameter :	9.4375
Overall Height :	
Input Spline :	16
Hub Style :	2 Drive Ears, Flanged
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.100 (Button Type)(Cupped Shape)
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Rectangle Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes



Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

U140E (4 Speed)(FWD)

Atlantic #	TC16701
Model :	Highlander
Engine:	3.0L
Year(s) :	2001-03
Code :	Ink Code: 01, Green Paint Dot
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.375
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	0.75
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (0.290”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC14105
Model :	Camry
Engine:	3.0L (Some)
Year(s) :	2002-04
Code :	L On Pilot Side
OEM Part Number :	
Overall Diameter :	11.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.562
Pilot Diameter :	1.257
Pilot Length :	1.10
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

Atlantic #	TC16705
Model :	Camry
Engine:	3.0L (Some)
Year(s) :	2002-04
Code :	Metal Stamp: 2A310841 Pilot Side
OEM Part Number :	
Overall Diameter :	11.1875
Overall Height :	
Input Spline :	26
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	0.730 - 1.257
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (0.400”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes



Note: Primary Reduced To 9.75 / 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Toyota

U140F (4 Speed)(FWD)

Atlantic #	TC16701
Model :	Highlander
Engine:	3.0L
Year(s) :	2001-07
Code :	Ink Code: 01, Green Paint Dot
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.375
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	0.75
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (0.290”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC16702
Model :	RAV4
Engine:	2.0L
Year(s) :	2000-08
Code :	Ink Code: 14, 22, 4076, 1B14V, 40A970,
	Blue Paint Circle, Metal Stamp: 16U by Pilot
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.680 - 1.257
Pilot Length :	1.50
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Pilots Vary In Shape

Atlantic #	TC16702LS
Model :	Highlander, RAV4
Engine:	2.4L, 2.5L
Year(s) :	2000-12
Code :	Ink Code: 11, 17, 21 Metal Stamp: 16U
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.680 - 1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (0.390”Thk)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator / Pilots Vary In Shape

© Whatever It Takes Transmission Parts. Inc.

Toyota

U151E (5 Speed)(FWD)

Atlantic #	TC16701
Model :	Avalon, Camry
Engine:	3.5L, 3.0L
Year(s) :	2003-08
Code :	Ink Code: 01, Green Paint Dot
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	4.375
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.257
Pilot Length :	0.75
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (0.290”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC14108
Model :	Avalon, Camry Solora
Engine:	3.3L, 3.5L
Year(s) :	2004-08
Code :	Ink Code: 02, 04, 05 Both Sides
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	Pilot - 4.631 Lugs: 4.375
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.50
Pilot Diameter :	0.750 - 1.257
Pilot Length :	0.71
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

U151F (5 Speed)(FWD)

Atlantic #	TC14108
Model :	Highlander, RAV4, Sienna
Engine:	3.3L, 3.5L
Year(s) :	2004-19
Code :	Ink Code: 02, 04, 05 Both Sides
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	Pilot - 4.631 Lugs: 4.375
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.50
Pilot Diameter :	0.750 - 1.257
Pilot Length :	0.71
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

U240E (4 Speed)(FWD)

Atlantic #	TC16704
Model :	Celica GTS, Matrix
Engine:	1.8L
Year(s) :	2000-06
Code :	Ink Code: 13, 19, Blue Circle
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.100
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Some Pilots Are Not Stepped

U241E (4 Speed)(FWD)

Atlantic #	TC16702
Model :	Camry, Highlander, RAV4
Engine:	2.0L, 2.4L (Some)
Year(s) :	2001-07
Code :	Ink Code: 14, 22, 4076, 1B14V, 40A970, Blue Paint Circle, Metal Stamp: 16U by Pilot
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.680 - 1.257
Pilot Length :	1.50
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Pilots Vary In Shape

Atlantic #	TC16702LS
Model :	RAV4
Engine:	2.4L
Year(s) :	2004-08
Code :	Ink Code: 11, 17, 21 Metal Stamp: 16U
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.680 - 1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (0.390”Thk)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator / Pilots Vary In Shape

© Whatever It Takes Transmission Parts. Inc.

Toyota

U241E (4 Speed)(FWD)(Contiinued)

Atlantic #	TC16703
Model :	Camry, Camry Solara
Engine:	2.4L
Year(s) :	2002-05
Code :	Ink Code: 16, 16A, 40A970, Purple Ring Around Pilot
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.660 - 1.257
Pilot Length :	1.070
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Pilots Vary In Shape

U250E (5 Speed)(FWD)

Atlantic #	TC16702LS
Model :	Matrix
Engine:	2.4L
Year(s) :	2009-13
Code :	Ink Code: 11, 17, 21 Metal Stamp: 16U
OEM Part Number :	
Overall Diameter :	10.50
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.680 - 1.257
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (0.390”Thk)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator / Pilots Vary In Shape

Atlantic #	TC16703
Model :	Corolla XRS
Engine:	2.4L
Year(s) :	2009-11
Code :	Ink Code: 16, 16A, 40A970, Purple Ring Around Pilot
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.660 - 1.257
Pilot Length :	1.070
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

U250E (5 Speed)(FWD)(Continued)

Atlantic #	TC16703LS
Model :	Camry, Camry Solara
Engine:	2.4L
Year(s) :	2003-09
Code :	Ink Code: 15, 40A980, 40B980, 43A980
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.55
Pilot Diameter :	1.257
Pilot Length :	1.09
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.50
Mounting Style :	6 Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Pilots And Mounting Pads Vary In Shape

U340E / U341E (4 Speed)(FWD)

Atlantic #	TC6708LS
Model :	Echo, Yaris
Engine:	1.5L
Year(s) :	1999-06, 2007-18
Code :	05, 13, J08, 202, R, 30A070, 30A360, Blue Circle Around Pink Dot, Blue Dot With Yellow Dot, Yellow Paint Line, Blue Circle With White Dot, Fuchsia Circle Around Yellow Dot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.5625
Pilot Diameter :	1.100 (Solid Or Hollow)
Pilot Length :	0.973
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads (0.372”Deep)(M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

U340E / U341E (4 Speed)(FWD)(Continued)

Atlantic #	TC12701
Model :	Celica GT
Engine:	1.8L
Year(s) :	2000-06
Code :	Sticker Code: 12
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	4.344
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.565
Pilot Diameter :	1.100
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads (M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC12702
Model :	Corolla, Matrix
Engine:	1.8L
Year(s) :	1997-17
Code :	Ink Code: 40, 41, R Metal Stamp: R Next
	To Pilot
OEM Part Number :	
Overall Diameter :	9.875
Overall Height :	
Input Spline :	26
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.40
Pilot Diameter :	1.100
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads (0.545"Tall)(M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

U341F (4 Speed)(AWD)

Atlantic #	TC6708
Model :	Matrix, Pontiac Vibe
Engine:	(Some 1.8L)
Year(s) :	2003-09
Code :	7, 30A010, 30A030, 30A070 (Some),30A080,
	30A108, 30A180, 30A290, Stamped R Pilot Side
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.400
Pilot Diameter :	1.100 (Solid or Hollow)
Pilot Length :	0.420
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads (0.372" Tall)(M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Toyota

U341F (4 Speed)(AWD)(Continued)

Atlantic #	TC6708LS
Model :	Pontiac Vibe
Engine:	(Some 1.8L)
Year(s) :	2003-09
Code :	05, 13, J08, 202, 30A070 (Some), 30A360,Blue Circle Around Pink Dot, Blue Dot W/Yellow Dot, Yellow Paint Line, Blue Circle W/White Dot, Fuchia Circle Around Yellow Dot
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.5626
Pilot Diameter :	1.100 (Solid or Hollow)
Pilot Length :	0.973
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads (0.380” Tall)(M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC12702
Model :	Matrix, Pontiac Vibe
Engine:	(Some 1.8L)
Year(s) :	2003-10
Code :	Ink Code: 40, 41, R Metal Stamp: R Next To Pilot
OEM Part Number :	
Overall Diameter :	9.875
Overall Height :	
Input Spline :	26
Hub Style :	Slotted, Flanged
Hub Diameter :	1.500
Hub Height :	1.40
Pilot Diameter :	1.100
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	3.9375
Mounting Style :	6 Pads (0.545”Tall)(M8 x 1.25 Threads)
Ring Gear :	
Clutch:	Yes

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Toyota

U660E (6 Speed)(FWD/AWD)

Atlantic #	TC27702
Model :	Avalon, Camry, Sienna
Engine:	3.5L
Year(s) :	2006-19
Code :	Sticker Code: 423KA ID Code: U660E,
	2 Small Green Circles Metal Stamp: P On
	Both Sides
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	22
Hub Style :	Slotted
Hub Diameter :	1.695
Hub Height :	1.405
Pilot Diameter :	1.257
Pilot Length :	0.74
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Square Pads (M9 x 1.25)
Ring Gear :	
Clutch:	Yes (High Carbon Clutch)

Note: Pilot Shape Varies

Atlantic #	TC27703
Model :	Camry
Engine:	2.5L
Year(s) :	2010-15
Code :	P, U760E, 06051C, 33140, 33141, 141010
OEM Part Number :	
Overall Diameter :	9.875
Overall Height :	Pilot - 3.928 Lugs - 3.702
Input Spline :	22
Hub Style :	Slotted, Flanged
Hub Diameter :	1.695
Hub Height :	1.39
Pilot Diameter :	1.257
Pilot Length :	0.525
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Extended Pads (0.385”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 34 Stator Splines

U760E (6 Speed)(FWD/AWD)

Atlantic #	TC27703
Model :	Camry, Venza
Engine:	2.5L, 2.7L
Year(s) :	2009-19
Code :	P, U760E, 06051C, 33140, 33141, 141010
OEM Part Number :	
Overall Diameter :	9.875
Overall Height :	Pilot - 3.928 Lugs - 3.702
Input Spline :	22
Hub Style :	Slotted, Flanged
Hub Diameter :	1.695
Hub Height :	1.39
Pilot Diameter :	1.257
Pilot Length :	0.525
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Extended Pads (0.385”Tall)(M9 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: 34 Stator Splines

© Whatever It Takes Transmission Parts. Inc.

MID MOUNTAIN
AUTOMOTIVE CORE SUPPLY

RELIABILITY AT THE CORE

- Fair Prices
- Industry Experience
- Dedicated Support
- Superior Service

EXTENSIVE CORE INVENTORY

MidMountain is a Sparta, Tennessee buyer and seller of automotive cores. We specialize in supplying cores to the transmission rebuilding industry with a focus on transmission cores, torque converters, and hard parts. With our extensive core inventory, MidMountain is one of the largest recyclers of transmissions and parts in the industry. We maintain stock of the most common transmissions in operation today.

POPULAR TRANSMISSION, CONVERTER & HARD PART INVENTORY

CHRYSLER
A727, A904, 47RE, 48RE, A518, A618, 68RFE

FORD
C6, AODE, 4R70W, E4OD, 4R100, 5R110, 6R80

GM
Powerglide, TH400, 4L60E, 4L80E, 6L80, Allison 1000

Give us a call today at 1-931-738-2886 or visit mid-mountainauto.com theTNpowertrainprovider A division of WIT

Volkswagen

AWTF60SN (09G)(09M)(6 Speed)(FWD/AWD)

Atlantic #	TC26501
Model :	
Engine:	
Year(s) :	
Code :	Ink Code: 571E, 571G, 46A040, 46A060,
	Metal Stamp: QBAA, QEAA, QFAA, QHAA
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	4.8125
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.720
Hub Height :	1.4375
Pilot Diameter :	0.825
Pilot Length :	0.750
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	135 Tooth (11.25”Diameter)
Clutch:	Yes

Note:

Atlantic #	TC26501A
Model :	
Engine:	
Year(s) :	
Code :	571D, 46A010, 072-08122, 09G-323-571D
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	4.8125
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.720
Hub Height :	1.4375
Pilot Diameter :	0.825
Pilot Length :	0.750
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	135 Tooth (11.25”Diameter)
Clutch:	Yes

Note:

Atlantic #	TC26501B
Model :	CC, Passat
Engine:	2.0L
Year(s) :	2006-16
Code :	571A, 46A110, 079-00937, 09G-323-571A
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.720
Hub Height :	1.41
Pilot Diameter :	0.825
Pilot Length :	0.725
Lockup :	Yes
Stall Speed :	Extra Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	135 Tooth (11.25”Diameter)
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Volkswagen

AWTF60SN (09G)(09M)(6 Speed)(FWD/AWD)(Continued)

Atlantic #	TC26501E
Model :	
Engine:	
Year(s) :	
Code :	46A090, QJHA, 571J
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.720
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	135 Tooth (11.25”Diameter)
Clutch:	Yes

Note: 38 Spline Stator

Atlantic #	TC26501M
Model :	
Engine:	
Year(s) :	
Code :	34A020, QHJA, Some 571M
OEM Part Number :	
Overall Diameter :	
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.720
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	Medium
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	135 Tooth (11.25” Diameter)
Clutch:	Yes



Note: 38 Spline Stator

Atlantic #	TC17531
Model :	New Jetta
Engine:	2.5L
Year(s) :	2005-13
Code :	34A010, 34A060, 571L, 571P, QCKA, QCKB
OEM Part Number :	
Overall Diameter :	10.125
Overall Height :	
Input Spline :	20
Hub Style :	Slotted. Flanged
Hub Diameter :	1.72
Hub Height :	1.41
Pilot Diameter :	0.825
Pilot Length :	0.725
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	135 Tooth (11.25”Diameter)
Clutch:	Yes (Clutch Type)

Note: 38 Spline Stator

© Whatever It Takes Transmission Parts. Inc.

Volkswagen

AWTF60SN (09G)(09M)(6 Speed)(FWD/AWD)(Continued)

Atlantic #	TC26504
Model :	Passat
Engine:	3.6L
Year(s) :	2006-09
Code :	44A030
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	3.906
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	1.375
Pilot Diameter :	0.825
Pilot Length :	0.055
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs
Ring Gear :	135 Tooth
Clutch:	Yes



Note: Ring Gear Located On Primary Pump

Atlantic #	TC26505
Model :	New Beetle, New Jetta, Passat
Engine:	1.8L
Year(s) :	2005-06, 2014-17
Code :	34A090, 571N, QCKC
OEM Part Number :	
Overall Diameter :	10.415
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.72
Hub Height :	1.415
Pilot Diameter :	0.825
Pilot Length :	0.65
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	132 Tooth (11.25” Diameter)
Clutch:	Yes (Clutch Type)

Note: Low Stall Fin Angle, 38 Stator Splines

Atlantic #	TC26506
Model :	
Engine:	
Year(s) :	
Code :	571B, 571C, 46A150, 46A161
OEM Part Number :	
Overall Diameter :	11.125
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.825 (Solid)
Pilot Length :	0.735
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (.410”Tall Bases)(M10 x 1.0)
Ring Gear :	135 Tooth
Clutch:	Yes (Clutch Type)



Note: 38 Spline Stator / Ring Gear Welded To Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Volkswagen

AWTF60SN (09G)(09M)(6 Speed)(FWD/AWD)(Continued)

Atlantic #	TC26508
Model :	Tiguan
Engine:	2.0L
Year(s) :	2015-17
Code :	571F, 34A040
OEM Part Number :	
Overall Diameter :	10.52
Overall Height :	
Input Spline :	20
Hub Style :	Slotted, Flanged
Hub Diameter :	1.724
Hub Height :	1.401
Pilot Diameter :	0.825 (Solid)
Pilot Length :	0.725
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (11.315”Diameter)(M10 x 1.2)
Ring Gear :	135 Tooth
Clutch:	Yes (Clutch Type Unit)

Note: 38 Spline Stator / Ring Gear Welded To Reduced Primary

JF506E (09A)(09M)(5 Speed)(FWD/AWD)

Atlantic #	TC18331
Model :	Golf, GTI, Jetta
Engine:	1.8L
Year(s) :	1998-07
Code :	10611204 JC7 JP, Yellow Paint Swatch
OEM Part Number :	
Overall Diameter :	10
Overall Height :	5.167
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.652
Hub Height :	1.725
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Studs (M10 x 1.0)
Ring Gear :	114 Tooth (0.625”Wide)
Clutch:	Yes

Note: 3 Studs On Round Bases Atop Square Bases

Atlantic #	TC18332
Model :	Jetta
Engine:	2.8L
Year(s) :	2002-05
Code :	2002 10, 18D, JC7.JPF 19, 2001 09 15N, 038
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats, Flanged
Hub Diameter :	1.652
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Studs (M10 x 1.0)
Ring Gear :	114 Tooth (11.5625” Diameter)(0.4375”Wide)
Clutch:	Yes

Note: 3 Studs On Round Bases Atop Square Bases

© Whatever It Takes Transmission Parts. Inc.

Volkswagen

JF506E (09A)(09M)(5 Speed)(FWD/AWD)(Continued)

Atlantic #	TC18333
Model :	Golf, GTI, Jetta
Engine:	1.9L Diesel
Year(s) :	1998-07
Code :	F23, GEG, JC7, JP, #23063, H23
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	20
Hub Style :	Milled Flats
Hub Diameter :	1.652 - 1.635
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	0.830
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Studs (M10 x 1.0)
Ring Gear :	114 Tooth (0.4375”Wide)(0.475”Thk)
Clutch:	Yes

Note: 3 Mounting Studs On Round Bases Atop Rectangular Bases

TR60SN (09D)(6 Speed)(RWD/AWD)

Atlantic #	TC23521
Model :	Touareg
Engine:	5.0L (Diesel)
Year(s) :	2002-09
Code :	Ink Stamp 40
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	24
Hub Style :	Slotted
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.50
Mounting Style :	3 Pads With 2 Holes Each (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC23522
Model :	Touareg
Engine:	3.2L
Year(s) :	2002-04
Code :	43A280, 436, (Some 571M), Y51
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	5.375
Input Spline :	20
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.50
Pilot Diameter :	0.825
Pilot Length :	1.375
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.125
Mounting Style :	3 Pads (0.75”Thk)(M10 x 1.0)
Ring Gear :	
Clutch:	Yes



Note: Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Volkswagen

TR60SN (09D)(6 Speed)(RWD/AWD)(Continued)

Atlantic #	TC23523
Model :	Touareg
Engine:	4.2L
Year(s) :	2002-09
Code :	50A140, 50A150, Pink Paint Circle
OEM Part Number :	
Overall Diameter :	11.875
Overall Height :	
Input Spline :	24
Hub Style :	Slotted, Stepped, Flanged
Hub Diameter :	1.772
Hub Height :	2.1875
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	3 Raised Pads With 2 Holes Each (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

VW01M / 01P (095 / 096 / 098)(4 Speed)(FWD) (Please Verify OEM Metal Stamp)

Atlantic #	TC7501
Model :	Corrado
Engine:	1.8L
Year(s) :	1990-92
Code :	QACA, QBCA, QCCR, QBCR, CCNK
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	36 (3 Sets)
Hub Style :	Drive Ears
Hub Diameter :	2.006
Hub Height :	0.98
Pilot Diameter :	0.629
Pilot Length :	1.07
Lockup :	Yes
Stall Speed :	2750-3050
Mounting Bolt Radius :	4.625
Mounting Style :	3 Studs (M10 x 1.0)
Ring Gear :	125 Tooth
Clutch:	Yes

Note:

Atlantic #	TC7502
Model :	Corrado
Engine:	2.8L
Year(s) :	1992-95
Code :	LBCA, LCCA
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	36
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	3 Studs (M10 x 1.0)
Ring Gear :	None
Clutch:	Yes



Note:

© Whatever It Takes Transmission Parts. Inc.

Volkswagen

VW01M / 01P (095 / 096 / 098)(4 Speed)(FWD)(Continued) (Please Verify OEM Metal Stamp)

Atlantic #	TC7503
Model :	Eurovan, Golf, GTI, Jetta (Some),
Engine:	2.8L, 2.0L, 1.9L Diesel
Year(s) :	1990-04
Code :	QADB, QADC, QBDB, QBDC, QCDC,
	QCDR, QCDT, QCDV, QDDT
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	3.1875
Input Spline :	29
Hub Style :	Drive Ears
Hub Diameter :	2.00
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	1.00
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.625
Mounting Style :	3 Studs On Bases (M10 x 1.0)
Ring Gear :	125 Tooth
Clutch:	Yes

Note:

Atlantic #	TC7503C
Model :	Beetle, Cabrio, Eurovan, Golf, GTI, Jetta
Engine:	1.8L, 1.9L Diesel, 2.0L, 2.8L
Year(s) :	1990-09
Code :	QADD, QBDD, QCDD, QCDJ, QDDB,
	QDDJ, 102, 103
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	29
Hub Style :	Drive Ears
Hub Diameter :	2.0
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	1.05
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.625
Mounting Style :	3 Studs On Bases (M10 x 1.0)
Ring Gear :	125 Tooth
Clutch:	Yes

Note: Unit Contains Bearings For Input Shaft

Atlantic #	TC26501
Model :	
Engine:	
Year(s) :	
Code :	Ink Code: 571E, 571G, 46A040, 46A060,
	Metal Stamp: QBAA, QEAA, QFAA, QHAA
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	4.8125
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.720
Hub Height :	1.4375
Pilot Diameter :	0.825
Pilot Length :	0.750
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Studs (M10 x 1.0)
Ring Gear :	135 Tooth (11.25”Diameter)
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Volkswagen

VW01M / 01P (095 / 096 / 098)(4 Speed)(FWD)(Continued) (Please Verify OEM Metal Stamp)

Atlantic #	TC17530
Model :	Passat
Engine:	1.8L, 2.0L
Year(s) :	2004-11
Code :	Ink Stamp Q61X
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	4.375
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	1.750
Pilot Diameter :	0.830
Pilot Length :	1.042
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC17502HS
Model :	Passat
Engine:	Some 2.8L
Year(s) :	1992-95
Code :	B15, B19, B22, B27, B31, B35, F31, N28,
	Green Paint Dot, (Some 156202), 156203
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.772
Hub Height :	1.250
Pilot Diameter :	0.629
Pilot Length :	0.680
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC17503
Model :	Passat
Engine:	1.8L, 2.0L
Year(s) :	1990-95
Code :	A33, K28, L45, M24, M28, Q45, 156200,
	(Some 156201), (Some 156202)
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.772
Hub Height :	1.250
Pilot Diameter :	0.629
Pilot Length :	0.680
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Volkswagen

VW01M / 01P (095 / 096 / 098)(4 Speed)(FWD)(Continued) (Please Verify OEM Metal Stamp)

Atlantic #	TC17506
Model :	Passat
Engine:	2.8L
Year(s) :	1992-95
Code :	Some 156201
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	1.000
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Ring W/3 Floating Nuts (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

VW003 (3 Speed)(Transaxle)

Atlantic #	TC16501
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	24
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	4 Tabs
Ring Gear :	130 Tooth
Clutch:	None



Note: With Cooling Shroud

Atlantic #	TC16502
Model :	Vanagon
Engine:	
Year(s) :	1987
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	0.750
Pilot Diameter :	0.825
Pilot Length :	0.530
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	3 Tabs
Ring Gear :	130 Tooth
Clutch:	None

Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Volkswagen

VW003 (3 Speed)(Transaxle)(Continued)

Atlantic #	TC16503
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	3 Tabs
Ring Gear :	130 Tooth
Clutch:	None

Note: With Cooling Shroud

VW010 / 087 / 089 / 090 (3 Speed)(Transaxle)

Atlantic #	TC6501
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	3 Tabs
Ring Gear :	
Clutch:	None

Note: Hub Has Dust Shield / With 1.75” Wide Cooling Shroud

Atlantic #	TC6502
Model :	
Engine:	
Year(s) :	
Code :	Y Stamped On Mounting Pad
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	3 Tabs
Ring Gear :	
Clutch:	None



Note: 1.125” Wide Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Volkswagen

VW010 / 087 / 089 / 090 (3 Speed)(Transaxle)(Continued)

Atlantic #	TC6510
Model :	
Engine:	
Year(s) :	
Code :	K Stamped on Mounting Pad
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	0.700
Pilot Diameter :	0.825
Pilot Length :	0.440
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	3 Tabs
Ring Gear :	
Clutch:	None

Note: 1.75” Wide Cooling Shroud

Atlantic #	TC6510HS
Model :	
Engine:	
Year(s) :	
Code :	G or Q Stamped On Mounting Pad
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	5.00
Mounting Style :	3 Tabs
Ring Gear :	
Clutch:	None

Note: 1.75” Wide Cooling Shroud

Atlantic #	TC6511
Model :	
Engine:	
Year(s) :	
Code :	W Stamped On Mounting Pad
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.9375
Mounting Style :	4 Tabs
Ring Gear :	
Clutch:	None



Note: 1.75” Wide Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Volkswagen

VW010 / 087 / 089 / 090 (3 Speed)(Transaxle)(Continued)

Atlantic #	TC6511N
Model :	
Engine:	
Year(s) :	
Code :	N Stamped On Mounting Pad
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	0.620
Pilot Diameter :	0.825
Pilot Length :	0.490
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.9375
Mounting Style :	4 Tabs
Ring Gear :	
Clutch:	Yes



Note: With Cooling Shroud

Atlantic #	TC6512
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	No Drive (W/Inner Bushing)
Hub Diameter :	1.648
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.375
Mounting Style :	4 Tabs
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

VW097 (01N) (4 Speed)(FWD)

Atlantic #	TC7540
Model :	
Engine:	
Year(s) :	1990-98
Code :	LADB, LCDB, Stamped B Between Dimples
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	36
Hub Style :	Drive Ears
Hub Diameter :	2.004
Hub Height :	
Pilot Diameter :	0.629 - 0.825
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.625
Mounting Style :	3 Studs W/Shoulders Atop Bases (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Type)

Note:

© Whatever It Takes Transmission Parts. Inc.

Volkswagen

ZF5HP19FL (01V) (5 Speed)(FWD)

Atlantic #	TC17503
Model :	Passat
Engine:	1.8L, 2.0L
Year(s) :	1996-03
Code :	A33, K28, L45, M24, M28, Q45, 156200,
	(Some 156201), (Some 156202)
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.772
Hub Height :	1.250
Pilot Diameter :	0.629
Pilot Length :	0.680
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC17530
Model :	Passat
Engine:	1.8L, 2.0L, 2.0L (Diesel)
Year(s) :	2003-05
Code :	Ink Stamp Q61X
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	4.375
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	1.750
Pilot Diameter :	0.830
Pilot Length :	1.042
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.625
Mounting Style :	3 Pads (M10 x 1.0)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC17506
Model :	Passat
Engine:	2.8L
Year(s) :	1996-05
Code :	Some 156201
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	1.000
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Ring W/3 Floating Nuts (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

© Whatever It Takes Transmission Parts. Inc.

Volkswagen

ZF5HP19FLA (5 Speed)(AWD)

Atlantic #	TC17502
Model :	Passat
Engine:	Some 4.0L
Year(s) :	2001-04
Code :	B73, F35, P56, Y61, (Some 156207), 156208
OEM Part Number :	
Overall Diameter :	11
Overall Height :	4.375
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	
Pilot Diameter :	0.629
Pilot Length :	1.000
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Ring W/3 Floating Nuts (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC17504
Model :	Passat
Engine:	Some 4.0L
Year(s) :	2001-04
Code :	A73, B33, Q56, (Some 156207)
OEM Part Number :	
Overall Diameter :	10.875
Overall Height :	4.844
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.771
Hub Height :	1.750
Pilot Diameter :	0.629
Pilot Length :	1.460
Lockup :	Yes
Stall Speed :	Very Low
Mounting Bolt Radius :	4.625
Mounting Style :	Mounting Ring With 3 Threaded Holes (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note:

Atlantic #	TC7540
Model :	
Engine:	
Year(s) :	1990-98
Code :	LADB, LCDB, Stamped B Between Dimples
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	36
Hub Style :	Drive Ears
Hub Diameter :	2.004
Hub Height :	
Pilot Diameter :	0.629 - 0.825
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.625
Mounting Style :	3 Studs W/Shoulders Atop Bases (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Type)

Note:

© Whatever It Takes Transmission Parts. Inc.

Volkswagen

ZF5HP24A (5 Speed)(RWD/AWD)(Continued)

Atlantic #	TC18502
Model :	Phaeton
Engine:	6.0L
Year(s) :	2004-06
Code :	182002, 10, 47, D73, N45, 51 By Pilot
OEM Part Number :	
Overall Diameter :	12
Overall Height :	5.6875
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.575
Hub Height :	2.3125
Pilot Diameter :	0.629
Pilot Length :	0.865
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	5.00
Mounting Style :	6 Threaded Holes (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Mounting Plate Welded To Front Cover / Medium Stall Rib Angle

Atlantic #	TC18502LS
Model :	Phaeton
Engine:	6.0L
Year(s) :	2004-06
Code :	182003, F73, Black Paint Dot
OEM Part Number :	
Overall Diameter :	12
Overall Height :	5.6875
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.575
Hub Height :	2.3125
Pilot Diameter :	0.629
Pilot Length :	0.865
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	5.00
Mounting Style :	6 Threaded Holes (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Captive Clutch)

Note: Mounting Plate Welded To Front Cover / Low Stall Rib Angle

ZF6HP19 / ZF6HP19A (6 Speed)(RWD/AWD)

Atlantic #	TC20903
Model :	Phaeton
Engine:	4.2L
Year(s) :	2004-06
Code :	L72, P72, 000014
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, Stepped
Hub Diameter :	1.772
Hub Height :	2.125
Pilot Diameter :	0.629
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	Plate W/3 Threaded Holes (M10 x 1.0)
Ring Gear :	
Clutch:	Yes (Clutch Pack)

Note: 43 Spline Stator / Mounting Plate Welded To Front Cover

© Whatever It Takes Transmission Parts. Inc.

ATLANTIC
TORQUE CONVERTERS

XTREME PERFORMANCE

The XTReme Series offers performance upgraded torque converters for a wide variety of vehicle applications and budgets. XTReme converters are ready for your next rebuild from mild tuners to weekend drag cars, heavy duty diesels, gas work truck, and industrial applications.

XTREME PERFORMANCE APPLICATIONS

BORGWARNER sonnax Raybestos POWERTRAIN ATRICOMPONENT PRODUCTS CORPORATION Industrial Driveline WIT ATF

Give us a call today at 1-800-940-0197 or visit atlanticconverters.com

AtlanticConverters

A division of WIT

Volvo

A341E (4 Speed)(RWD/4x4)

Atlantic #	TC9740
Model :	960, S90
Engine:	2.9L
Year(s) :	1992-98
Code :	Pink Circle, Green Dot, 8u
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	1.625
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.781
Mounting Style :	6 Pads (0.5625” Tall)(M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Ribs Angle Slightly Right

Atlantic #	TC9740LS
Model :	
Engine:	
Year(s) :	
Code :	White Dot,10X, 20A050, 6J on Pilot
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.825
Pilot Length :	1.625
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.781
Mounting Style :	6 Pads (0.5625” Tall)(M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Ribs Angle Slightly Left

Atlantic #	TC9741
Model :	V90
Engine:	2.9L
Year(s) :	1991-97
Code :	Red Circle Around Red Dot, 8U, Pink Dot
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	5.031
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	1.375
Pilot Length :	1.490
Lockup :	Yes
Stall Speed :	High
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Volvo

A40 / A42D / A42DL / A43D / A43DL / A44DL (3 & 4 Speed)(RWD)

Atlantic #	TC5745
Model :	
Engine:	
Year(s) :	
Code :	Stamped M by Pilot, XGG on Pilot End
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.25
Mounting Style :	4 Hole Ring (9” Diameter)
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC5746
Model :	240DL, 240
Engine:	2.3L
Year(s) :	1986, 1990-93
Code :	9G, ODM, ODS, S
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.830
Pilot Diameter :	0.750
Pilot Length :	1.03
Lockup :	No
Stall Speed :	Low
Mounting Bolt Radius :	4.25
Mounting Style :	6 Hole Ring (9.25” Diameter)
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC5748
Model :	Wagon, 940
Engine:	2.3L
Year(s) :	1987-98
Code :	Blue & Pink Dots, Stamped 9F, 9J on Pilot
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	
Stall Speed :	High
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Volvo

A40 / A42D / A42DL / A43D / A43DL / A44DL (3 & 4 Speed)(RWD)(Continued)

Atlantic #	TC5749
Model :	740GL, 745 Wagon
Engine:	2.3L
Year(s) :	1990-92
Code :	Stamped OD on Pilot Side
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	4.875
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.750
Pilot Length :	1.145
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC5750
Model :	760GLE
Engine:	2.8L
Year(s) :	1987
Code :	
OEM Part Number :	10
Overall Diameter :	
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.575
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.0625
Mounting Style :	4 Hole Extended Mounting Ring
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC5752
Model :	760GLE
Engine:	2.8L
Year(s) :	1984-85
Code :	
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.575
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	4 Hole Extended Mounting Ring
Ring Gear :	
Clutch:	None

Note:

© Whatever It Takes Transmission Parts. Inc.

Volvo

AW50-40 / AW50-40LE / AW50-42LE (4 Speed)(FWD/AWD)

Atlantic #	TC8902
Model :	Daewood
Engine:	2.3L
Year(s) :	1999-01
Code :	40A030, 40A600, Green Dot By Mounting Pad
OEM Part Number :	
Overall Diameter :	10.375
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	Yes
Stall Speed :	Medium
Mounting Bolt Radius :	4.656
Mounting Style :	6 Pads (M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC8940
Model :	S40
Engine:	1.9L
Year(s) :	1995-2000
Code :	Q2, HO6, 16U, 021S, 40A020, 40A320
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.500
Pilot Diameter :	0.825
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC8941
Model :	C70
Engine:	2.3L, 2.4L
Year(s) :	1998-00
Code :	355870, 42A020, Stamped 5 On Pilot End, Blue Dot On Primary
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (0.310”Thick)(M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Volvo

AW50-40 / AW50-40LE / AW50-42LE (4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC8941A
Model :	
Engine:	
Year(s) :	
Code :	40A010, 42A050, Green Circle
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.594
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

AW55-50SN / AW55-51SN (5 Speed)(FWD/AWD)

Atlantic #	TC8940
Model :	S70, V70
Engine:	2.4L
Year(s) :	2000
Code :	Q2, HO6, 16U, 021S, 40A020, 40A320
OEM Part Number :	
Overall Diameter :	10.25
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.500
Pilot Diameter :	0.825
Pilot Length :	1.250
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Volvo

AW55-50SN / AW55-51SN (5 Speed)(FWD/AWD)(Continued)

Atlantic #	TC2103
Model :	C70, S40, S60, S80, V40, V70
Engine:	1.9L, 2.3L, 2.4L, 2.5L
Year(s) :	1998-11
Code :	43A012, 43A020, 43A021, 43A030, 43A220,
	43A240, 43A290, Some 431, 432, Some 433,
	483, 5 On Primary, Some Y51 On Cover
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	3.875
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.500
Pilot Diameter :	0.825
Pilot Length :	1.385
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC2104
Model :	
Engine:	
Year(s) :	
Code :	43A080, 43A090, (Some Y51, 431, 433)
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	Low
Mounting Bolt Radius :	4.625
Mounting Style :	6 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

Atlantic #	TC2105
Model :	S40, S60, V70
Engine:	1.9L Turbo, 2.4L, 2.5L Turbo
Year(s) :	2001-08
Code :	43A360, Some 433, Some Y51 By Pilot
OEM Part Number :	
Overall Diameter :	11.25
Overall Height :	3.875
Input Spline :	20
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	1.500
Pilot Diameter :	0.825
Pilot Length :	1.385
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.875
Mounting Style :	6 Pads (3/8” x 24)
Ring Gear :	
Clutch:	Yes

Note: Reduced Primary

© Whatever It Takes Transmission Parts. Inc.

Volvo

AWTF-80SC / AWTF-81SC (6 Speed)(FWD/AWD)

Atlantic #	TC25540
Model :	XC90
Engine:	4.4L
Year(s) :	2017
Code :	70A020, 70A100, 70A130
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.848
Hub Height :	1.325
Pilot Diameter :	0.825
Pilot Length :	0.950
Lockup :	Yes
Stall Speed :	Low
Mounting Bolt Radius :	4.781
Mounting Style :	6 Square Pads (0.455”Thick)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC25541
Model :	
Engine:	
Year(s) :	
Code :	70A040, 70A210
OEM Part Number :	
Overall Diameter :	11.5
Overall Height :	
Input Spline :	23
Hub Style :	Slotted
Hub Diameter :	1.848
Hub Height :	
Pilot Diameter :	0.825
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.781
Mounting Style :	6 Square Pads (.440”Thk)(M10 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Borg Warner 35, 37, 41, 44 (3 Speed)(RWD)(W/22 Spline Input Shaft)

Atlantic #	TC11941
Model :	
Engine:	4 Cylinder
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Drive Ears
Hub Diameter :	1.684
Hub Height :	1.750
Pilot Diameter :	0.750
Pilot Length :	1.40
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.27
Mounting Style :	4 Hole Mounting Ring (10.0625” Diameter Stepped To 9.125” Diameter)
Ring Gear :	
Clutch:	None

Note: With Cooling Fins

© Whatever It Takes Transmission Parts. Inc.

Volvo

Borg Warner 35, 37, 41, 44 (3 Speed)(RWD)(W/22 Spline Input Shaft)(Continued)

Atlantic #	TC11942
Model :	
Engine:	
Year(s) :	
Code :	30, 93, 139
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Drive Ears
Hub Diameter :	1.684
Hub Height :	1.750
Pilot Diameter :	0.750
Pilot Length :	1.400
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.270
Mounting Style :	4 Hole Mounting Ring
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC11943
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	22
Hub Style :	Drive Ears
Hub Diameter :	1.684
Hub Height :	1.730
Pilot Diameter :	0.750
Pilot Length :	0.790
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	3.75
Mounting Style :	4 Hole Mounting Ring (9.8125” Diameter Stepped To 9.25”)
Ring Gear :	
Clutch:	None

Note: With Cooling Fins

Atlantic #	TC11945A
Model :	
Engine:	
Year(s) :	
Code :	17
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	22
Hub Style :	Drive Ears
Hub Diameter :	
Hub Height :	
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Mounting Lugs
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Volvo

Borg Warner 35, 37, 41, 44 (3 Speed)(RWD)(W/23 Spline Input Shaft)

Atlantic #	TC11944
Model :	
Engine:	
Year(s) :	
Code :	113
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	23
Hub Style :	Drive Ears
Hub Diameter :	1.684
Hub Height :	2.140
Pilot Diameter :	0.750
Pilot Length :	1.410
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.90
Mounting Style :	4 Mounting Lugs (0.500” Tall)
Ring Gear :	
Clutch:	None

Note:

Atlantic #	TC11945
Model :	
Engine:	
Year(s) :	
Code :	6009, 6011, 6039
OEM Part Number :	
Overall Diameter :	12
Overall Height :	
Input Spline :	23
Hub Style :	Drive Ears
Hub Diameter :	1.684
Hub Height :	2.140
Pilot Diameter :	0.750
Pilot Length :	1.410
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.90
Mounting Style :	4 Lugs (0.500”Tall)
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

BW55 / AW55 (4 Speed)(RWD)

Atlantic #	TC5740
Model :	
Engine:	
Year(s) :	
Code :	2011, 2019
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	2.09
Pilot Diameter :	1.575
Pilot Length :	1.41
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	5.125
Mounting Style :	4 Hole Extended Mounting Ring
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

1-800-940-0197

WHATEVER IT TAKES TRANSMISSION PARTS, INC

Volvo

BW55 / AW55 (4 Speed)(RWD)(Continued)

Atlantic #	TC5741
Model :	
Engine:	
Year(s) :	
Code :	
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	2.00
Pilot Diameter :	0.750
Pilot Length :	1.40
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Hole Extended & Stepped Mounting Ring
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

Atlantic #	TC5742
Model :	
Engine:	
Year(s) :	
Code :	Some 5009
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	2.50
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	3 Hole Mounting Ring
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

Atlantic #	TC5743
Model :	
Engine:	
Year(s) :	
Code :	5007, 5015, 5021
OEM Part Number :	
Overall Diameter :	10
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	2.09
Pilot Diameter :	0.750
Pilot Length :	1.34
Lockup :	No
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Lugs
Ring Gear :	
Clutch:	None

Note: With Cooling Shroud

© Whatever It Takes Transmission Parts. Inc.

Volvo

BW55 / AW55 (4 Speed)(RWD)(Continued)

Atlantic #	TC5744
Model :	
Engine:	
Year(s) :	
Code :	Some 5009
OEM Part Number :	
Overall Diameter :	10.5
Overall Height :	
Input Spline :	26
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.750
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	
Mounting Style :	4 Hole Extended Mounting Ring
Ring Gear :	
Clutch:	None

Note: No Shroud

ZF4HP14 / ZF4HP22 (4 Speed)(FWD/AWD)

Atlantic #	TC6940
Model :	740GLE
Engine:	
Year(s) :	
Code :	C3, U3, G Next To Pilot
OEM Part Number :	
Overall Diameter :	10.75
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, 2 Step
Hub Diameter :	1.500
Hub Height :	1.80
Pilot Diameter :	0.750
Pilot Length :	1.63
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	4 Hole Mounting Plate (W/4 Line Up Holes)
Ring Gear :	
Clutch:	Yes

Note: Fichtel & Sachs

Atlantic #	TC6941
Model :	740GLE, 760GLE
Engine:	
Year(s) :	
Code :	Some C2, N3
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	1.040 - 0.945
Pilot Length :	1.875
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	5.00
Mounting Style :	3 Hole Plate (0.100”Thk W/3 Notches and 2 Line Up Holes)
Ring Gear :	
Clutch:	Yes

Note: Fichtel & Sachs

© Whatever It Takes Transmission Parts. Inc.

Volvo

ZF4HP14 / ZF4HP22 (4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC6942
Model :	
Engine:	
Year(s) :	
Code :	Some C2, N3
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	3 Hole Mounting Plate
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6943
Model :	
Engine:	
Year(s) :	
Code :	Some C2, N3
OEM Part Number :	
Overall Diameter :	11
Overall Height :	5.195
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	3 Lugs (M8 x 1.25)
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6944
Model :	
Engine:	
Year(s) :	
Code :	Some U3
OEM Part Number :	
Overall Diameter :	11
Overall Height :	
Input Spline :	27
Hub Style :	Slotted, 2 Step
Hub Diameter :	1.500
Hub Height :	1.750
Pilot Diameter :	0.750
Pilot Length :	1.56
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.25
Mounting Style :	4 Pads Held By Plates
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

Volvo

ZF4HP14 / ZF4HP22 (4 Speed)(FWD/AWD)(Continued)

Atlantic #	TC6945
Model :	
Engine:	
Year(s) :	
Code :	J8
OEM Part Number :	
Overall Diameter :	11.75
Overall Height :	
Input Spline :	27
Hub Style :	Slotted
Hub Diameter :	1.500
Hub Height :	
Pilot Diameter :	0.945
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	4.875
Mounting Style :	3 Pads W/2 Tapped Holes Each Pads
Ring Gear :	
Clutch:	Yes

Note:

Atlantic #	TC6946
Model :	
Engine:	
Year(s) :	
Code :	M8
OEM Part Number :	
Overall Diameter :	9.75
Overall Height :	
Input Spline :	29
Hub Style :	Slotted
Hub Diameter :	
Hub Height :	
Pilot Diameter :	1.572
Pilot Length :	
Lockup :	
Stall Speed :	
Mounting Bolt Radius :	3.9375
Mounting Style :	4 Pads (M8 x 1.25)
Ring Gear :	
Clutch:	Overdrive

Note: 38 Spline Stator / 25 Spline Overdrive

4T65E (4 Speed)(FWD/AWD)

Atlantic #	TC8440
Model :	S80, XC90
Engine:	2.9L
Year(s) :	1999-06
Code :	FLTV, FMVV, 24211943, 24211944, 24216630
OEM Part Number :	
Overall Diameter :	10.625
Overall Height :	
Input Spline :	27
Hub Style :	No Drive
Hub Diameter :	1.790
Hub Height :	0.83
Pilot Diameter :	0.825
Pilot Length :	1.18
Lockup :	Yes
Stall Speed :	
Mounting Bolt Radius :	4.8125
Mounting Style :	6 Pads
Ring Gear :	
Clutch:	Yes

Note:

© Whatever It Takes Transmission Parts. Inc.

NOTES

© Whatever It Takes Transmission Parts. Inc.

NOTES

© Whatever It Takes Transmission Parts. Inc.

NOTES

© Whatever It Takes Transmission Parts. Inc.

NOTES

© Whatever It Takes Transmission Parts. Inc.

© Whatever It Takes Transmission Parts. Inc.

NOTES

© Whatever It Takes Transmission Parts. Inc.

© Whatever It Takes Transmission Parts. Inc.

NOTES

© Whatever It Takes Transmission Parts. Inc.

NOTES

© Whatever It Takes Transmission Parts. Inc.

NOTES

© Whatever It Takes Transmission Parts. Inc.

NOTES

© Whatever It Takes Transmission Parts. Inc.

NOTES

© Whatever It Takes Transmission Parts. Inc.

© Whatever It Takes Transmission Parts. Inc.

NOTES

© Whatever It Takes Transmission Parts. Inc.